SOLUTIONS OF BONCHEM CRYSTAL CHLOR ARE RECOMMENDED FOR SANITIZATION OF POROUS AND NON-POROUS FOOD-CONTACT SURFACES ON FOOD PROCESS-ING EQUIPMENT USED IN MEAT AND POULTRY, DAIRY AND DAIRY FARMS, BEVERAGE OR OTHER SEGMENTS OF FOOD INDUSTRY.

SPRAY SANITIZING

ON PREVIOUSLY CLEANED AND RINSED EQUIPMENT USE 3 OUNCES OF BON-CHEM CRYSTAL CILLOR PER 3 ;/2 GALLONS OF WARM WATER (PROVIDES 200 PPM AVAILABLE CHLORINE). ALLOW A MINIMUM CONTACT TIME OF 5 MINUTES. EQUIPMENT SHOULD BE ALLOWED TO DRAIN AND AIR DRY BEFORE USE.

IMMERSION OR FLOW SANITIZING:

USE 1 1/2 OUNCES OF BONCHEM CRYSTAL CHLOR PER 3 1/2 GALLONS OF WATER (100 PPM AVAILABLE CHLORINE) ON CLEANED, RINSED EQUIPMENT FOR A MINIMUM CONTACT TIME OF 2 MINUTES. THE BONCHEM CRYSTAL CHLOR SOLUTION SHOULD BE REPT ABOVE 50 PPM AVAILABLE CHLORINE, EQUIPMENT SHOULD BE ALLOWED TO DRAIN AND AIR DRY BEFORE USE.

THE SANITIZING SOLUTION MAY BE USED IN C.I.P. OR SPRAY APPLICATION TO MET THOROUGHLY ALL SURFACES. PREPARE FRESH SANITIZING BOLUTION AT LEAST ONCE DAILY OR MORE OFTEN, IF THE SOLUTION BECOMES DILUTED OR SOILED.

ENVIRONMENTAL HAZARD: THIS PESTICIDE IS TOXIC TO FISH.
KEEP OUT OF LAKES, STREAMS OR PONDS. TREATED EFFLUENT HAY NOT BE DISCHARGED INTO LAKES, STREAMS, PONDS OR PUBLIC WATERS WITHOUT A VALID DISCHARGE PERMIT. FOR GUIDANCE, CONSULT THE REGIONAL OFFICE OF THE ENVIRONMENTAL PROTECTION AGENCY.

BONCHEM® CRYSTAL CHLOR

BACTERICIDE - DISINFECTANT

ACTIVE INGREDIENTS:
SODIUM HYPOCHLORITE......MIN...3.25%

INERT INCREDIENTS:96.75%

KEEP OUT OF REACH OF CHILDREN

Henkel Corporation
Chemical Services Division
P.O. Box 927
Burlington, IA 52601

DANGER

See side panel for precautions

Chemtrec Emergency Number 1-800-424-9300

NET CONTENTS: 300 POUNTS

HENKEL SAFETY CODE #4

EPA REG. NO. 53263-3

EPA EST. 53263-IA-01

VALATE POORLY VENTILATED AREAS AS SOON AS POSSIBLE. DO NOT RETURN UNTIL ODORS HAVE DISSI-PATED.

STORACE AND DISPOSAL

KEEP CONTAINER CLOSED AND STORE IN A COOL, DRY PLACE WHEN NOT IN USE. IN CASE OF SPILL, FLOOD AREA WITH LARGE QUANTITIES OF WATER. TRIPLE RINSE EMPTY CON-TAINER WITH WATER AND EITHER RETURN TO MANUFACTURER OR DIS-CARD BY PLACING IN TRASH COL-LECTION OR BURYING IN AN APPROVED LANDFILL. PESTICIDE WASTES ARE ACUTELY HAZARDOUS. IMPROPER DIS-POSAL OF EXCESS PESTICIDE. SPRAY MIXTURE OR RINSATE IS A VIOLATION OF FEDERAL LAW. IF THESE WASTES CANNOT BE DISPOSED OF BY USE ACCORDING TO LABEL INSTRUCTIONS, CONTACT YOUR STATE PESTICIDE OR ENVIRON-MENTAL CONTROL AGENCY, OR HAZARDOUS WASTE REPRESENTATIVE AT THE NEAREST REGIONAL OFFICE FOR GUIDANCE. DO NOT CONTAMINATE FOOD OR FEED BY STORAGE, DIS-POSAL OR CLEANING EQUIPMENT.

PHYSICAL AND CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: MIX ONLY WITH WATER ACCORDING TO LABEL DIRECTIOMS. MIXING THIS PRODUCT WITH GROSS FILTH SUCH AS FECES, URINE, ETC. OR WITH AMMONIA, ACIDS, DETERGENTS OR OTHER CHEMICALS MAY RELEASE MAZARDOUS GASES IRRITATING TO EYES, LUNGS AND MUCOUS MEMBRANES.

PRACTICAL TREATMENT

IF ON SRIN, WASH WITH PLENTY OF SOAP AND WATER.
IF IN EYES, IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION.
IF SWALLOWED, DRINK LARGE QUANTITIES OF GELATIN SOLUTION OR, IF THESE ARE NOT AVAILABLE, DRINK LARGE QUANTIFIES OF MATER. DO NOT GIVE VINEGAR OR OTHER ACIDS. DO NOT INDUCE VONITING. GET PROMPT MEDICAL ATTENTION.

.ca 2