


-2-

A stamp copy of the labeling is enclosed for your records.

If you have any questions concerning this letter, contact Valdis Goncarous at (703) 557-3663.

Sincerely yours,

John E. Lee 
Product Manager (31)
Antimicrobial Program Branch
Registration Division (H7505C)

Enclosure

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS. DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL. AVOID CONTAMINATION OF FOOD.

DANGER. Corrosive. Causes eye and skin damage. Do not get in eyes, on skin, or on clothing. Harmful or fatal if swallowed. Do not breathe vapors. Wear goggles or face shield and rubber gloves when handling.

STATEMENT OF PRACTICAL TREATMENT

If In Eyes: Flush with plenty of water for at least 15 minutes. Get medical attention.

If on Skin: Flush with plenty of water for at least 15 minutes. Get medical attention if skin is severely irritated.

If Swallowed: Promptly drink a large quantity of egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Get medical attention.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Strong oxidizing agent. Do not use in concentrated form. Mix concentrate only with water; never bring concentrate in contact with other sanitizers, cleaners or organic substances.

Dispense directly from original container. Use only clean synthetic hoses made of materials such as Teflon, polyethylene, or polystyrene. Do not use rubber hoses. If concentrate must be transferred to another container use only clean vented containers made of synthetic materials such as Teflon, polyethylene or polystyrene.

Wash thoroughly after handling. Remove contaminated clothing and wash before reuse.

Liquid Acid Sanitizer for Food Processing Equipment in Dairies, Breweries, Wineries and Beverage Plants

ACTIVE INGREDIENTS:

Peroxyacetic Acid

Hydrogen Peroxide

INERT INGREDIENTS:

(Acetic Acid, HEDP, water)

4.0%

25.0%

71.0%

KEEP OUT OF REACH OF CHILDREN

DANGER

STRONG OXIDIZING AGENT

See side panel for additional precautionary statements.

EPA Reg No. 53263-9

EPA Est. No. 53263-1A-1

Net Contents:

FOR INDUSTRIAL USE ONLY

U.S. Patent No. 4,051,058

4,051,059

Not for Sale or Use After

CHEMTREC EMERGENCY NUMBER 1-800-424-9300

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

P3 Oxonia Active sanitizer is for use in closed systems such as pasteurizers, aseptic equipment in dairies, etc. Product is effective as a sanitizer at 500 ppm hardness as CaCO₃.

SANITIZATION OF FOOD-CO

Prior to use of this product, remove scale or pre-scrape and, when necessary, wash with detergent or other cleaning agent before water rinse.

Prepare sanitizing solution by diluting concentrate per 5 gallons of water to provide 100-200 ppm Peroxy Peroxide. Fill closed systems such as pasteurizers with the sanitizing solution and heat to 40°C (104°F) for a contact time of 15 minutes. Rinse thoroughly before resuming food processing. If used at 0.4% P3 Oxonia, a contact time of 30 minutes is required.

A fresh sanitizing solution should be prepared daily or more often if it becomes soiled. Operations must not be resumed until the solution is clear.

Refer to Technical Information for details.

STORAGE AND DISPOSAL

Store in original container in a cool, dry place. Do not store in a container that may be dispensed of.

PLASTIC CONTAINER DISPOSAL

Triple rinse (or equivalent). Puncture and dispose of in a secure container and local authorities by law.

PESTICIDE DISPOSAL

Product or residue that cannot be disposed of by other means should be mixed with sodium carbonate and disposed of by storage, disposal, or incineration.

HENKEL CORPORATION • CHEMICAL SERVICES DIVISION • AMBLER, PA