

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Ms Georgia Anastasiou Agent for Cognis Corporation C/O Lewis and Harrison, LLC 122 C St., NW Suite 740 Washington, DC 20001

NOV 7 2008

Subject: Label Notification(s) for Pesticide Registration Notice 2007-4

Dear Registrant:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated September 15, 2008 for:

EPA Registration 53263-28 Agnique MMF Mosquitoe Larvicide & Pupicide

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and 98-10 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by nonnotification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Banza Djapao of my staff at 703-305-7269.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

9	EPA	
---	------------	--

United States

┙	Registration
\neg	Amendment

OPP Identifier Number

Form Approved, OMB No. 2070-0060, Approval expires 05-31-98

Env	ronmental Protectio Washington, DC 204	Alliche		
	vvasimgton, DC 204	Other:	Notification_	
	Application	on for Pesticide - Section	n I	
1. Company/Product Number 53263-28		EPA Product Manager Venus Eagle		3. Proposed Classification
Company/Product (Name) Agnique MMF Mosquito Larvicide &	Pupicide	PM#		None Restricted
5. Name and Address of Applicant (In Cognis Corporation 4900 Este Avenue Cincinnati, OH 45232 PLEASE DIRECT ALL COR "CONTACT POINT" L Check if this is a new ac	clude ZIP Code) RESPONDENCE TO ISTED BELOW	FDA Dara Na	ar or identio	th FIFRA Section 3(c)(3) FICATION and labeling 7 2007
		Section - II		
Amendment – Explain below. Resubmission in response to Agency letter dated				
		Section - III	· · · · · · · · · · · · · · · · · · ·	
Material This Product Will Be Page	kaged In:			
Child-Resistant Packaging Yes* No *Certification must	Unit Packaging Yes No If "Yes" Unit Packaging wgt.	Water Soluble Pac Yes No No. per container Water Soluble Pac Yes Package wgt.	No. per container	2. Type of Container Metal Plastic Glass Paper
be submitted 3. Location of Net Contents Informa	tion	Datail Contains	5 Leastion of	Other (Specify) Label Directions
	ainer	Retail Container gallons, 263 gallons,	On Label	g accompanying product
6. Manner in Which Label is Affixed to Product Lithograph Other Paper glued Stenciled				
Section - IV				
1. Contact Point (Complete items dir		of individual to be contacted, if nec	essary, to process t	his application)
122 C St., NW Suite 740 Washington, DC 20001		Agent for Cognis Corporation		Telephone No. (Include Area Code): (202) 393-3903 x.19
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. 6. Date Application Received (Stamped)			Received	
2. Signature Sleogia anastasion		3. Title: Agent for Cognis Corporation		
Typed Name Georgia Anastasiou		5. Date September 15, 20	08	

LEWIS & HARRISON

122 C Street, N.W., Suite 740 Washington, D.C. 20001

telephone 202.393.3903 fax 202.393.3906

Consultants in Government Affairs

September 15, 2008

HAND DELIVERED

Document Processing Desk [NOTIF]
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
One Potomac Yard Room S-4900
2777 S. Crystal Drive
Arlington, VA 22202

ATTENTION:

Venus Eagle

SUBJECT:

Cognis Corporation

Agnique MMF Mosquito Larvicide & Pupicide (EPA Reg. No. 53263-28)

Notification per PR Notice 2007-4

Dear Ms. Eagle:

On behalf of Cognis Corporation, I am submitting a notification for the product, **Agnique MMF Mosquito** Larvicide & Pupicide (EPA Reg. No. 53263-28). The purpose of this notification is to revise the storage and disposal language in accordance with PR Notice 2007-4.

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C Sec. 1001 to willfully make any false statements to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§156.10, 156.144, 156.146 and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Enclosed please find the following documents in support of this motification:

- 1. Application for Pesticide Notification;
- 2. One (1) copy of the product label with changes highlighted; and,
- 3. Two (2) copies of the label.

Thank you for your assistance with this submission. If you have any questions or need additional information, please call me at 202-393-3903 ext. 19 or e-mail me at georgia@lewisharrison.com.

Sincerely,

Georgia Anastasion

Agent for Cognis Corporation

cc: Dean Oester, Cognis Corporation

AGNIQUE® MMF

MOSQUITO LARVICIDE & PUPICIDE

Monomolecular Surface Film for Control of Immature Mosquitoes and Midges

ACTIVE INGREDIENT:

Poly (oxy-1,2-ethanediyl), α -(C₁₆₋₂₀ branched and linear alkyl)- ω -hydroxyl...100%

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel for Additional Precautions and Product Information

	FIRST AID (TREATMENT)
IF ON SKIN OR CLOTHING:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.
	 Call a poison control center or doctor for treatment advice.
IF IN EYES:	 Hold eye open and rinse slowly and gently with plenty of water for 15-20 minutes.
	 Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Have the produ	uct container or label with you when calling a poison control
center or docto	or, or going for treatment.

NOTIFICATION

EPA Reg. No. 53263-28

EPA Establishment No.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMAN AND DOMESTIC ANIMALS

CAUTION: Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. To be used in governmental mosquito control program, by professional pest control operators, by homeowners, or in other mosquito or midge control operations.

APPLICATION DIRECTIONS

This product may be applied by both ground and aerial applications. To use, calculate the desired rate based on water surface area. The water depth is not a factor in rate determination. Spray the desired rate of AGNIQUE® MMF onto the surface of the water. No dilution is required and a fan spray is recommended. The MMF will spread to cover hard to access areas. For large areas with dense vegetation it is recommended that application is made in several locations to assist in the spreading action. Do not pour or inject a stream spray directly into water. AGNIQUE® MMF is not visible on the surface of the water. Excess MMF on the water surface will form a white globule.

APPLICATION SITES

This product is for the control of immature mosquitoes and midges in areas where they breed and develop. This product may be used in habitats including potable water and irrigation waters, permanent and semi-permanent waters, irrigated croplands and pastures, and waters with outlets to natural water bodies. The following habitats provide examples of where the product can be applied but is not intended to be all inclusive.

Fresh and Brackish Water: fresh water and salt marshes, [containerized] ponds, lakes, storm water, drainage systems and retention & detention basins, roadside ditches, grassy swales, flooded fields and pastures, potable water containers, reservoirs, irrigated croplands, temporary and semi-permanent woodland pools, tidal water, and other areas where water accumulates.

Residential Areas: [Containerized] ponds, storm water basins, tree holes, rain barrels, landscape and ornamental ponds, tires, storm drains, stationary flower pots, pot holes, gutters, tarps, potable water containers and residential areas where water accumulates and provides ideal breeding habitats for mosquitoes or midges. Not for Homeowner Use in the State of New York.

Polluted Waters: Sewage lagoons, percolation ponds, animal waste effluent lagoons, septic ditches, waste treatment facility areas, etc.

(Note to Review: the following chart will be used on containers larger than 1 gallon in size:)

MOSQUITO HABITAT	Suggested Rate Range	
Fresh and Brackish Water*	0.2-1.0 gallons/acre (2 - 10 liters/hectare)	
Polluted Waters** 0.35–1.0 gallons/acre (3.5–10 liter		
MIDGE HABITAT	Suggested Rate Range^	
Fresh and Polluted Waters	0.5-1.0 gallons/acre (5 - 10 liter/hectare)	

- * The lower rate (0.2 gallons/acre) is recommended when only pupae control is desired and in sites with no emergent vegetation and low organic content
- * Use higher rates when emergent or surface vegetation is present, due to the wicking action of the product. The more vegetation or the drier the vegetation, the higher the required rate.
- ** Use higher rates in polluted water habitats for effective control
- ^ Reapplication is recommended every two weeks during the midge season

(Note to Review: the following use directions will be provided on product marketed to commercial and institutional users:)

APPLICATION NOTES

Rate of Kill: The rate of kill when using MMF is dependent on the species, the life stage, the habitat and the temperature. Pupicidal action will typically result in 24 hours. Larvicidal action will usually result in 24-96 hours. If the film is present, as indicated by the indicator oil, control will be achieved.

Indicator Oil: AGNIQUE® MMF is not visible on the surface of the water. To check the habitat for the presence and persistence of the product, add a drop of AGNIQUE® MMF Indicator Oil to several locations in the habitat. If the Indicator Oil forms a tight bead on the surface of the water, then the MMF is present for control.

Persistence: The AGNIQUE® MMF surface film typically persists on the water's surface for 5 to 22 days. Polluted waters will cause more rapid degradation of the film. Higher application rates will prolong film life and extend the interval between retreatment.

Species: Mosquitoes and midges that require little or no surface contact for breathing will be affected by the product during the pupae and emerging adult life stages.

Wind: The high end of the dosage rate is recommended when spraying habitats where multi-directional winds of 10mph (16km/hr) or greater are expected to persist. While the film will be pushed by the winds, it will re-spread quickly once the winds have subsided. If persistent unidirectional winds of 10 mph (16km/hr) or greater are expected, the displacement of the surface film may result in poor control.

Spray Tanks: Thoroughly clean and dry the spray system of contaminants such as petroleum oils, water, detergents and conventional toxicants prior to adding AGNIQUE® MMF. Detergents will destroy the film-forming of the AGNIQUE® MMF; other contaminants (water and oil) can result in the formation of an unsprayable paste.

Dilution: AGNIQUE® MMF is typically applied to the water's surface without dilution. However, if it is desired to spray higher volumes of liquid, AGNIQUE®

MMF may be diluted using a high shear injection system that dilutes the MMF at the nozzle to a maximum of 10% in water. Do not add AGNIQUE® MMF to water in non-agitated spray systems. Conventional bypass recirculation will not provide adequate agitation to effectively mix MMF in water.

Expanding Waters: Significant expansion of the habitat's surface due to rain or tidal fluxes can be compensated for by using a dosage that is based on the largest expected surface area. This will ensure complete coverage, and eliminate the need for re-treatment of the flooded area.

(Note to Review: the following use directions will be provided on product marketed to household users:)

APPLICATION NOTES

Rate of Kill: The rate of kill when using MMF is dependent on the species, the life stage, the habitat and the temperature. Pupicidal action will typically result in 24 hours. Larvicidal action will usually result in 24-96 hours. If the film is present, control will be achieved.

Persistence: The AGNIQUE® MMF film typically persists on the water's surface for 5 to 22 days. Polluted waters will cause more rapid degradation of the film. Higher application rates will prolong film life and extend the interval between retreatment.

Species: Mosquitoes and midges that require little or no surface contact for breathing will be affected by the product during the pupae and emerging adult life stages.

Wind: The high end of the dosage rate is recommended when spraying habitats where multi-directional winds of 10mph (16km/hr) or greater are expected to persist. While the film will be pushed by the winds, it will re-spread quickly once the winds have subsided. If persistent unidirectional winds of 10 mph (16km/hr) or greater are expected, the displacement of the surface film may result in poor control.

Dilution: AGNIQUE® MMF is typically applied to the water's surface without dilution. Do not dilute product with water or other products.

Expanding Waters: Significant expansion of the habitat's surface area due to rain or tidal fluxes can be compensated for by using a dosage that is based on the largest expected surface area. This will ensure complete coverage, and eliminate the need for re-treatment of the flooded area.

(Note to Review: the following chart will be used containers less than 16 oz.)

Surface Area of Standing Water	Suggested Quantity of AGNIQUE® MMF
1 to 75 square feet	Four full trigger applications of the spray bottle containing AGNIQUE® MMF*
75-100 square feet	Six full trigger applications of the spray bottle containing AGNIQUE® MMF*
Every additional 100 square feet	Four to six full trigger applications of the spray bottle containing AGNIQUE® MMF*
1,000 square feet	40 to 60 full trigger applications (1-1.5 oz.)
* The application rate can vary between 1 and 3.0 oz. per 1000 sq. ft. (0.1 to 0.3 oz. /100 sq. ft.). Maximum application rate is 3.0 oz per 1000 sq. ft	

(Note to Review: the following chart will be used on 16 to 32 oz. containers:)

Surface Area of Standing Water	Suggested Quantity of AGNIQUE® MMF	
1 to 75 square feet	One full trigger application of the spray bottle containing AGNIQUE® MMF*	
75-100 square feet	Two full trigger applications of the spray bottle containing AGNIQUE® MMF*	
Every additional 100 square feet	Two to three full trigger applications of the spray bottle containing AGNIQUE® MMF*	
1,000 square feet	20-25 full trigger applications (1-1.5 oz.)	
*The application rate can vary between 1 and 3.0 oz. per 1000 sq. ft. (0.1 to 0.3 oz. /100 sq. ft.). Maximum application rate is 3.0 oz per 1000 sq. ft.		

{Note to Review: the following storage and disposal language will appear on household containers:}

STORAGE AND DISPOSAL

Nonrefillable container. If empty: Do not reuse or refill this container. Place in trash or offer for recycling if available. Do not allow product to freeze. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

{Note to Review: the following chart will be used on containers larger than 1 gallon in size:}

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Do not allow storage containers to rust. Rust contaminants may clog spray nozzles. Do not allow product to freeze.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Triple rinse (or equivalent) promptly after emptying. Offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by state or local authorities.

NOTICE

Cognis Corporation makes no warranty, express or implied of merchantability, fitness or otherwise concerning the use of this product other than as indicated on the label. User assumes all risks, storage or handling not in strict accordance with the label.

For information on this pesticide product (including health) concerns, medical emergencies or pesticide incidents, call the National Pesticide Telecommunication Net work at 1-800-858-7378. *{-OR-}*For assistance call the ____ Help Line 1-800-___ Monday through Friday 7 am to 5 pm Central Time.

Stops Mosquitoes from Breeding
Stop Mosquitoes Before they Start
Stops Mosquito Emergence
Standing Water Treatment
Spreads to cover hard to reach areas
Can be used in habitats containing birds, fish, pets and wildlife
Use every two weeks or as needed
Biodegradable
Peel Here for Directions
See pull out label for additional use instructions
See pull out label for First Aid Treatment
May be used in potable water
Use on: [Containerized] ponds, pools, ditches, irrigation water, flood water areas, other areas where mosquitoes breed and develop

	Net (Contents)	(WT)	
--	----------------	------	--



Cognis Corporation 4900 Este Avenue Cincinnati, OH 45232-1419 1-800-254-1029