



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

AUG 1 8 2011

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Ann Rodriguez-Koster Agent for Erco Worldwide Lewis & Harrison, LLC 122 C Street, NW Suite 740 Washington, DC 20001 FILE COPY

Subject:

Sodium Chlorite Solution 7.5

EPA Reg. No. 53345-19

Application Dated: July 22, 2011 Receipt Date: July 25, 2011

Dear Ms. Rodriguez-Koster:

The following notification submitted in connection with registration under the provisions of PR Notice 98-10, Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) section 3(c)9 is acceptable.

Proposed Notification:

Revised Storage and Disposal Section per PR Notice 2007-4

General Comments:

Based on a review of the materials submitted, the following comments apply:

This application for notification to revise the product label, as referenced above, is acceptable. A copy has been placed in our records for future reference.

Should you have any questions or comments concerning this letter please contact me at Harris.Monisha@epa.gov or call (703) 703-308-0410.

Sincerely

Monisha Harris

Product Manager (32)

Regulatory Management Branch II Antimicrobials Division (7510P)

| Please read instructions on revers | e before conting form. | | Form Appre | OMB No. 2070 | 0-0060, Approval expires 05-31-98 | |
|--|--|--|---|--|---|--|
| O CDA United States | | | ☐ Regist | | OPP Identifier Number | |
| EPA | ection Agency | • | | 265394 | | |
| | C 20460 | _ | Notification | | | |
| Application for Pesticide - Section I | | | | | | |
| 1. Company/Product Number 53345-19 | | EPA Product Manager Monisha Harris | | Proposed Classification | | |
| 4. Company/Product (Name) SODIUM CHLORITE SOLU | PM# 32 | | | None Restricted | | |
| 5. Name and Address of Applice ERCO Worldwide 302 The East Mall, Suite 20 Toronto, Ontario M9B 6C7 CANADA PLEASE SEND ALL CONTACT POIN Check if this is a recommendation of the contact | (b)(l), n to: EPA Ro | 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(I), my product is similar or identical in composition and labeling to: EPA Reg. No Product Name: | | | | |
| Section - II | | | | | | |
| Amendment – Explain below. Resubmission in response to Agency letter dated "Me Too" Application Notification - Explain below. Cother - Explain below Explanation: Use additional page(s) if necessary. (For Section I and Section II.) | | | | | | |
| is not consistent with the required and I may be subject to enforce | with the guidance in PR No. 5. No other changes have to of 18 U.S.C. Sec. 1001 to rements of 40 CFR §§ 156 ement action and penalties of the control of the | tice 2007-4 and the been made to the willfully make any 110, 156.140, 156. under sections 12 | labeling or the Confid false statement to El 144, 156.146, and 15 | A's regulations a lential Statement PA. I further und 66.156, this prod Date | of Formula for this product. I erstand that if the amended label uct may be in violation of FIFRA | |
| Section - III | | | | | | |
| Material This Product Will B | Be Packaged In: | | | | | |
| Child-Resistant Packaging Yes* No | Unit Packaging Yes No | | Water Soluble Pac Yes No | kaging | Type of Container Metal Plastic lined rail cars and | |
| | If "Yes" | No. per | If "Yes" | No. per | trucks | |
| *Certification must | Unit Packaging w | | Package wgt. | container | Glass Paper | |
| be submitted 3. Location of Net Contents Information 4. Size(s) Retail Container 5 | | | | 5 Location | Other (Specify) of Label Directions | |
| Label -or- Container Container Container Container Non-refillable containers – equations and over 5 gallons and 0 gallo | | | equal to or less | ual to or less On Label | | |
| 6. Manner in Which Label is Affixed to Product Lithograph Other Provided with tank trucks & rails cars Paper glued Stenciled | | | | | | |
| | | Sectio | n - IV | | - ccc | |
| 1. Contact Point (Complete ite | ems directly below for identifi | cation of individual | to be contacted, if nec | essary, to process | s this application, | |
| Name Ana Rodriguez-Koster 122 C Street NW, Ste. 740, Wa | Title | Agent | | Telephone No: (Include Area Code) 202-393-3903 x. 17 | | |
| Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. 2. © nature 6. Date Application Received (Stamped) | | | | | | |
| 2. Signature Rodrífue | | Agent | | (| | |
| 4. Typed Name Ana Rodrigu | 5. Date | 7/22/2011 | , , , , , | | | |

LEWIS & HARRISON

122 C Street, N.W., Suite 740 Washington, D.C. 20001 telephone 202.393.3903

fax 202.393.3906

Consultants in Government Affairs

July 22, 2011

HAND DELIVERED

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) US Environmental Protection Agency Room S-4900, One Potomac Yard 2777 S. Crystal Drive Arlington, VA 22202-4501

ATTENTION: Monisha Harris

Product Manager (32)

SUBJECT: ERCO Worldwide

Application for Notification per PR Notice 2007-4

ERCOCIDE CP (EPA Reg. No. 53345-17)

Sodium Chlorite Solution 7.5 (EPA Reg. No. 53345-19) Sodium Chlorite Solution 15 (EPA Reg. No. 53345-20)

Dear Ms. Harris:

On behalf of ERCO Worldwide, I am submitting a notification for the above listed products. The purpose of this notification is to revise the disposal section in accordance with PR Notice 2007-4 with the exception of the tank truck and rail car language which is exempt from the new disposal language requirements (40 CFR § 156.144(g)).

I'm also taking the opportunity to: (1) correct a number of typographical errors; (2) update establishment number information; and, (3) modify redundant statements. Note that these additional changes are consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula for these products. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statements to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

In support of this submission, I have enclosed the following documents for your review:

- 1) Application for Pesticide Notification for each product;
- 2) One (1) copy of the label with changes highlighted for each product; and,
- 3) Two (2) copies of the revised label for each product.

20 Podrique 3-Kola

Thank you for your assistance with this submission. If you have any questions, or require any additional information, please feel free to call me at 202-393-3903 ext. 17 or e-mail me at alkoster@lewisharriscr..com.

Sincerely,

Ana Rodriguez-Koster

Agent for ERCO Worldwide

cc: Laurie Kelly, ERCO Worldwide

SODIUM CHLORITE SOLUTION

PROCESSING PLANT WATER, ONCE-THROUGH COOLING WATER SYSTEMS, GENERAL INDUSTRIAL PROCESS WATER AND FOOD-MICROORGANISMS IN POTABLE WATER, WASTEWATER, FOOD FOR USE IN GENERATING CHLORINE DIOXIDE TO CONTROL CONTACT SURFACES


ACTIVE INGREDIENT:

Other Ingredients......92.5% Sodium Chlorite.....

KEEP OUT OF REACH OF CHILDREN

DANGER

53345-CAN-001 53345-19 EPA Reg. No.: EPA Est. No:



Net Contents:

NOTIFICATION Desp However (18/10)

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes then continue rinsing eye. Call a poison control center or doctor for treatment advice. If in eyes:

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomitting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes eye and skin damage. Do not get in eyes, on skin or clothing. Wear goggles or face shield, and use only Neoprene gloves when handling. May be fatal if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Ellinination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL MAZARDS

Stong oxidizing agent. Whit or dilute with Water only. Mixing with acids, or alcohol, or other chemicals may cause evolution of at the calculate and chlorine dibxide gas cristure which is toxic and may be explosive. Combustible materials contaminated with SODIUM CALCHITE SOLUTION 7.5 may burn rapidly. Keep handling areas and equipment clean and free of oils, greases, combustibles and dust. Do not contaminate product with garbage, dir, organic matter, paint products, solvents, acids, vinegar, beverages, oils, pine oils, dirty rags, or other foreign matter. Do not expose to hot surfaces, sparks or open

000

Page 1 of 2

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

CHLORINE DIOXIDE GENERATION

SODIUM CHLORITE SOLUTION 7.5 is a precursor for the generation of chlorine dioxide. DO NOT ADD SODIUM CHLORITE SOLUTION 7.5 directly to the system being treated. Chlorine dioxide solutions can be generated from SODIUM CHLORITE

SOLUTION 7.5 by several common methods including.

1. The chlorine method which utilizes a SODIUM CHLORITE SOLUTION 7.5 and chlorine gas, or,

2. The hypochlorite method which utilizes SODIUM CHLORITE SOLUTION 7.5, and an acid, or

3. The Acid-Chlorite method which utilizes SODIUM CHLORITE SOLUTION 7.5, and an acid, or

4. The electrolytic method which utilizes SODIUM CHLORITE SOLUTION 7.5, with social method which utilizes SODIUM CHLORITE SOLUTION 7.5, with social method which utilizes SODIUM CHLORITE SOLUTION 7.5, with social method which utilizes SODIUM CHLORITE SOLUTION 7.5, with social method which utilizes SODIUM CHLORITE SOLUTION 7.5, with social method which utilizes SODIUM CHLORITE SOLUTION 7.5, with social method which utilizes SODIUM CHLORITE SOLUTION 7.5, with social method which utilizes SODIUM CHLORITE SOLUTION 7.5, with social method which utilizes SODIUM CHLORITE SOLUTION 7.5, with social method which utilizes SODIUM CHLORITE SOLUTION 7.5, with social method which utilizes SODIUM CHLORITE SOLUTION 7.5, with social method which utilizes SODIUM CHLORITE SOLUTION 7.5, with social method which utilizes SODIUM CHLORITE SOLUTION 7.5, with social method which utilizes SODIUM CHLORITE SOLUTION 7.5, with social method which utilizes SODIUM CHLORITE SOLUTION 7.5, with social method which utilizes SODIUM CHLORITE SOLUTION 7.5, with social method which utilizes SODIUM CHLORITE SOLUTION 7.5, with social method which utilizes SODIUM CHLORITE SOLUTION 7.5, with social method which with the second respective for the second res representative can guide you in the selection, installation and operation for feed systems.

concentration up to 2.0 ppm is sufficient to provide adequate disinfection. The concentration of total residual oxidants (chlorine dioxide, chlorite and chlorate) should be monitored such that it does not exceed 1.0 ppm in the distribution system. For wastewater and sewage applications, residual chlorine dioxide concentrations up to 5.0 ppm are generally adequate. POTABLE WATER AND WASTEWATER DISINFECTION: For most municipal systems, a chlorine dioxide residual

FOOD PROCESSING PLANTS, DAIRIES, BOTTLING PLANTS AND BREWERIES and FOOD PLANT PROCESS WATER: For microbial control in food processing water systems (flume transport, chill water systems, hydrocoolers and retort cooling water) apply SODIUM CHLORITE SOLUTION 7.5 through a chlorine dioxide generation system to achieve a chlorine dioxide residual concentration ranging from 0.25 to 5.0 ppm. Chlorine dioxide generated from SODIUM CHLORITE SOLUTION 7.5 may also be used as a water sanitizer for fruit and vegetable washing and cut and peeled potatoes products without a subsequent potable water rinse requirement, provided that the concentration of total residual oxidants meet the residual limitations of ≤ 1.0 ppm.

Residual concentrations up to 5.0 ppm chlorine dioxide in process water may be used for washing whole uncut and unpeeled fruits and vegetables although a final potable water rinse is required if the residual exceeds 1 ppm Potatoes, including those which have been peeled or cut, may be treated with sufficient chlorine dioxide to produce a residual concentration of up to 5.0 ppm provided this is followed by a potable water rinse. POULTRY PROCESSING WATER: Use SODIUM CHLORITE SOLUTION 7.5 to generate chlorine dioxide for use as an antimicrobial agent in water used in poultry processing in an amount not to exceed 3 ppm residual chlorine dioxide as determined by an appropriate method.

from the chlorine dioxide generator with potable water to achieve a use-solution of at least 100 ppm but not more than 200 ppm available chlorine dioxide. A contact time of at least one minute is required for sanitization. Allow the sanitizing solution to thoroughly drain and dry from all equipment and surfaces deared for use on food contact surfaces under the Federal, Food. SANITIZATION OF FOOD-CONTACT SURFACES IN FOOD-PROCESSING PLANTS, DAIRIES, BOTTLING PLANTS AND BREWERIES: Use SODIUM CHLORITE SOLUTION 7.5 to generate chlorine dioxide for use as a terminal no-rinse sanitizer by a pre-flush, or pre-scrape, and when necessary, pre-soak treatment. Then thoroughly wash all equipment, surfaces and utensils with a suitable detergent or cleaner, followed by a potable water rinse. Dilute the chlorine dioxide solution generated for food-contact surfaces, food-processing equipment and utensils. Prior to application, remove gross food particles and soil Drug and Cosmetic Act prior to recontact of the sanitized surface with food or feed items GENERAL INDUSTRIAL PROCESS WATER TREATMENT (OILFIELD INJECTION WATER, WHITE WATER PAPER MILL SYSTEMS, AND RECIRCULATING COOLING TOWERS): For control of microbial slime, these systems will require a chlorine dioxide residual concentration ranging between 0.25 and 5.0 ppm.

ONCE-THROUGH COOLING WATER SYSTEMS: Control of mollusks can be effectively accomplished using SODIUM CHLORITE SOLUTION 7.5 as directed in commercial and industrial once-through cooling water systems. SODIUM CHLORITE SOLUTION 7.5 may be fed on a continuous or slug basis depending on the degree of system fouling.

SLUG DOSE: Add 42 to 210 lbs. of chlorine dioxide per million gallons of water (5 to 25 ppm).

CONTINUOUS DOSE: Add 2 to 16 lbs. of chlorine dioxide per million gallons of water (0.25 to 2 ppm)

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL

Pesticide Storage:

Avoid exposure to high temperatures during storage. Store remote from other chemicals and combustible materials, Do not Pesticide Disposal: skid or slide drums.

Pestidde wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label directions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.



container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeal this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning if burned, stay out of Container Handling: Tank trucks and Railcars: Return for reuse. All valves must be closed tight and closures or caps secured Triple rinse (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the Containers equal to or less than 5 gallons: Nonrefillable container. Do not reuse or refill this container

smoke. Containers over 5 gallons: Nonrefillable container. Do not reuse or refill this container. Triple rinse (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning If burned, stay out of smoke.

Container Disposal:

riple mise (or equivalent) all containers and offer for recycling or reconditioning, or puncture and dispose of in a sanitar andill, or by other procedures approved by state and local authorities.

302 The East Mall, Suite 200, Toronto, Ontario, Canada M9B 6C7 Manufactured By ERCO Worldwide

[MADE IN CANADA]