-3345-21

7/8/2014



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION



Ms. Christina M. Swick, Agent For: ERCO Worldwide Lewis & Harrison Consultants in Government Affairs 122 C Street, N.W. Suite 505 Washington, DC 20001

Subject: FQPA 332 Minor Label Change per PR Notice 98-10 Ercopure 37 EPA Registration Number: 53345-21 Application Date: May 16, 2014 Application Receipt: May 16, 2014

Dear Ms. Swick:

This acknowledges receipt of your Notification application, submitted under the provisions of FIFRA 3(c) 9 and PR Notice 98-10.

Purpose of the Notification:

"The purpose of this notification is to delete the Lot Number statement."

General Comments:

Based on the review of the information submitted, the following comments apply.

The Notification is Acceptable.

A copy of the accepted Notification is attached in **Regulatory File Jacket 53345-21** for future reference.

If you have questions or concerns with regard to this Agency Letter, please contact Killian Swift by email at <u>Swift.Killian@epa.gov</u> and by telephone at **703-308-6346**. When you are submitting information or data in response to this Agency Letter, please send a copy of this Agency Letter with your response in order to facilitate processing.

Sincerely yours,

Demson Fuller EPA Product Manager 32 Regulatory Management Branch II Antimicrobials Division 7510P

C.					
¢				(
ease read instructions on reverse	before completing form.		Form Approve	d, OMB No. 2070-	0060, Approval expires 05-31-98
	United States		🗌 Regist	ration	OPP Identifier Number
😌 EPA 🛛 🖻	invironmental Protectio	n Agency	/ 🗌 Amend	lment	
	Washington, DC 204	60	⊠ Other:	Notification	
	Applicatio	on for Pe	sticide - Section		
1. Company/Product Number			Product Manager		3. Proposed Classification
53345-21		Demson	Fuller		
4. Company/Product (Name) ERCOPURE 37		PM# 32			None 🗌 Restricted
5. Name and Address of Applicar ERCO Worldwide 302 The East Mall, Suite 200 Toronto, Ontario M9B 6C7 CANADA		6. Expe (b)(l), m to:		ar or identical i	/ vith FIFRA Section 3(c)(3) n composition and labeling
PLEASE SEND ALL CORRESPONDENCE TO		Product Name:			
<u>"CONTACT POINT</u>		Piouuci			
Check if this is a new	w address				
		Sectio	on - Il		
Amendment – Explain belov	4				Agency letter dated
Resubmission in response to Agency letter dated			Me Too" Applic		
Notification - Explain below.	bage(s) if necessary. (For Sect	tion Land So	Other - Explain	below	
Explanation. Use auditional p	NOTIFICATION IN A			E 98.10	
Signature: CM	istina M. Surc	FIFRA Le	٦.		
				<u>ay 16, 2014</u>	
		Sectio		ay 16, 2014	
1. Material This Product Will Be	Packaged In:		n - III		2 Type of Container
1. Material This Product Will Be Child-Resistant Packaging	Packaged In: Unit Packaging				2. Type of Container
Material This Product Will Be Child-Resistant Packaging Yes*	Packaged In: Unit Packaging		n - III Water Soluble Pack		Metal
1. Material This Product Will Be Child-Resistant Packaging	Packaged In: Unit Packaging Yes No	Sectio	n - III Water Soluble Pack	kaging	Metal
1. Material This Product Will Be Child-Resistant Packaging Yes* No	Packaged In: Unit Packaging Yes No If "Yes"	Sectio No. per	n - III Water Soluble Pack	kaging No. per	 Metal Plastic lined rail cars and trucks Glass
1. Material This Product Will Be Child-Resistant Packaging ☐ Yes* No *Certification must	Packaged In: Unit Packaging Yes No If "Yes"	Sectio	n - III Water Soluble Pack	kaging	Metal Plastic lined rail cars and trucks Glass Paper
1. Material This Product Will Be Child-Resistant Packaging ☐ Yes* No *Certification must be submitted	Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt.	Sectio	n - III Water Soluble Pack Yes No If "Yes" Package wgt.	kaging No. per container	 Metal Plastic lined rail cars and trucks Glass Paper Other (Specify)
 Material This Product Will Be Child-Resistant Packaging Yes* No No *Certification must be submitted S. Location of Net Contents Info 	Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt. rmation Container Container	Sectio	n - III Water Soluble Pack Yes No If "Yes" Package wgt. er - equal to or less	kaging No. per container 5. Location of S. Location of On Label	Metal Plastic lined rail cars and trucks Glass Paper Other (Specify) Label Directions
Material This Product Will Be Child-Resistant Packaging Yes* No No *Certification must be submitted 3. Location of Net Contents Info	Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt. rmation Container Container 4. Size(s) R Non-refillable than 5 gallons Trucks & Rail	No. per container Retail Containe containers - s and over 5 Cars	n - III Water Soluble Pack Yes No If "Yes" Package wgt. er - equal to or less gallons. Tank	No. per container 5. Location of On Label	Metal Plastic lined rail cars and trucks Glass Paper Other (Specify) Label Directions ng accompanying product rucks & rails cars
1. Material This Product Will Be Child-Resistant Packaging □ Yes* ☑ No *Certification must be submitted 3. Location of Net Contents Info ☑ Label -or-	Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt. rmation Container Container Xed to Product	Sectio	n - III Water Soluble Pack Yes No If "Yes" Package wgt. er - equal to or less gallons. Tank	No. per container 5. Location of On Label	Metal Plastic lined rail cars and trucks Glass Paper Other (Specify) Label Directions ng accompanying product rucks & rails cars
1. Material This Product Will Be Child-Resistant Packaging □ Yes* ☑ No * Certification must be submitted 3. Location of Net Contents Info ☑ Label -or-	Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt. rmation Container Container 4. Size(s) R Non-refillable than 5 gallons Trucks & Rail xed to Product	No. per container container containers - s and over 5 Cars aph glued ed	n - III Water Soluble Pack Yes No If "Yes" Package wgt. er - equal to or less gallons. Tank Other Pro	No. per container 5. Location of On Label	Metal Plastic lined rail cars and trucks Glass Paper Other (Specify) Label Directions ng accompanying product rucks & rails cars
1. Material This Product Will Be Child-Resistant Packaging Yes* No No *Certification must be submitted 3. Location of Net Contents Info \[Label -or- \] 6. Manner in Which Label is Affi	Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt. If "Yes" Unit Packaging wgt. rmation 4. Size(s) R Container Non-refillable than 5 gallons Trucks & Rail xed to Product Lithogra Xed to Product Stencile	No. per container tetail Containe containers - s and over 5 Cars aph glued ed Section	n - III Water Soluble Pack Yes No If "Yes" Package wgt. er - equal to or less gallons. Tank Other Pro n - IV	xaging No. per container 5. Location of On Label On labeli ovided with tank t	Metal Plastic lined rail cars and trucks Glass Paper Other (Specify) Label Directions ng accompanying product rucks & rails cars
1. Material This Product Will Be Child-Resistant Packaging Yes* No No *Certification must be submitted 3. Location of Net Contents Info Label -or- C 6. Manner in Which Label is Affin 1. Contact Point (Complete items	Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt. rmation Container Xed to Product s directly below for identification of	Section	n - III Water Soluble Pack Yes No If "Yes" Package wgt. er - equal to or less gallons. Tank Other Pro n - IV	Aaging No. per container 5. Location of On Labeli On labeli Dovided with tank to essary, to process	Metal Plastic lined rail cars and trucks Glass Paper Other (Specify) Label Directions ng accompanying product rucks & rails cars
1. Material This Product Will Be Child-Resistant Packaging Yes* No No *Certification must be submitted 3. Location of Net Contents Info \[Label -or- \] 6. Manner in Which Label is Affi	Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt. If "Yes" Unit Packaging wgt. rmation Container Xed to Product s directly below for identification of is & Harrison, LLC, 122	Section	n - III Water Soluble Pack Yes No If "Yes" Package wgt. er - equal to or less gallons. Tank Other Pro n - IV	Aaging No. per container 5. Location of On Labeli On labeli ovided with tank t	Metal Plastic lined rail cars and trucks Glass Paper Other (Specify) Label Directions ng accompanying product rucks & rails cars
1. Material This Product Will Be Child-Resistant Packaging Yes* No * Certification must be submitted 3. Location of Net Contents Info Label -or- 6. Manner in Which Label is Affi 1. Contact Point (Complete items Name Christina M. Swick, Lewi	Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt. If "Yes" Unit Packaging wgt. rmation Container Xed to Product s directly below for identification of is & Harrison, LLC, 122	Section	n - III Water Soluble Pack Yes No If "Yes" Package wgt. er - equal to or less gallons. Tank Other Pro- n - IV to be contacted, if neces	Aaging No. per container 5. Location of On Labeli On labeli ovided with tank t	Metal Plastic lined rail cars and trucks Glass Paper Other (Specify) Label Directions Index Sector Content of the sector of
1. Material This Product Will Be Child-Resistant Packaging Yes* No No *Certification must be submitted 3. Location of Net Contents Info Label -or- C 6. Manner in Which Label is Affi 1. Contact Point (Complete items Name Christina M. Swick, Lewi C Street NW, Ste. 505, Washingt I certify that the statements I hav acknowledge that any knowingly	Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt. rmation 4. Size(s) R Container Xed to Product Lithogra Stencile s directly below for identification of is & Harrison, LLC, 122 Title	Section	n - III Water Soluble Pack Yes No If "Yes" Package wgt. er - equal to or less gallons. Tank Other Pro n - IV to be contacted, if nece Agent eto are true, accurate a	Aaging No. per container 5. Location of On Labeli On labeli ovided with tank to essary, to process	☐ Metal △ Plastic lined rail cars and trucks ☐ Glass ☐ Paper ☐ Other (Specify) *Label Directions ng accompanying product rucks & rails cars €
 Material This Product Will Be Child-Resistant Packaging Yes* No * Certification must be submitted 3. Location of Net Contents Info Label -or- 6. Manner in Which Label is Affi 1. Contact Point (Complete item: Name Christina M. Swick, Lewi C Street NW, Ste. 505, Washingt I certify that the statements I hav acknowledge that any knowingly under applicable law. 	Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt. rmation 4. Size(s) R Container Xed to Product Lithogra Stencile s directly below for identification of is & Harrison, LLC, 122 ton, DC 20001 Certification of is form and all attace of alse or misleading statement memory s	Section	n - III Water Soluble Pack Yes No If "Yes" Package wgt. er - equal to or less gallons. Tank Other Pro n - IV to be contacted, if nece Agent eto are true, accurate a	Aaging No. per container 5. Location of On Labeli On labeli ovided with tank to essary, to process	Metal Plastic lined rail cars and trucks Glass Paper Other (Specify) Label Directions ng accompanying product rucks & rails cars Cocce Coce Co
1. Material This Product Will Be Child-Resistant Packaging Yes* No No *Certification must be submitted 3. Location of Net Contents Info Label -or- C 6. Manner in Which Label is Affi 1. Contact Point (Complete items Name Christina M. Swick, Lewi C Street NW, Ste. 505, Washingt I certify that the statements I hav acknowledge that any knowingly	Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt. rmation 4. Size(s) R Container Non-refillable than 5 gallons Trucks & Rail xed to Product Lithogra Stencile s directly below for identification of is & Harrison, LLC, 122 Title ton, DC 20001 Certification of ital attace re made on this form and all attace false or misleading statement m 3 3	Section	n - III Water Soluble Pack Yes No If "Yes" Package wgt. er - equal to or less gallons. Tank Other Pro n - IV to be contacted, if nece Agent eto are true, accurate a	Aaging No. per container 5. Location of On Labeli On labeli ovided with tank to essary, to process	Metal Plastic lined rail cars and trucks Glass Paper Other (Specify) Label Directions ng accompanying product rucks & rails cars Code 202-353-3503 x. 16 code Code 202-353-3503 x. 16 code Code Code Code Code Code Code Code C

EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete

.....



122 C Street, N.W. Suite 505 Washington, DC 20001 telephone 202.393.3903

fax 202.393.3906

Consultants in Government Affairs

May 16, 2014

ť,

HAND DELIVERED

, ι ς ς

LLLL

Antimicrobials Division (Mail Code 7504P) Office of Pesticide Programs Document Processing Desk [NOTIFY] U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202

ATTN: Demson Fuller Acting Product Manager, Team 32

SUBJECT:ERCO WorldwideERCOPURE 37 (EPA Reg. No. 53345-21)Notification of Changes per PR Notice 98-10

Dear Mr. Fuller:

On behalf of ERCO Worldwide, I am notifying the Agency of a minor change to the *ERCOPURE 37* label in accordance with PR Notice 98-10. The purpose of this notification is to delete the Lot Number statement.

Please find enclosed the following documents to support this notification:

- 1) Pesticide Application form;
- 2) One (1) copy of the proposed product label with the changes highlighted; and,
- 3) Three (3) copies of the proposed product label.

If you have any questions or comments, please contact me at 202-393-3903 ext. 16 or cswick@lewisharrison.com.

Sincerely,

Christina M. Swick

Christina M. Swick Agent for ERCO Worldwide

ERCOPURE 37 SODIUM CHLORITE SOLUTION	DIRECTIONS FOR USE It is a violation of federal law to use this product in a manner inconsistent with its labeling. METHOD OF APPLICATION Chlorine dioxide generation must take place only under controlled conditions in a chlorine dioxide generator. These generators react EXCOUPTE 37 with effect of the conditions to the view of the condition of chlorine dioxide the condition is the condition of chlorine
FOR USE IN GENERATING CHLORINE DIOXIDE TO CONTROL MICROORGANISMS IN POTABLE WATER, WASTEWATER, FOOD	acid generation of ching workers of a point in the system to be used on much relations of ching workers, a weak cifric acid. Do not apply ERCOPURE 37 directly to the system being treated. Follow all instructions in the chlorine dioxide generator manual carefully. APPLICATIONS
AND GENERAL INDUSTRIAL PROCESS WATER	PUTABLE WAT US WAT EWATEX DISINFECTION: For municipal and other polable water systems, a chlorine dioxide concentration up to 2.0 ppm is sufficient to provide adequate disinfection. The concentration of total restlual oxidarns (chlorine dioxide, chlorite and chlorate) should be monitored such that it does not a seceed 1.0 ppm in the distribution system. For wastewater and sewage applications, residual chlorine dioxide concentrations up to 5.0 ppm are generally adequate.
/E INGREDIENT: Chlorite RINGREDIENTS	FOOD PROCESSING PLANTS, DAIRIES, BOTTLING PLANTS AND BREWERIES and FOOD PLANT PROCESS WATER: For microbial control in food processing water systems, such as flume transport, chill water systems, hydrocooters and retort cooling water, apply ERCOPURE 37 through a chlorine dioxide generation system to achieve a chlorine dioxide residual concentration ranging from 0.25 to 5.0 ppm.
	Chlorine dioxide generated from ERCOPURE 37 may also be used as a water sanifizer for fruit and vegetable washing and cut and peeled potato products without a subsequent potable water rinse requirement, provided that the concentration of total residual oxidants meet the residual limitations of ≤ 1.0 ppm.
	Residual concentrations up to 5.0 ppm chlorine dioxide in process water may be used for washing whole uncut and unpeeled fulls and vegetables although a final potable water rinse is required if the residual exceeds 1 ppm.
EPA Reg. No.: EPA Est. No :	Polationes, inducting those which have been peeled or cut, may be treated with sufficient chlorine dioxide to produce a residual concentration of up b.5.0 ppm provided this is followed by a polable water tinse. POULTRY PROCESSING WATER: Use ERCOPURE 37 to generate chlorine dioxide for use as an antimicrobial agent in
July 8, 0014	water used in poulity processing in an amount not to exceed 3 ppm residual chlorine dioxide as determined by an appropriate method. ADUEOUS DISINFECTION SYSTEMS FOR CIP CI FANING, the a chlorine dioxida concentration of 0.2-5 norm. If the
Killion. Swift Net Contents:	concentration of children for determine from ERCOURE 37 as unumers avoid an environment of children for children to ensure the biological and chemical quality of the potable water inse should follow treatment. Care should be taken to ensure the biological and chemical quality of the potable water.
PRECAUTIONARY STATEMENTS	GENERAL INDUSTRIAL PROCESS WATER TREATMENT (OILFIELD INJECTION WATER, WHITE WATER PAPER MILL SYSTEMS, AND RECIRCULATING COOLING TOWERS For control of microbial silme, these systems will require a chlorine dioxide residual concentration ranging between 0.25 and 5.0 ppm. Badly fouled systems must be cleaned before treatment.
FIRST AID If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after	ONCE-THROUGH COOLING WATER SYSTEMS Control of mollusks can be effectively accomplished using ERCOPURE 37 as directed in commercial and industrial once-through cooling waters. ERCOPURE 37 may be fed on a continuous or slud basis depending on the degree of system fulting. Bach fouled systems must be cleaned before treatment.
the first five minutes then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on-Skin or Cloubling: Take of contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.	SLUG DOSE: Add 42 to 210 lbs. of chlorine dioxide per million gallons of water (5 to 25 ppm). CONTINUOUS DOSE: Add 2 to 15 lbs. of chlorine dioxide per million calions of water (0 25 to 2 ppm).
If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.	
If inhaled: Move person to fresh air, it person is not breathing, call 911 or an ampulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.	bo Not contribution is writed, FOUD ON FEED 11 OLONGE ON UNSTOONE. Prove Union thin Food ON and well-writited place. Avoid excessive heat or freezion. Protect from context with other chemicals:
Have the product container or label with you when califing a poison control center or doctor, or going for treatment. You may also contact the Poison Center at 1-800-222-1222 for emergency medical treatment information.	avoid storage with organic chemical, acto, reducers and combustitie material. Keep container tightly closed when not in use. In case of spills, flush and drain promptly to sever with large quantities of water. Do not allow liquid to dry out because this could present a first hard of the occurs, extinguish with large volume of water. Do not allow liquid to dry out because this Do dry of present and the normality to sever with large volume of water. Do not allow liquid to dry out because this
Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage. HAZARDS TO HUMANS AND DOMESTIC ANIMALS	Presurcide USPUSAL. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label directions, contact your State Pesticide or
DANGER: Highly corrosive. Causes irreversible eive damage and skin burns. Do not get in eyes, on skin or clothing. Wear protective clothing, goggles or face shield, and use only Neoprene gloves when handling. May be fatal if swallowed. Weah thronouchiv with soap and water after handling and before eating, drinking or using tobecco. Remove and wash	Environmental Compol Agency, or the Hazaroous waste Representative at the nearest EPA Regional Unice for guidance. Container Handling: Tank trucks and Relicars: Return for reuse. All valves must be closed light and closures or caps secured.
contaminated dothing immediately. ENVIRONMENTAL HAZARDS	Containers equal to or less than 5 gations: Nonrefiliable container. Do not reuse or refil this container. Tripie mise (or equivalent) promptivity after emptying. The interest of a mix equipment or a mix equipment or a mix than drain for 10 seconds after the flow begins to drip. Fit the container // full with water
This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in willing prior to discharge. Do not discharge effluent to and the permitting authority are been notified in willing prior to discharge. Do not discharge effluent to and the permitting authority are been notified in willing prior to discharge. Do not discharge effluent containing the product to	and recep. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure we more times. Then offer for recycling if available or puncture and
Bener systems without previously routiving the rocal servage regulation plant automaty. For guidance, can leavy your state water Board or Regional Office of the EPA:	dispose or in a samtary tarram, or by incheration, or, in autowed by state and local autonomes, by burning if burned, stay out of smoke. Containers over se gailons: Nonrentible container. Do not reuse or reful this container.
Strong oxidizing ogent® Only mix 0, diluté with water or non-oxidizable materials. Mixing with acids, or alcohol, or other chemicals may cause evolution of cyhlorine zad chlorine radide gas mixture which is toxic and may be explosive. Combustible materials contaminated with ERCOPURE 73 may burn radidy. Keep handling mass and equipment dear and free of ols, materials contaminated with ERCOPURE 73 may burn radidy. Reep handling mass and equipment dear and free of ols, materials contaminated with ERCOPURE 74.	remain more of a equivalent of the properties any employing. There may any more than a properties of the properties of t
greases, ambustance and use. Do not contaminate product mut garaget, and ogaine market, part products, sometre, adde, vinegar, beverages, als, pine als, art foreign matter. Do not expose to hot surfaces, sparks or open flame.	tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this product two more times. Then offer for monster or manipulation or an event of the semitant donation of the rindom or an intervention or it.
ไข้สรูนนุรีธรูนนุรีธรีนนุรีย By EKCO Worldwide 302 The East Mall, Stuite 200, Toronto, Ontario, Canada M9B 6C7	encounting in available of purvaries and unposed of it is serviced, stay out of smoke.