

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460	EPA REGISTRATION 53389-1	DATE OF ISSUANCE NOV 14 1985
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT Trifluralin	

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION

(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Germ-X Corporation
 8625 Biscayne Boulevard
 Miami, FL 33128

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with 40 CFR sec. 155.10(a) provided that you:

1. Submit to EPA with all data required for registration of your product under 40 CFR sec. 155.10(a) the same data required of registrants of similar products to whom such data:

1. will be added to the label (shown below) and you will be required to display:

2. All the phrase "EPA Registration No. 53389-1."

3. Submit to EPA (2) copies of your final printed labeling for release of the product for shipment. Refer to the 4-79 label number on the back of your final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with 40 CFR sec. 155.10. Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

John A. Lee
 Product Manager (A)
 Registration Division (75-767)

Enclosure

86002:J.Lee:RD-84:KENCO:11/12/85:Del.11/21/85:eg:PS

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL	DATE
--	-------------

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR DISINFECTION: Remove gross filth or heavy soil. Spray the area to be treated, and allow a wet-contact time of 10 minutes. **Wipe dry if desired.**

Use on hard, non-porous surfaces such as toilet seats, wash basins, telephones (do not spray directly into mouthpiece), tables, shopping carts, door knobs, locker rooms and shower stalls.

**PRECAUTIONARY STATEMENT
HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS**

May cause eye irritation. DO NOT spray into eyes. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT


IF IN EYES: Flush eyes immediately with plenty of water. Contact a physician.

STORAGE AND DISPOSAL

DO NOT store near heat or open flame. DO NOT re-use empty container. Wrap container and place in trash collection. Never throw container into fire or incinerator.

EPA Registration No.
EPA Establishment No. 46075-NY1
Net Contents 16 fl. oz.

MANUFACTURED BY:
GERM-X CORP., 8425 Biscayne Boulevard
Miami, Florida 33138



**Disinfectant Spray
CLEANER • DEODORIZER**
In Homes, Hospitals, Offices, Schools

<i>Active Ingredients:</i>	
Octyl decyl dimethyl ammonium chloride	0.075%
Didecyl dimethyl ammonium chloride	0.013%
Dioctyl dimethyl ammonium chloride	0.013%
Alkyl (C14, 50%; C12, 40%; C16, 10%) dimethyl benzy! ammonium chloride	0.034%
<i>Inert Ingredients</i>	99.814%

ProCLEAN disinfects against germs and viruses such as Influenza A/Brazil, S. Shigella, Pseudomonas and fungus.

ProCLEAN is a proven disinfectant that kills:

- Viruses: Influenza (Virus), Herpes simplex
- Bacteria: Staphylococcus, Salmonella choleraesuis, Pseudomonas, Escherichia coli, Ferratia maritima, Brucella abortus, Salmonella typhimurium, Klebsiella pneumoniae, Streptococcus, Enterobacter, Streptococcus, Shigella dysenteriae



ProCLEAN™

Spray Refill Disinfectant

In Homes, Hospitals, Offices, Schools

EPA Registration No.
EPA Establishment No. 46075-NY-1
Net Contents 4 fl. oz.

ProCLEAN disinfects against many germs. ProCLEAN kills
viruses, bacteria & fungi. **SUCH AS:** Herpes Simplex Type 1 and Type 2,
Influenza A, B and C, Salmonella and Shigella, Staph and
Vaccinia, Pseudomonas, and Athlete's Foot Fungus.

DIRECTIONS FOR USE: Remove spray outer case by pulling up black
top. Unscrew pump by turning cap. Refill using ProCLEAN only. Replace
screw in outer case. Pump several times until spray is activated.

FOR DISINFECTION: Remove gross filth or heavy soil. Spray the area to
be treated, and allow a wet-contact time of 10
minutes. **wipe dry if desired.**

Use on hard,
non-porous surfaces such as toilet seats,
wash basins, telephones (do not spray
directly into mouthpiece), tables, shopping
carts, door knobs, locker rooms and shower
stalls.

It is a violation of Federal law to use this product in a manner inconsistent
with its labeling.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

Active Ingredients:	
Octyl decyl dimethyl ammonium chloride	0.026%
Dioctyl dimethyl ammonium chloride	0.013%
Diocetyl dimethyl ammonium chloride	0.013%
Alkyl (C14, 50%; C12, 40%; C16, 10%) dimethyl benzyl ammonium chloride	0.034%
Inert Ingredients	99.914%

MANUFACTURED BY:
GERM-X CORP., 8625 Biscayne Boulevard
Miami, Florida 33138

STORAGE AND DISPOSAL

Do NOT store near heat or open flame. DO NOT refrigerate.
Wipe container and place in trash collection. Never empty into sink or
floor drain.

6/25/85 file name: PRO2 Inn. chem. proclean 4 oz. refill dt: meg.

Over 1,500 Sprays



ProCLEAN™

Portable Spray with 4 oz. Refill

A Disinfectant Spray That Kills:

Viruses: Herpes 1 & 2 • Influenza (Virus A/Brazil)
Bacteria: Staph Germs • Salmonella • Pseudomonas

BACKER CARD

RECEIVED
NOV 1 1971
53389-1

ProCLEAN

Disinfectant • Cleaner •

ProCLEAN Disinfects against many

ProCLEAN Kills:

Viruses: ~~Vaccinia~~ Herpes Simplex
Influenza (Virus A/Brazil)

Bacteria: Staphylococcus aureus
Salmonella choleraesuis
Pseudomonas aeruginosa
Escherichia coli
Serratia marcescens
Brevibacterium lactoferum
Salmonella typhimurium
Klebsiella pneumoniae
Streptococcus faecalis
Enterobacter aerogenes
Streptococcus pyogenes
Shigella dysenteriae

Kills
Herpes Simplex
Type 1 and Type 2.

Kills
Staph germs

Kills
Influenza (Virus A/Brazil)

Kills
Salmonella

Kills many
disease germs

DIRECTIONS FOR USE:
It is a violation of Federal law to use this product without its labeling.

1. Remove spray outer cap and black top.
 2. Unscrew spray pump from back of container.
 3. Fill using ProCLEAN Refill.
 4. Replace pump in outer cap.
 5. Pump several times until solution is thoroughly mixed.
 6. FOR DISINFECTION: Remove surface to be treated. Wipe dry if desired.
- Use on non-porous surfaces: wash basins, telephones, door handles, lockers, carts, door knobs, lockers, stalls.

PRECAUTIONS:
HAZARDS TO HUMANS AND ANIMALS:
May cause eye irritation.
Avoid contact with eyes.

STATEMENT OF RESPONSIBILITY:
IF IN DUBT, CONSULT YOUR physician.

ProCLEAN is manufactured by GERMEX CORP. 8625 Biscayne Blvd. Miami, Florida 33138

Algicide 100

NOT REVIEWED
In Accordance with FR Notice 65-2.
Based on Draft Labeling Dated 10/5/85

ACTIVE INGREDIENT:

Poly(oxyethylene(dimethyliminio)ethylene-
(dimethyliminio)ethylene dichloride) 10.0%

INERT INGREDIENTS 90.0%

This product contains 0.85 lb. of active ingredient per gallon and weighs 8.49 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.

FIRST AID: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Algicide 100 is used to control algae, bacteria, and fungi in recirculating commercial industrial water cooling towers. Prior to its use, systems must be cleaned to remove growth, microbiological slime, and other deposits. An initial slug addition of 6.1 fluid ounces of Algicide 100 per 1000 gallons of water to provide a concentration of 120 parts per million of Algicide 100, based on the total weight of water in the system, is recommended. Repeat initial dosage until control is evident.

Subsequent slug additions of 1.53 to 15.32 fluid ounces of Algicide 100 per 1000 gallons of water (12 to 120 parts per million of Algicide 100) should be employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the water cooling towers.

Algicide 100 is used to control bacteria in industrial air-washing systems that use effective mist eliminating components. Prior to its use, systems should be cleaned to remove bacterial slime and other deposits. An initial slug dose of 24.7 to 41.2 fluid ounces of Algicide 100 per 1000 gallons of water is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 16.9 to 41.2 fluid ounces of Algicide 100 per 1000 gallons of water should be employed each 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and severity of the bacterial problem. Slug additions may be made to the sump or to the water collection trays of the wash system.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Do not stack more than four drums high. Leaking or damaged drums should be placed in a separate container for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary and approved waste disposal facility.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on a sanitary and approved waste disposal facility.

CONTAINER DISPOSAL:

(1) **PLASTIC:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose in a sanitary landfill, by incineration, or, if allowed by state and local authorities, by burning. If burned, smoke.

(2) **METAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose in a sanitary landfill, or by other procedures approved by state and local authorities.

Manufactured by:

Pac-Tec, Inc.

P. O. Box 332

Cheshire, CT 06410

EPA REG. NO. 50429-7

EPA EST. NO. _____

NET CONTENTS _____

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

[Faint, mostly illegible text, likely bleed-through from the reverse side of the page.]

John H. Lee

Product Manager (11)
Disinfectants Branch
Registration Division (11-7670)

Enclosure

86002:J.Lee:RD-84:KENCO:11/12/85:Del.11/21/85:eg:PS

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR DISINFECTION Remove gross filth or heavy soil. Spray the area to be treated, and allow a wet-contact time of 10 minutes, wipe dry if desired.

Use on hard, non-porous surfaces such as toilet seats, wash basins, telephones (do not spray directly into mouthpiece), tables, shopping carts, door knobs, locker rooms and shower stalls.

PRECAUTIONARY STATEMENT
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
May cause eye irritation. DO NOT spray into eyes.
Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT
IF IN EYES: Flush eyes immediately with plenty of water. Consult a physician.

STORAGE AND DISPOSAL

DO NOT store near heat or open flame. DO NOT use near open flame.
Wrap container and place in trash collection. Never throw into fire or incinerator.

EPA Registration No.
EPA Establishment No. 46075-NY1
Net Contents 16 fl. oz.

MANUFACTURED BY:
GERM-X CORP., 8425 Blacayne Boulevard
Miami, Florida 33138

ProCLEAN™

Disinfectant Spray
CLEANER • DEODORIZER
In Homes, Hospitals, Offices, Schools

Active Ingredients:
Octyl decyl dimethyl ammonium chloride 0.026%
Didecyl dimethyl ammonium chloride 0.013%
Dioctyl dimethyl ammonium chloride 0.013%
Allyl (C14, 50%; C12, 40%; C16, 10%) dimethyl benzyl ammonium chloride 0.034%
Inert Ingredients 99.914%

KEEP OUT OF REACH OF CHILDREN
CAUTION

ProCLEAN disinfects against many germs and viruses such as: Herpes Simplex Type 1 and Type 2, Shigella, Staph and Strep, Pseudomonas and Athlete's Foot fungus.

ProCLEAN is a proven disinfectant, cleaner, & virucide

that kills:

Viruses: Vaccine
Influenza (Virus A/Brazil)
Herpes Simplex Type 1 and Type 2,
Bacteria: Staphylococcus aureus
Salmonella choleraesuis
Pseudomonas aeruginosa
Escherichia coli
Serratia marcescens
Brevibacterium ammentagenes
Salmonella typhi
Klebsiella pneumoniae
Streptococcus pyogenes
Enterobacter aerogenes
Streptococcus faecalis
Shigella dysenteriae

RECEIVED
NOV 14 1988
53389-1

BEST AVAILABLE COPY

ProCLEAN™

Spray Refill Disinfectant

In Homes, Hospitals, Offices, Schools

EPA Registration No.
EPA Establishment No. 44075-NY1
Net Contents 4 R oz.

ProCLEAN disinfects against many germs. ProCLEAN kills
viruses, bacteria & fungi **SUCH AS:** norpes Simplex Type 1 and type 2,
Influenza A, B, C, Salmonella and Shigella, Staph and
Vaccina Strep, Pseudomonas, and Athlete's Foot Fungus.

DIRECTIONS FOR USE: Remove spray outer case by pulling up black
top. Unscrew pump by turning cap. Refill using ProCLEAN only. Replace
spray in outer case. Pump several times until spray is activated.

FOR DISINFECTION: Remove gross filth or heavy soil. Spray the area to
be treated, and allow a wet contact time of 10
minutes. **wipe dry if desired.**

Use on hard,
non-porous surfaces such as toilet seats,
wash basins, telephones (do not spray
directly into mouthpiece), tables, shopping
carts, door knobs, locker rooms and shower
stalls.

It is a violation of Federal law to use this product in a manner inconsistent
with its labeling.

KEEP OUT OF REACH OF CHILDREN
CAUTION

Active Ingredients:	
Octyl decyl dimethyl ammonium chloride	0.028%
Didecyl dimethyl ammonium chloride	0.013%
Dioctyl dimethyl ammonium chloride	0.013%
Allyl (C14, 50%; C12, 40%; C18, 10%) dimethyl benzyl ammonium chloride	0.034%
Inert Ingredients	99.914%

MANUFACTURED BY:
GERM-X CORP., 8625 Biscayne Boulevard
Miami, Florida 33138

STORAGE AND DISPOSAL

DO NOT store near heat or open flame. DO NOT reuse container.
Wrap container and place in trash collection. Never throw into fire or incinerator.

/25/85 file name: PRO2 Inn. Chem. proclean 4 oz. refill d: meg.

BEST AVAILABLE COPY

Over 1,500 Sprays



ProCLEAN™

Portable Spray with 4 oz. Refill

A Disinfectant Spray That Kills:

Viruses: Herpes 1 & 2 • Influenza (Virus A/Brazil)

Bacteria: Staph Germs • Salmonella • Pseudomonas

BACHER CARD

BEST AVAILABLE COPY

53389-1

ProCLEAN

Disinfectant • Cleaner •

ProCLEAN Disinfects against many

ProCLEAN Kills:

- Viruses: Herpes Simplex Vaccine
- Influenza (Virus A/Brazil)
- Bacteria: Staphylococcus aureus
- Salmonella choleraesuis
- Pseudomonas aeruginosa
- Escherichia coli
- Serratia marcescens
- Brevibacterium linum
- Salmonella typhimurium
- Klebsiella pneumoniae
- Streptococcus pyogenes
- Enterobacter aerogenes
- Streptococcus faecalis
- Shigella dysenteriae

Kills Herpes simplex Type 1 and Type 2

Kills Staph germs

Kills Influenza (Virus A/Brazil)

Kills Salmonella

Kills many disease germs

It is a violation of Federal law to use this product without its labeling

- 1 Remove spray outer cap
- 2 Unscrew spray pump
- 3 Fill using ProCLEAN
- 4 Replace pump in outer cap
- 5 Pump several times until full
- 6 FOR DISINFECTION: Remedy to be treated. minutes. wipe dry if on non-porous surfaces. Wash berths, telephone directly into mouthpiece, carts, door knobs, lockers, stalls.

PRECAUTIONARY HAZARDS TO HUMANS: May cause eye irritation. Avoid contact with skin.

STATEMENT OF IF IN EYES: Flush eyes immediately with water and call physician.

ProCLEAN is manufactured by GERM-X CORP 8625 Biscayne Blvd. Miami, Florida 33138