ATTACHMENT IS APPLICABLE
SIGNATURE OF APPROVING OFFICIAL

DATE

まし

ACCEPTED
with COMMENTS
in EPA Letter Dated:

1541

SEP 2 7 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

53431-3

### ACTIVE INGREDIENT:

Poly(exyethylene (dimethyliminia) ethylene-(dimethyliminia) ethylene dichloride) . . . . . .

10.0

MERT MORFDIENT .

90 n

This product contains 0.85 tb. of active ingredient per gallon and weighs 8.49 tb. per gallon.

#### **KEEP OUT OF REACH OF CHILDREN**

## **CAUTION**

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.

FIRST AID: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

### DIRECTIONS FOR

its lebeling. 1541
and fungi in recirculating commercial and industrial its use, systems must be cleaned to remove slime, and other deposits. An initial slug addition the function $\frac{1541}{1}$
of water to provide a concentration of <u>48</u> to been
n the system, is recommended. Repeat initial do Subsequent slug additions of
120 perts per million of 1541 perployed every 2 to 5 days, or as needed. The
upon the relative amount of bleedoff and the sever lem. Slug additions should be made in the sump 1541 is used
eir-washing systems that maintain effective mist to its use, systems should be cleaned to remideposits. An initial slug dose of
mended. Repeat initial dosage until control is eletions of 16.9 to 41.2 fluid ounces of 1
per 1000 gallons of water should be employed each frequency of addition depends upon the relative a of the becterial problem. Slug additions may be m collection trays of the airwash system.

### STORAGE AND DIS

Do not contaminate meter, food, or feed by storage or disposal.

STORAGE: Do not steck more than four drums high. Leaking or di drums for disposal. Spills should be absorbed in sawdust or send an taner closed when not in use.

PESTICIDE DISPOSAL: Waster resulting from the use of this pri proved waste disposal facility.

CONTAINER DISPOSAL:

PLASTIC: Triple rines (or equivalent). Then offer for recycling or it sanitary lendfill, by incineration, or, if allowed by state and local another.

METAL: Triple rinse for equivalent). Then offer for recycling or resenitary landfill, or by other procedures approved by state and loc

	ChemCal, Inc.	ulactured by
•	ROX 111132	
	Arlington TV 76	007
EPA RE	G. NO	EPA

**NET CONTENTS.**