

ACCEPTED

DEC 2 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 53479-1

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS

**CAUTION**  
KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Do not breathe spray mist. Wear mask or respirator of a type recommended by the U.S. Bureau of Mines to give adequate protection against this material. Wear protective clothing. Avoid contact with skin or eyes. Wash hands, arms and face with soap and water after handling and before eating or smoking. Wash all contaminated clothing with soap and water before re-use.

Do not use, pour, spill or store near heat or open flame.



This product is toxic to fish. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from areas treated. Apply this product only as specified on this label.

Store in original container tightly closed and in a safe place. The plastic bottle must be kept in the cardboard container until the contents are used. Empty container completely and bury in a safe place or dispose of in accordance with local regulations.

**FIRST AID:**

This product contains petroleum distillate. If ingested do not induce vomiting. If patient is unconscious give him air. Obtain medical attention immediately.

All goods supplied by us are of high grade and we believe them to be suitable, but as we cannot exercise control over their mixing or use all conditions and warranties, statutory or otherwise, as to the quality or fitness for any purpose of our goods are excluded and no responsibility will be accepted by us for any damage or injury whatsoever arising from their storage, handling, application or use.



**CAUTION: KEEP OUT OF REACH OF CHILDREN**  
SEE OTHER PRECAUTIONS ON SIDE PANEL

An ultra low volume spray formulation for control of whitefly on greenhouse ornamental crops

**ACTIVE INGREDIENTS:**

(S-Benzyl-3-furyl)methyl 2, 2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate .....	0.69% w/w
Related compounds .....	0.09%
Petroleum distillate .....	94.27%
<b>INERT INGREDIENTS</b> .....	4.95%

\*Cis/trans isomers ratio: max. 30% (+)cis, and min. 70% (+)trans.



EPA Reg. No. 53479-1  
EPA Est. No. 45385-1L-01

705 North Shore Drive  
Mound, MN 55364 U.S.A.

- 40 Fl. Ounces
- 1 U.S. Gallon

Turbair is a registered trade mark of Turbair Limited.

**DIRECTIONS FOR USE**

**GENERAL**

This formulation is ready to use and should be applied only through Turbair or other ULV aerosol sprayers. Do not dilute.

**APPLICATION**

A 40 oz bottle is sufficient to treat 1/4 to 1 acre depending on the density of the vegetation. Before spraying, read and understand the instructions in the booklet "Turbair Spraying At A Glance" which is included with each Turbair sprayer.

Apply as soon as whitefly appears and repeat at 5-7 day intervals while adults continue to appear. For heavy infestations, the second application should be applied 1 to 2 days after the first application, followed by repeated applications at 5-7 day intervals.

**CROPS**

Greenhouse ornamentals such as the following can be treated with this formulation: ageratum, begonia, bromellia, coleus, geranium, gerbera, hydrangea, impatiens, ivy, pachystachys, pelargonium, poinsettia, primula and rose.

DO NOT apply to open blooms of the Shoemith varieties of chrysanthemum.

DO NOT treat red Calceolaria.

Before applying to new varieties, make small area test trials and wait 3 or 4 days. Inspect for any adverse effects.

**VENTILATION**

After spraying, ventilate all buildings thoroughly before reentry.