· .

EPA REGISTRATION NO. US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS 53487**-1 REGISTRATION DIVISION (TS-767)** TERM OF ISSUANCE WASHINGTON, DC 20460 NAME OF PESTICIDE PRODUCT NOTICE OF PESTICIDE: REGISTRATION REREGISTRATION Clear Wood Preservative (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended) NAME AND ADDRESS OF REGISTRANT (Include ZIP code) Touraine Paint, Inc. 1760 Revere Peach Park Everett, NA 02149 L NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number. On the basis of information furnished by the registrant, the above named posticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you: 1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data. Make the labeling changes listed below before you release the product for shipment: Add the phrase "EPA Registration No. 53487-1." b. Delete the termiticide claim and associated use instructions. The Agency records indicate data that are applicable only to pressuretreated wood. The label may be amended in the future by submitting data to support such claims for brush-on treatments, soaking, or dipping. Delete the double threat statement on the front panel. 3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

EPA Form 8570-6 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Henry M. Jacoby'
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (TS-767C)

Enclosures

FRONT PANEL

CLEAR WOOD PRESERVATIVE

Double Threat Protection Against Termites and Decay

KEEP OUT OF REACH OF CHILDREN (12 Point)

WARNING (18 POINT)

See Side Panel for Additional Precautionary Statements

EPA Reg. No. 53487-R

EPA Est. No. 53487-MA-1

3000

Net Contents:

Touraine Paint Inc. 1760 Revere Beach Pk. Everett, Massachusetts 02149

Limited Warranty:

When applied according to the directions on our label, if this Touraine product is proved to be defective within one year after purchase, Touraine Paints, Inc., will furnish any necessary additional product free of charge or will refund the purchase price through the Authorized Touraine Dealer. This warranty does not include labor or cost of labor for the application of the product. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

JAN27 1986

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

53487-1

LEFT PANEL

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING (18 point)

4 .

Contains petroleum distillate

Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin, or on clothing. Wear rubber gloves when handling freshly treated lumber. Wash hands thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT

- IF IN EYES, flush with plenty of water and get medical'
 attention.
- IF SWALLOWED, do not induce vomiting. Call physician immediately.
- IF ON SKIN, wash with plenty of soap and water. In case of contact, remove contaminated clothing immediately, and wash before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Combustible. Keep away from heat or open flame. Use with adequate ventilation. Do not store near feed or food products.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL (12 point)

Do not contaminate water, food or feed by storage or disposal, Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

RIGHT PANEL

INSTRUCTIONS FOR TREATING WOOD

This extra strength Wood Preservative is especially formulated for treating wood in above grade applications. It is not a sealer, stain or varnish. Touraine Clear Wood Preservative will not chip, crack, blister or peel. Adds years of protection to wood and when overcoated, greatly extends the life and beauty of the paint system. Clear Wood Preservative protects wood against warping and rotting. It will not stop or prevent the natural discoloring of woods due to exposure to sunlight. The Preservative contains a strong fungicide for excellent protection. The extra strength protection is important where wood comes in contact with soil, concrete and water. Use Touraine Green Wood Preservative for below grade applications. Clear Wood Preservative is recommended for use on shingles, millwork, window sills, furniture, docks, piers, fences, rough sawed lumber, doors.

Surface Preparation:

Wood should be clean and dry, well seasoned and free of bark. Mildew must be removed from all surfaces, utilizing a solution of 50% household bleach and 50% water. Areas affected by mildew should be thoroughly scrubbed with this solution, then hosed down with clean water and allowed to dry. Rubber gloves and goggles should be used for personal protection during this process.

Application:

Stir thoroughly. Clear Wood Preservative can be liberally applied by brush, roller, spray or dipping in a container. The more wood preservative absorbed the more effective the protection. Do not thin. Material is supplied at proper application consistency. A single coat is recommended for surfaces to be painted or stained and may be painted after 24 hours with oil, solvent or latex based paint. Be sure to remove all bark. Where no finish is to be used, apply a second coat within one hour.

Coverage:

Up to 300 square feet per gallon, depending on porosity of wood and method of application.

Clean-up:

Clean painting tools immediately after use with paint thinger or mineral spirits.