

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460	EPA REGISTRATION NO. 53487-2	DATE OF ISSUANCE JAN 27 1986
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT Green Wood Preservative	

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
 (Under the Federal Insecticide, Fungicide,
 and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Fouraine Paint, Inc.
 1760 Pevere Beach Park
 Everett, WA 98149

$$\begin{array}{r} 161 \\ 18 \\ \hline \end{array}$$

$$\begin{array}{r} 162586 \\ L \\ \hline \end{array}$$

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 53487-2."
 - b. Delete the insecticidal claims and associated instructions. The label may be amended in the future to include such claims by submitting data to support insecticidal claims for brush-on treatment, dipping, or soaking.
 - c. Delete "Double Threat Protection Against Decay and Rot," since the terms decay and rot are synonymous and would not pose a "double threat."
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL: *Henry M. Jacoby* DATE: 1/27/86

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

HMJ
Henry M. Jacoby
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (TS-767C)

Enclosures

CONCURRENCES

CONCURRENCES							
SYMBOL ▶							
SURNAME ▶							
DATE ▶							

ACCEPTED
with COMMENTS
in EPA Letter Dated:

JAN 27 1986

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
53487-2

FRONT PANEL

GREEN WOOD PRESERVATIVE

Double Threat Protection Against Decay and Rot

Active Ingredient:	
Copper 2-ethylhexanoate	11.04%
(Copper as metal 2%)	
Inert Ingredients:	88.96%
	Total 100.00%

KEEP OUT OF REACH OF CHILDREN (12 point)
WARNING (18 point)

See Side Panel for Additional Precautionary Statements


EPA Reg. No. _____ EPA Est. No. (has been applied for)

Net Contents: _____

Touraine Paint Inc.
1760 Revere Beach Pk.
Everett, Massachusetts 02149

Limited Warranty:

When applied according to the directions on our label, if this Touraine product is proved to be defective within one year after purchase, Touraine Paints, Inc., will furnish any necessary additional product free of charge or will refund the purchase price through the Authorized Touraine Dealer. This warranty does not include labor or cost of labor for the application of the product. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.



11-16

RIGHT PANEL

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL (12 point)

STORAGE: Avoid storage near feed or food products.
DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. Do not reuse can. Rinse thoroughly before discarding in trash.

INSTRUCTIONS FOR TREATING WOOD

This extra strength Wood Preservative is especially formulated for treating below grade bare wood applications and prolongs the life of the wood by protecting against termite damage, warping and rotting. Green Wood Preservative contains a strong fungicide-insecticide for two way protection. The extra strength protection is important where wood comes in contact with soil, concrete and water.

The color is from copper fungicide and is not a lasting color. It will fade within months, depending upon exposure to sunlight. If painted, the green color may bleed through lighter colors of oil base or solvent paint or stains. Use Touraine Clear Wood Preservative above ground under oil base or solvent type paints or stains.

Green Wood Preservative is recommended for use on poles, fence posts, foundation sills, docks and other wood or lumber exposed to moisture, weather or soil.

Surface Preparation:

Wood should be clean and dry, well seasoned and free of bark. Mildew must be removed from all surfaces, utilizing a solution of 50% household bleach and 50% water. Areas affected by mildew should be thoroughly scrubbed with this solution, then hosed down with clean water and allowed to dry. Rubber gloves and goggles should be used for personal protection during this process.

Application:

Stir thoroughly. Green Wood Preservative can be liberally applied by brush, roller, spray or dipping in a container. The more wood preservative absorbed the more effective the protection. Do not

Right Panel (con't)

thin. Material is supplied at proper application consistency. Below ground applications require a 5 minute dip. For even longer protection, dip wood up to one hour. A single coat is recommended for surfaces to be painted or stained and may be painted after 24 hours with oil, solvent or latex based paint. However, green color may bleed through the lighter colors of the paint. Be sure to remove all bark. Fence posts should be immersed overnight for best, long term protection. Where no finish is to be used, apply a second coat within one hour. For termite protection, all wood should be treated after cuts are made and before use in the structure.

Coverage:

Up to 300 square feet per gallon, depending on porosity of wood and method of application.

Clean-up:

Clean painting tools immediately after use with paint thinner or mineral spirits.

LEFT PANEL

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING (18 point)

Contains Petroleum Distillate

Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin, or on clothing. Wear rubber gloves and goggles when handling freshly treated lumber. Wash hands thoroughly with soap and water after handling. Wear a suitable mask when spraying to avoid inhalation.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES, flush with plenty of water and get medical attention.

IF SWALLOWED, do not induce vomiting. Call physician immediately.

IF ON SKIN, wash with plenty of soap and water. In case of contact, remove contaminated clothing immediately, and wash before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Keep away from heat or open flame. Use with adequate ventilation. Avoid storage near feed or feed products.