

U.S. ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (WH-567)
WASHINGTON, D.C. 20460

EPA REGISTRATION NO.

53565-3

DATE OF ISSUANCE

TERM OF ISSUANCE

26 APR 1985

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT

26 APR 1985

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Water Tech. Chemical Specialties
P.O. Box 3246
San Jose, CA 95132

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Add the phrase "EPA Registration No. 53565-3" to your label before you release the product for shipment.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.



John H. Lee
Product Manager (31)
Disinfectants Branch
Registration Division (78-7670)

enclosure

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

ANTIFOULANT C-102

ACTIVE INGREDIENT:

Potassium dimethyldithiocarbamate 10.0%

INERT INGREDIENTS 90.0%

This product contains 0.87 lb. of active ingredient per gallon and weighs 8.68 lb. per gallon.

**KEEP OUT OF REACH OF CHILDREN
DANGER**

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER: Corrosive. Causes eye and skin damage. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Avoid contamination of food. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT: In case of skin contact, wash with plenty of soap and water. Remove contaminated clothing and wash before reuse. If product gets in the eyes, flush immediately with copious amounts of clean, cool water for at least 15 minutes. Get medical attention immediately. If product is swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician. Never induce vomiting or give anything by mouth to an unconscious person.

First aid to physician: Probable successful drug may contraindicate gastric lavage.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not apply in marine and/or estuarine oil fields. Do not discharge effluent containing this active ingredient into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

APR 26 1985

Manufactured by:

Water-Tech Chemical Specialties
P.O. Box 32846
San Jose, CA 95152

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended for the pesticide registered under EPA Reg. No. 53565-3

EPA REG. NO:

EPA EST. NO.

NET CONTENTS

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner not consistent with its labeling.

ANTIFOULANT C-102 is used in industrial cooling tower systems and industrial air-washing systems. Prior to the use of ANTIFOULANT C-102 in recirculating cooling tower systems, systems should be cleaned to remove microbiological slimes, and other deposits. Then make

17.9 fl. oz. of ANTIFOULANT C-102 addition of 6.0 to 17.9 fl. oz. of ANTIFOULANT C-102 per 100 to 150 ppm of ANTIFOULANT C-102 gal. of water (50 to 150 ppm ANTIFOULANT C-102 days or as needed. The frequency of addition depends on the severity of the microbiological problem and the severity of the microbiological problem in the sump of recirculating cooling tower systems.

ANTIFOULANT C-102 is used in industrial water systems to maintain effective mist-eliminating components. For cleaning to remove bacterial slimes and other deposits, add 35.9 fl. oz. of ANTIFOULANT C-102 per 1000 gal. of water treated.

Repeat initial dosage until control is evident. Repeat initial dosage until control is evident. Repeat initial dosage until control is evident. Repeat initial dosage until control is evident. Repeat initial dosage until control is evident.

21.0 to 35.9 fl. oz. of ANTIFOULANT C-102 per 1000 gal. of water treated. This should be followed by a continuous addition of ANTIFOULANT C-102.

ANTIFOULANT C-102 is used to control bacteria, including sulfate-reducing organisms, in waterflooding operations. In systems fouled with microbiological slimes, ANTIFOULANT C-102 should be added as a slug dose of 40 to 80 ppm (5.0 to 10.0 fl. oz. per 1000 gal. of water treated).

ANTIFOULANT C-102 employing a concentration of 40 ppm, based on total water treated. Continuous addition of ANTIFOULANT C-102 to heater-treater dump, gathering lines, or receiving tanks upstream to the filter.

ANTIFOULANT C-102 is also used to control bacteria in water-based drilling fluids, completion fluids, and based drilling fluids containing starch, gums, sugars, and other solids. ANTIFOULANT C-102 is added at a rate of 0.09 to 0.43% gal. per 100 barrels of fluid.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. STORAGE: Do not expose to extreme temperatures. Do not stack drums should be placed in overpack drums for disposal. Spills should be cleaned up in a sanitary landfill. Keep container closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. If you cannot dispose of this pesticide in accordance with the instructions, contact your State Pesticide or Environmental Control Agency, or your EPA Regional Office for guidance.

CONTAINER DISPOSAL:
 PLASTIC: Triple rinse (or equivalent). Then offer for recycling or other recovery. If recycling is not available, burn in a sanitary landfill, by incineration, or, if allowed by state and local authorities, by other procedures approved by state and local authorities.
 METAL: Triple rinse (or equivalent). Then offer for recycling or other recovery. If recycling is not available, burn in a sanitary landfill, or by other procedures approved by state and local authorities.