

53575-6

2/22/2000

1/2

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

FEB 22 2000


Ms. Kathy A. Bolan
Registration Agent for Pacific Biocontrol
P.O. Box 1551
Healdsburg, CA 95448-4387

Subject: Minor Label Revisions
Isomate - C Plus
EPA Registration Number 53575-6
Your submission dated 12/06/99

Dear Ms. Bolan:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,




Janet L. Andersen, Ph.D.
Director
Biopesticides and Pollution
Prevention Division (7511C)

CONCURRENCES

SYMBOL	7511C	7511C					
SURNAME	Lorange	Rulls					
DATE	2/17/00	2/17/00					

BIOCONTROL



ISOMATE*-C PLUS

ACTIVE INGREDIENTS:

E, E-8, 10-Dodecadien-1-ol	53.0%
Dodecanol	29.7%
Tetradecanol	6.0%
INERT INGREDIENTS	11.3%
TOTAL	100.0%

**Keep out of reach of children
WARNING**

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Causes skin irritation. May cause eye injury. Do not get in eyes, on skin, or on clothing. Wear eye protection (such as goggles or safety glasses) and gloves when handling. Do not touch eyes while handling or attaching the dispensers. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

Do not discharge into lakes, streams, ponds or public waters unless in accordance with NPDES permit. For guidance contact your regional office of the Environmental Protection Agency.

PACIFIC BIOCONTROL CORPORATION

16010 NE 36th Avenue
Ridgefield, WA, 98642 U.S.A.
Telephone (360) 774-4726
1-800-999-8805

MADE IN JAPAN

NET CONTENTS:

400 Dispenser Units
EPA Est. No: 47265-JP-01
EPA Reg. No: 53575-6
One dispenser contains 0.008 fl oz or 205 mg
Total content of package: 3.2 fl oz or 82 gm

*ISOMATE is a registered Trademark of Biocontrol Limited

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal
Pesticide Storage Store unopened package at temperatures below 40°F in a dry location. Product may be stored in cold storage facilities used for food storage.

Pesticide Disposal Pesticide that cannot be used according to label instructions must be disposed of according to applicable Federal, State and local procedures.

Container Disposal Dispose of empty dispensers by burning or burying with prunings in winter. If burned, stay out of smoke. Foil envelopes can be disposed of as household refuse.

General Consult Federal, State or local disposal authorities for approved alternative procedures.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELLING.

It is critical that ISOMATE-C PLUS is applied as directed.

- 1. Crop** Apple, pear, walnut, quince, prune, plum, peach, pecan and nectarine.
- 2. Pest** Codling moth (*Cydia pomonella*), hickory shuckworm (*Cydia caryana*).
- 3. Rate** 400 dispensers per acre or 1000 dispensers per hectare. Apply double rate of dispensers to edges of orchard.
- 4. Application** Apply dispensers securely to lateral branches in upper third of tree canopy. Can be applied efficiently from moving trailer.
- 5. Timing** Apply prior to moth emergence in spring. Dispensers release pheromone for 120-140 days. Reapply dispensers to crops with long field seasons (i.e. more than 120 days).

6. Precautions Isomate-C Plus suppresses codling moth and hickory shuckworm from mating. However, if a major source of mated female moths of these species is present adjacent to the treated field, migration of these moths may significantly reduce the level of control achieved. Sources are likely to be unsprayed apple, pear, quince, walnut, plum, crabapple trees or other host species within 300 yards of the treated field. This can be overcome by:

- Treatment of entire blocks and not just sections of large conventionally treated fields that frequently serve as sources of mated females.
- Treatment of infestation sources with Isomate-C Plus (e.g. a strip at least 50 yards wide nearest the treated field).
- Treatment of infestation source with an effective insecticide. Other pests must be monitored on a regular schedule so that timely intervention with conventional insecticides is possible.

WARRANTY AND LIMITATION OF DAMAGES

All statements concerning the use of this product apply only when used as directed. The Manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the label. Read all directions carefully.

ACCEPTED
FEB 22 2000
Pesticide National Institute
Pest. Control Products to Ret.
in Accordance with the
Federal Insecticide, Fungicide,
and Rodenticide Act, No. 53575-6