UNITED STATES ENVIRONMENTAL PROTECTION AGENCY 05/06/2004



U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Biopesticides and Pollution Prevention Division (7511C) 1200 Pennsylvania Avenue NW Washington, DC 20460

EPA Reg. Number:

Date of Issuance:

53575-28

Term of Issuance:

Unconditional

Name of Pesticide Product:

Isomate OmLR

NOTICE OF PESTICIDE:

X Registration Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Pacific Biocontrol Corporation 14615 NE 13th Court Suite A Vancouver, WA

Note: Changes in labeling differing in substance from that accepted in conjections Biopesticides and Pollution Prevention Division prior to use of the label and the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This registration does not eliminate the need for continual reassessment of the pesticide. If EPA determines at any time, that additional data are required to maintain in effect an existing registration, the Agency will require submission of such data under section 3(c)(2)(B) of FIFRA.

This product is registered in accordance with FIFRA section 3(c)(5) and is subject to the following terms and conditions:

- 1. Modify your label by inserting the new EPA Reg. No.53575-28 before the release of your product for shipment.
- Submit five (5) copies of the revised final printed labeling before you release the product for shipment.

Signature of Approving Official: ant I (Indees

EPA Form 8570-6

CONCURRENCES								
SYMBOL	7511C	75110	75110	7511C			7 4 506 400 100 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
SURNAME	Byceland	25. Jones	ihlig	Rull				
DATE	4/14/04	4/14/04	4 W.H	514/04				
	777707	· / · / · · ·					OFFICE	AL FILE COPY

EPA Form 1320-1A (1/90)

Printed on Recycled Paper

ACCEPTED

MAY - 6 2904

Under the Federal Investicidae. Pengicide, and Rodenticide Act. as amonded, for the posticide intered under EPA Box, No. 535



ACTIVE INGREDIENTS:

E-11-Tetradecen-1-vi Acetate Z-11-Tetradecen-1-yl Acetate...... OTHER INGREDIENTS...

84,05 mg active ingredients per dispenser

Keep out of reach of children CAUTION

FIRST AID

Won Skin or . Take off contaminated clothing.

Ciothiau

- Rinse side immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

If in Eves

- . Hold eve open and rings slowly and pently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eve.
- Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-999-8805 for further questions.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin. Causes moderate eye Initation. Avoid contact with skin, eyes, clothing. Wash thoroughly with scap and water after handling and before eating, drinking, chewing gun, or using tobacco.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of this product;

PACIFIC BIOCONTROL CORPORATION

14615 NE 13th Court, Suite A, Vancouver, WA 98685 U.S.A. Telephone (360) 571-2247 or 1-800-999-8805

MADE IN JAPAN

NET CONTENTS: 500 Dispenser Units One dispenser contains 0,003 fl oz or 87.28 mg

.100.00 %

EPA Est. No: 47265-JP-01 EPA Reg. No: 53575-

Total content of package: 1,53 ft oz or 43.64 gm

ISOMATE® is a registered Trademark of Pacific Biocontrol Corporation.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal

Pesticide Storage

Store in original unopened package at temperatures below 40°F in a dry location. Only unopened or unbroken dispenser packages may be stored in cold storage facilities used for food storage. Care must be taken to avoid contamination of food or feed items.

Posticide Disposal Wastes resulting from this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal Dispose of empty foil packet in the trash.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. It is critical that ISOMATE-OmiLR is applied as directed.

- 1. Crop Peaches, plums, nectarines, cherries and other stone fruit; apples and other pome fruit; almonds and other tree nut crops; peppers and other vegetable crops; kiwifruit, avocado, grapes, poinsettles, respherries and roses.
- Omnivorous isatroller (Pletynota stultana). 2. Pest
- 3. Rate Minimum of 100 dispensers per scre (0.29 fl oz or 8.41 cm s.i. per scre). Maximum of 200 dispensers per scre (0.59 fl oz or 16.81 gm s.i. per scre). Apply double rate of dispensers to edges of field. Do not exceed 150 gm a.l. per sore per year
- 4. Application Apply dispensers securely to lateral branches in the top third of tree canopy (dispansers twisted too tightly may girdle branches). Or twist dispensers loosely around the main stem or cane of the plant or to stakes placed uniformly throughout the treated field (avoid contact with soil). Apply dispensers uniformly throughout the treated acreage to obtain a reduction in mating.
- 5. Timing Apply prior to leafroller emergence in the spring. In late crop varieties with high pest population, a second application is necessary. If a second application is required, consult your local pest control advisor for proper timing.
- 6. Note Isomate-Omi_R suppresses the omnivorous leafroller from mating. However, if a major source of mated female moths of this species is present adjacent to the treated field, migration of these moths may significantly reduce the level of control achieved. Sources are likely to be unsprayed host species within 300 yards of the treated field. This can be reduced by:
 - a. Treatment of entire blocks and not just sections of large conventionally treated fields that frequently serve as sources of mated females.
 - b. Treatment of infestation sources with Isomate-OmLR (i.e., a strip at least 50 yards wide negrest the treated field).
 - c. Treatment of infestation source with an effective insecticide.
 - d. Treatment of 4-6 rows along border of pheromone treated orchard with insecticide.

Supplementary applications of insecticide are advised when Isomate-OmLR is used to control high populations of leafrollers. All pests must be monitored so that timely intervention with insecticides is possible.

WARRANTY AND LIMITATION OF DAMAGES

All statements concerning the use of this product apply only when used as directed. The Manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the label. Read all directions carefully.