US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460 NOTICE OF PESTICIDE: REGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended) E AND ADDRESS OF REGISTRANT (Include ZIP code) F Excel Cratings, Inc. 318 Pendleton Way Oakland, CA 94621	53625-1 TERM OF ISSUANCE NAME OF PESTICIDE PRODU Proservzit	MAY 5 1986
REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460 NOTICE OF PESTICIDE: REGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended) E AND ADDRESS OF REGISTRANT (Include ZIP code) F Excel Cratings, Inc. 318 Pendleton Way	NAME OF PESTICIDE PRODU	
NOTICE OF PESTICIDE: REGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended) E AND ADDRESS OF REGISTRANT (Include ZIP code) F Excel Cratings, Inc. 318 Pendleton Way	Proservzit	
(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended) E AND ADDRESS OF REGISTRANT (Include ZIP code) [] EXCO: COALINGS, INC. 318 Pendleton Way		16/ 17/202
and Rodenticide Act, as amended) E AND ADDRESS OF REGISTRANT (Include ZIP code) [] Excel Coatings, Inc. 318 Pendleton Way		16/ 17/202
F Excel Coatings, Inc. 318 Pendleton Way	 ۲	16/ 17/202
Excel Coavings, Inc. 318 Pendleton Way	۲	16/ 11/don
318 Pendleton Way		
•	/	~ /
Oak Jand , ርአ 94621		e -
t		
L.	L	
TE: Changes in labeling formula differing in substance fr	om that accepted in connection	n with this registration must be
mitted to and accepted by the Registration Division prior duct always refer to the above U.S. EPA registration numb	to use of the label in commercial	
the basis of information furnished by the registrant, the a Federal Insecticide, Fungicide, and Rodenticide Act.	bove named pesticide is herei	y Registered/Reregistered und
copy of the labeling accepted in connection with this Reg	istration/Reregistration is rel	urned herewith.
gistration is in no way to be construed as an indorsement Ith and the environment, the Administrator, on his motion		
ie in accordance with the Act. The acceptance of any nan	ne in connection with the regis	stration of a product under this
is not to be construed as giving the registrant a right to	exclusive use of the name or	to its use if it has been covered
others, This product is conditionally regi	stered in accordance	with FIFRA
ection $3(c)(7)(A)$ provided that you:	and the the occolution	
1. Submit and/or cite all data re	winned for registrat	ion /vovogiutivation
•		
f your product under FIFRA section 3(c		requires all
egistrants of similar products to subm		
2. Make the labeling changes list	ted below before you	release the product
or shipment:		
a. Add the phrase "EPA Regist	ration No. 53625-1.	4
b. Complete and return to us	the enclosed Confide	ential Statement of
Formula.		
3. Submit five (5) copies of your	final printed label	ling before you
elease the product for shipment. Refe	er to the A-79 Enclos	sure for a further
escription of final printed labeling.		
If these conditions are not compli	ed with, the registr	ation will be
ubject to cancellation in accordance w	-	
or shipment of the product constitutes		
A stamped copy of the label is end	-	
	,	• • •
llor	WW M. Jacoby	
	ry M. Jacoby	
	duct Manager (21)	-h-
	ngicide-Herbicide Bra	•
Req	jistration Division ((TS-767C)
Enclosures		
ATTACHMENT IS APPLICABLE	\bigcirc	
ATURE OF APPROVING OFFICIAL	y ()/ /////////////////////////////////	DATE
KKRy_M	· Vololy	5/5/86
am 8570-6 (Rev. 5-75) PREVIOUS EDITION 88508 : Mack : J-3 : KENCO: 4/19/86/4/29/86	MAY BE USED UNTIL SUPPLY	S EXHAUSTED.

ľ

2

....

•

Ş

Ċ

.

~~~~

# WOOD PRESERVATIN **APPLICATION SITE**

PRESER

Can be used to preserve both interior and exterior wood. Interior use is only needed when wood is subject to frequent or prolonged wetting (e.g. condensation or rain seepage). Can be used for above ground, ground contact and below ground uses. Below ground, or ground contact use requires a minimum 5 minute dip. For even turther protection, dip for one hour. Wood to be treated should be dry and well seasoned. Fence posts must have bark removed, For fence posts, or finished timbers to be buried in soil, immersion for 12-48 hours provides long term protection (pine species may be adequately penetrated in 6-8 hours). Cut timbers should be immersed 15-30 minutes per inch of thickness, except in case of pine species which absorbs the preservative at a faster rate. For above ground use, apply two brush coats or dip for 3 minutes per inch of thickness. All wood should be treated after all cuts are made and before use in the structure.

#### PROTECT PRODUCT FROM FREEZING. FABRIC AND CORDAGE PROTECTION

Can be used to protect and preserve fabric against mildew, mold and fabric destroying and staining fungus including rope, fish net, twine, canvas, burlap and other fabrics. Materials should be thoroughly saturated until wet and air dried before use. Material can be either splayed or dipped for complete saturation. Treats approximately 75 square feet of fabric per gallon. Do not use on fabric intended for food or feed contact surfaces or clothing. Not for use on fabric or cordage in ground contact situations.

#### WOOD PRESERVATIVE USES

Protects the following types of wood: shingles, millwork, windows, outdoor furniture, docks, piers, posts, pilings, block flooring, staking material, decks, spars, house siding. Protects wood in all the above applications including nursery lumber, slats, and beehive crates.

#### PHYSICAL PROTECTION

Inhibits warping, shrinking, swelling, checking, cracking, water marking of the wood. Can be painted after drying for 24 hours. For wood containing resins and other materials, weathering will enhance paint adhesion. This colorless product offers a penetraling lungicide which will not bloom.

#### COVERAGE

100-300 square feet - depending on porosity of wood and methoz of application.

> MANUFACTURED FOR EXCEL COATINGS, INC. OAKI AND, CALIFORNIA 94621

# RECOMMENDED

FOR USE ON: SHINGLES, SHAKES FENCING, LUMBER. DECKS, RAILINGS. WINDOWS, SILLS ROOFS, SIDING, PLYWOOD SLATS. NURSERY LUMBER. DOCKS, PIERS, OUTDOOR FURNITURE, CANVAS, BURLAP, PLANT STAKES. ROPE, FISHNET, TWINE, **BEEHIVE CRATES** 

NON-PHOTOCHEMICALLY REACTIVE

MADE IN U.S.A.

**ACTIVE INGREDIENT** 15. Zinc Naphthenate (Zinc, as metal, 2%) **INERT INGREDIENTS** 10 TOTAL

84.

RECOMMENDED FOR USE ON: SHINGLES, SHAKES FENCING, LUMBER, DECKS, RAILINGS, WINDOWS, SILLS ROOFS, SIDING, PLYWOOD SLATS, NURSERY LUMBER, DOCKS, PIERS, OUTDOOR FURNITURE, CANVAS, BURLAP, PLANT STAKES, ROPE, FISHNET, TWINE, BEEHIVE CRATES

0

9630-18-52883

2630-PA-01

oughly with soap and water — IF IN EYES, Flush with plenty of water and get immediate medical attention. — CONTAMINATED CLOTHING should be removed and washed thoroughly before reusing.

# ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

## PHYSICAL OR CHEMICAL HAZARDS

Use only with adequate ventilation. Close container after each use.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

## STORAGE AND DISPOSAL

STORAGE: PRESERVZIT<sup>14</sup> will freeze. Store at temperatures between 40°F and 100°F. If the product has been spilled or is leaking, remove the source of the spill or teak. Recover free tiquid. Spread absorbent, then pick up and place in containers. Then, where applicable, wash area with delergent and water. Store PRE-SERVZIT<sup>16</sup> in the original container only. Keep container closed when not in use.

CONTAINER DISPOSAL: Do not use empty container. Wrap to  $\mathfrak{I}$  tainer and put into trash collection.

## INSECT CONTROL CLAIMS

Protects wood against atlack by termites.

#### FUNGICIDAL ACTIVITY

Protects and preserves wood against mold, mildew, rot, wood destroying fungi and mildew stain.

#### NOTES TO USER

Do not apply over painted or varnished surfaces. Do not apply over bark.

Do not use on wood intended for food, feed, polable water, livestock or dairy animals contact surfaces.

May injure living plants during application. Cover plants to protect against direct contact.