

U.S. ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (WH-567)
WASHINGTON, D.C. 20460

EPA REGISTRATION NO.

DATE OF ISSUANCE

53640-1

Jul 31, 1985

TERM OF ISSUANCE

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION

Conditional
NAME OF PESTICIDE PRODUCT

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

Proctor Semi-Transparent
Stain and Wood Preservative

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Paxianos Associates
211 9th Street NW.
Washington, DC 20002

160 147248
18 1

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

In the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 53640-1."
 - b. Submit the complete chemical composition for Advitrol 50.
 - c. Two statements appear on the label, "Harmful if swallowed," and "Harmful or fatal if swallowed." These statements must be consistent. If the oral toxicity of this formulation falls into toxicity category II, the statement, "May be fatal if swallowed" is appropriate. If, however, the skin and eye effects were demonstrated to be in toxicity category II, and not oral, then use "Harmful if swallowed." Refer to 162.10(h) for precautionary statements by toxicity categories.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

ATTACHMENT IS APPLICABLE


BEST AVAILABLE COPY

SIGNATURE OF APPROVING OFFICIAL

DATE

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.


Henry M. Jacoby
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (TS-767)

Enclosure

BEST AVAILABLE COPY

ACCEPTED
with **COMMENTS**
in EPA Letter Dated:

JUL 3 1 1985

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

53640-1

**Deep Penetrating Oil-Base Stain
Preserves Natural Wood Color
Protects and Preserves Against
Mildew & Rot
Water Repellent**


**ONE U.S. GALLON
3.785 LITERS**



**semi-transparent
stain & water
preservative**



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS



BEST AVAILABLE COPY

KEEP OUT OF REACH OF CHILDREN

WARNING

Combustible - harmful or fatal if swallowed

See side panel for additional precautionary statements.

Active Ingredients:

- 3-Iodo-2 Propynyl Butyl Carbamate..... 0.66%
 - Inert Ingredients.....99.34%
- 100.00%

Contains Petroleum Distillates

PA Reg No.
PA Est No.

WARNING CONTAINS PETROLEUM DISTILLATES Use only with adequate ventilation. Avoid prolonged breathing of vapor or spray mist. Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Wear goggles. Harmful if swallowed. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

STATEMENT OF PRACTICAL TREATMENT. IF IN EYES: Flush with plenty of water. Get medical attention immediately. IF SWALLOWED: Do not induce vomiting. Promptly drink a large quantity of milk, egg whites, or gelatin solution; if these are not available, drink large quantities of water. Avoid alcohol. Get medical attention immediately. IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove victim to fresh air and administer artificial respiration as needed.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL AND CHEMICAL HAZARDS


Combustible: Do not use, pour or spill near heat or open flame. In case of fire, use water spray, foam, carbon dioxide or dry chemical.

Manufactured only by

PROCTOR PAINT & VARNISH CO., INC.
35 West Avenue - Yonkers, N.Y. 10701
Phone: (914) 969-8000

MADE IN U.S.A. UNION MADE PRINTED IN U.S.A.

semi-transparent
STAIN-WOOD
preservative



DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER WHICH IS INCONSISTENT WITH THE INSTRUCTIONS ON THIS LABEL.

Semi-Transparent Stains are penetrating oil base stains which give an attractive flat finish that enhances the texture of any wood surface. These stains are used on exterior wood, such as Clapboard, Rough-Sawn Siding, Wood Shingles, Porch Decking, Fences, Shakes, Shutters, Facia. This stain also protects against rot, mildew and protects the surface from warping, discoloration and swelling. This water repellent stain will add years of life to the wood.

The product is not recommended for use on primed, sealed, or previously painted surfaces nor for wood used for ground, food, feed, or potable water contact. Cover desirable plants and shrubs to avoid possible injury. This product can be used where dairy and farm animals may come in contact with the treated wood.

PREPARATION OF SURFACE

The surface must be clean, completely dry, and structurally sound. Unprotected wood is typically various shades of gray and black. This is due to mildew and ultraviolet light attack on the wood surface. Remove mildew by power washing or scrubbing with a solution of 1 quart of household bleach to 3 quarts of water. Rinse thoroughly and allow a minimum of 24 hours drying before applying stain.

STAIN PREPARATION

Thorough mixing is essential regardless of previous shaking. Pour top oils into another can, and using a wide paddle, stir the remaining paste thoroughly. Pour the oils back into the can and mix thoroughly. Remix stain frequently while applying to maintain a uniform mixture. If the job requires more than one can of stain, mix all together in one large container. Do not thin this stain.

APPLICATION

To help avoid lap marks, a continuous uniform application of stain is essential. For best results, always maintain a "wet edge". Stain only a few boards at a time, working continuously from top to bottom or from side to side keeping the leading edge "wet". Stain is best applied with a natural bristle brush. If spraying, a dry brush or roller should be used immediately (while coating is still wet) to ensure an even coating and force the stain into the wood. Roller applications should be only on rough surfaces. Avoid application to a hot surface in direct sunlight.

DRYING: Drying of linseed oil products is affected by temperature, humidity, circulation and wood species. Linseed oil stains require 24-48 hours to dry under ideal conditions.

APPROXIMATE COVERAGE: On rough wood, 150 square feet per gallon; on smooth wood, 250 square feet per gallon.

CLEAN-UP: Clean brushes and other tools with Mineral Spirits or Paint Thinner.

STORAGE AND DISPOSAL

STORAGE: Do not store near excessive heat or open flame.

DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash. Securely wrap original container in several layers of newspapers and discard in trash.