

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 20460	EPA REGISTRATION NO. 53640-2	DATE OF ISSUANCE SEP 27 1985
	TERM OF ISSUANCE	
NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	NAME OF PESTICIDE PRODUCT Proctor Paint and Varnish Co., Inc. Clear Wood Preservative	

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

<input type="checkbox"/>	160 140023 18 1
<input type="checkbox"/>	

LOSANOS ASSOCIATES
 211 0th St. NE.
 Washington, DC 20001

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 5(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 5(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

- a. Add the phrase "EPA Registration No. 53640-2."
- b. Delete the statement "this product can be used where dairy and farm animals may come in contact with the treated wood." This statement is not necessary and may be confusing since areas indicated would not be frequented by livestock.
- c. Delete the word "POISONOUS" from under the word "WARNING." This is stated under the physical and chemical hazards section.
- d. The words active ingredients should be written in the singular form. Therefore, revise to read active ingredient on the label.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL: *[Signature]* DATE: 9/27/85

e. Refer to the enclosed Attachment A pertaining to format labeling.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Henry M. Jacoby
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (TS-767)

Enclosure

ACCEPTED
with COMMENTS
in EPA Letter Dated:

SEP 27 1985

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, this pesticide
registered under EPA Reg. No. 53640-2




clear v
preserva

Deep Penetrating Protection
Preserves Natural Wood Color
Protects and Preserves Against
Mildew & Rot
Water Repellent

ONE U.S. GALLON
3.785 LITERS

Net Weight: 6.78 lbs./gal.



59140



**PRECAUTIONARY
STATEMENTS
HAZARDS TO
HUMANS AND
DOMESTIC
ANIMALS**

WARNING: CONTAINS PETROLEUM DISTILLATES. Use only with adequate ventilation. Avoid prolonged breathing of vapor or spray mist. Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Wear goggles. Harmful if swallowed. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

STATEMENT OF PRACTICAL TREATMENT. IF IN EYES: Flush with plenty of water. Get medical attention immediately. **IF SWALLOWED:** Do not induce vomiting. Promptly drink a large quantity of milk, egg whites, or gelatin solution; if these are not available, drink large quantities of water. Avoid alcohol. Get medical attention immediately. **IF ON SKIN:** Wash with plenty of soap and water. **IF INHALED:** Remove victim to fresh air and administer artificial respiration as needed.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL AND CHEMICAL HAZARDS

Combustible: Do not use, pour or spill near heat or open flame. In case of fire, use water spray, foam, carbon dioxide or dry chemical.

Manufactured only by

PROCTOR PAINT & VARNISH CO., INC.
38 West Avenue - Yonkers, N.Y. 10701
Phone: 914-969-8000

MADE IN U.S.A. UNION MADE PRINTED IN U.S.A.

**KEEP OUT OF REACH
OF CHILDREN**

WARNING

**Combustible - harmful or fatal
if swallowed**

**See side panel for additional
precautionary statements.**

Active Ingredients:

3-Iodo-2 Propynyl Butyl

Carbamate..... 0.66%

Inert Ingredients.....99.34%

100.00%

Contains Petroleum Distillates

**EPA Reg No.
EPA Est No.**

**clear wood
preservative**



DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER WHICH IS INCONSISTENT WITH THE INSTRUCTIONS ON THIS LABEL.

Clear Wood Preservative is an oil base clear penetrating stain which gives an attractive finish that enhances the texture of any wood surface. To be used on exterior wood, such as Clapboard, Rough-Sawn Siding, Wood Shingles, Porch Decking, Fences, Shakes, Shutters, Facia. Protects against rot, mildew and protects the surface from warping, discoloration and swelling. This water repellent finish will add years of life to the wood. Not to be used on furniture.

The product is not recommended for use on primed, sealed, or previously painted surfaces nor for wood used for ground, food, feed, or potable water contact. Cover desirable plants and shrubs to avoid possible injury. This product can be used where dairy and farm animals may come in contact with the treated wood.

PREPARATION OF SURFACE

This Clear Wood Preservative may be used over all raw exterior and previously stained wood. It should not be used over painted or sealed surfaces. Surface must be clean and dry.

MIXING

Mix Clear Wood Preservative thoroughly with a paint paddle so that contents are evenly distributed.

APPLICATION

Apply liberally by brush, roller or spray. Avoid application to a hot surface in direct sunlight. For extra protection apply a second & third coat of this Clear Preservative. Clear Wood Preservative may be painted over after surface is well-weathered. (about six months after application.)

DRYING

Drying is affected by temperature, humidity, air circulation and wood species. If second coat is desired recoat after 12 hours.

COVERAGE

Approximately 100-300 square feet per gallon depending upon method of application and porosity of wood.

CLEAN-UP

Clean brushes and tools with Mineral Spirits or Paint Thinner.

STORAGE AND DISPOSAL

STORAGE: Do not store near excessive heat or open flame.

DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash. Securely wrap original container in several layers of newspapers and discard in trash.