

SOLVIN® AAA

A quick-acting disinfectant cleanser, deodorant and stain remover for urinals and toilet bowls. Dissolves uric acid salts.

DIRECTIONS

Pour Solvin into plastic or china bowl, allowing 4 ounces per fixture. Apply with swab that is just wet but not dripping.

URINALS

1. Remove strainer.

ĺ

2. Pour 3 ounces Solvin into drain.

3. With swab, clean urinal surface including areas behind side edges and under top.

4. Swab inside of drain pipe. 1

5. Replace strainer. Flush urinal several times.

TOILET BOWLS

 Depress water level by pouring rapidly half a pail of water into bowl.

Swab out bowl and areas under flushing rim. Flush bowl. Do not use Solvin on Sinks, Bathtubs or Drinking Fountains.

₽ POISON ₽

DANGER! Corrosive: Keep Out of Reach of Children. May be fatal if swallowed. Do not breathe vapor or fumes. Produces chemical burns. Do not get in eyes, on skin, or on clothing.

ANTIDOTE

Internal — Call a physician immediately. Drink a teaspoonful or more of magnesia, chalk, or small pieces of soap, softened with water, in milk or raw egg white.

External — Eyes: Wash with water for 15 minutes. Get prompt medical attention. Skin: Wipe off the acid gently, immediately flood surface with water, using soap freely, then cover with moist magnesia or baking soda.

Rinse empty container thoroughly with water and discard.

Manufactured for

USDA Reg. No. 1363-6

ACME CHEMICAL COMPANY MILWAUKEE, WISCONSIN 53245

Fc 70 9100

Printed in U. S. A.

ACCEPTED

DEC 1 0 1969

UNDER THE TEXT OF A CONTIGUE. ACT FOR ECONOMIC POISON REGISTER. ED UNDER NO.

63641-1