

OCT 17 1988

Alliance Group, Inc.  
500 East Keefe Avenue  
P.O. Box 17849  
Milwaukee, WI 53217

Attention: Dennis C. Miller

Gentlemen:

Subject: Saniterge  
EPA Registration No. 53641-7  
Your Submission Dated June 9, 1988

The amendment referred to above, submitted in connection with the registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
  - a. Delete the word "milk."
  - b. Delete all sanitization claims on your labels.
2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

50212:1:Lee:L-15:KENCO:9/2/88:10/17/88:CB:psr:rw

CONCURRENCES

SYMBOL								
SIRNAME								
DATE								


100-51-7

-2-

A stamped copy of the labeling is enclosed for your records.

If you have any questions concerning this letter, please contact Martha DeLaney at (703) 557-3675.

Sincerely yours,

  
John H. Lee  
Product Manager (31)  
Antimicrobial Program Branch  
Registration Division (TS-767C)

Enclosure

# SANITERGE®

Detergent/Disinfectant

CLEANER  
DETERGENT  
DEODORIZER

DISINFECTANT  
FUNGICIDE (against  
Pathogenic fungi)  
VIRUCIDE\*

MILDEWSTAT (on hard inanimate surfaces)

## ACTIVE INGREDIENTS

n-Alkyl (60%C14, 30%C16, 5%C12,  
5%C18) dimethyl benzyl  
ammonium chlorides .....2.25%

n-Alkyl (68%C12, 32%C14)  
dimethyl ethylbenzyl  
ammonium chlorides .....2.25%

INERT INGREDIENTS .....95.50%

Total 100.00%

EPA REG. NO. 53641-7  
EPA EST. NO. 13651-WI-1

KEEP OUT OF REACH OF CHILDREN  
**DANGER**  
SEE SIDE PANELS FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS

Contents 1 U.S. Gallon

**AGI**

Alliance Group, Inc.

## PRECAUTIONARY STATEMENTS

Hazard to Human and Domestic Animals  
**DANGER**

Out of Reach of Children. Causes severe eye and skin damage. Do not get in  
on skin or on clothing. Harmful if swallowed. Wear goggles or face shield and  
rubber gloves when handling. Avoid contamination of food. Remove and wash con-  
taminated clothing.

## STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15  
minutes. For eyes, call a physician. Remove and wash all contaminated clothing before  
reuse. If swallowed, drink egg whites, gelatin solution or if these are not available,  
drink large quantities of water. Call a physician.

## NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures  
against circulatory shock, respiratory depression and convulsion may be needed.

## STORAGE AND DISPOSAL

-DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE  
OR DISPOSAL

-OPEN DUMPING IS PROHIBITED

-DO NOT REUSE EMPTY CONTAINER

**PESTICIDE DISPOSAL**-Pesticides that cannot be used or chemical  
ly reprocessed should be disposed of in a landfill approved for  
pesticides.

**CONTAINER DISPOSAL**-Triple rinse (or equivalent) and dispose in  
an incinerator or landfill approved for pesticide containers.

Classified by Underwriters Laboratories Inc. as to electrical conductivity when  
used on conductive floors and spontaneous heating 320L.

Manufactured For  
ALLIANCE GROUP, INC.  
608 E. Keefe Avenue  
Milwaukee, Wisconsin 53212

SANITERGE when diluted at the rate of 2 ounces per gallon of water is an effective  
disinfectant against the organisms *Pseudomonas aeruginosa* and meets all requirements  
for hospital use. When used as directed, SANITERGE is formulated to disinfect inanimate  
hard surfaces such as walls, floors, sink tops, toilet bowls, tables, chairs, telephones  
and bed frames. For larger areas such as operating rooms, patient care facilities,  
restrooms, the product is designed to provide both general cleaning and disinfection.

In addition, SANITERGE deodorizes those areas which generally are hard to keep  
smelling, such as garbage storage areas, empty garbage bins and cans, toilet  
and any other areas which are prone to odors caused by microorganisms.

**Disinfection.** At 2 ounces per gallon dilution, SANITERGE exhibits effective disinfectant  
activity against the organisms: *Salmonella choleraesuis* and *Staphylococcus aureus*.  
At this level the product is also fungicidal against the Pathogenic fungi, *TRICHOPHYTON*  
*MENTAGROPHTES*.

**Virucidal Activity.** The product when used on environmental inanimate hard surfaces  
at 2 ounces per gallon of water exhibits effective virucidal activity against influenza  
A2 Asian (representative of the common flu virus), Herpes simplex (causative agent of  
fever blisters and mononucleosis), Adeno virus type 2 (causative agent of  
respiratory infections), and Vaccinia virus (representative of the pox virus group).

**EFFICACY TESTS HAVE DEMONSTRATED THAT SANITERGE IS AN EFFECTIVE  
BACTERICIDE, FUNGICIDE, AND VIRUCIDE\* IN THE PRESENCE OF ORGANIC  
(5% BLOOD SERUM).**

**Mold and Mildewstat.** SANITERGE controls mold and mildew and the odors they  
cause on hard non-porous inanimate surfaces.

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended, for the pesticide  
registered under EPA Reg. No.

53641-7

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with  
labeling.

SANITERGE detergent/disinfectant has been designed specifically for hospitals,  
nursing homes, schools, food processing plants, food service establishments and other  
institutions where housekeeping is of prime importance.

**Disinfection.** To disinfect hard inanimate surfaces (such as walls, floors, table tops),  
add 2 ounces SANITERGE detergent/disinfectant per gallon of water. Apply solution  
with mop, cloth, sponge or mechanical sprayer so as to wet all surfaces thoroughly.  
Allow to remain wet for 10 minutes and then let air dry.

To disinfect toilet bowls, flush toilet, add 2 ounces SANITERGE detergent/disinfectant  
directly to the bowl water. Swab the bowl completely using a scrub brush or toilet  
brush, making sure to get under the rim. Let stand for 10 minutes and flush.

For heavily soiled areas, a pre-cleaning step is required and recommended. Prepare  
a fresh solution for each use.

**Mildewstat.** To control mold and mildew on pre-cleaned, hard non-porous surfaces  
(such as floors, walls, table tops) add 2 ounces SANITERGE per gallon of water. Apply  
solution with a cloth, mop or sponge making sure to wet all surfaces completely  
and let air dry. Prepare a fresh solution for each use. Repeat application at weekly intervals  
or when mildew growth reappears.