

U.S. ENVIRONMENTAL PROTECTION AGENCY  
OFFICE OF PESTICIDES PROGRAMS  
REGISTRATION DIVISION (WH-567)  
WASHINGTON, D.C. 20460

EPA REGISTRATION NO.

DATE OF ISSUANCE

TERM OF ISSUANCE

JUN 18 1985

NOTICE OF PESTICIDE:  REGISTRATION  
 REREGISTRATION

(Under the Federal Insecticide, Fungicide,  
and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Chemical Products Company, Inc.  
P.O. Box 481418  
Dallas, Texas 75248

BEST AVAILABLE COPY

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

- The product is conditionally registered in accordance with FIFRA sec. 2(e) and you must:
1. Submit a final label for registration/reregistration of this product under FIFRA sec. 2(e)(1) when the Agency requires all registrants of similar products to submit such data.
2. Place the labeling charges listed below before you release the product for shipment:
  - a. Add the phrase "EPA Registration No. 53698-01"
  - b. Change the product name "M-220" to MICROBICIDE-220.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 2(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

*A. E. Castillo*  
A. E. Castillo

Product Manager (32)  
Disinfectants Branch  
Registration Division (13-7670)

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

BEST AVAILABLE COPY

BIO - Q20

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

JUN 18 1985

Under the Federal Insecticide,  
Fungicide and Rodenticide Act  
as amended for the pesticides  
registered under FFA Reg. No.

53658-1

BEST AVAILABLE COPY

**ACTIVE INGREDIENT:**

Poly(oxyethylene (dimethylamino) ethylene-  
(dimethylamino) ethylene dichloride) ..... 20.0 %

**INERT INGREDIENT** ..... 80.0 %

This product contains 1.74 lb. of active ingredient per gallon and weighs  
8.69 lb. per gallon.

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.

**FIRST AID:** If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

BIO - Q20 is used to control bacteria and fungi in recirculating commercial and industrial air wash systems. To its use, systems must be cleaned to remove slimes, and other deposits. An initial slug addition of BIO - Q20 fluid ounces of

of water to provide a concentration of 24

BIO - Q20 b

in the system, is recommended. Repeat initial

Subsequent slug additions of 0.73

BIO - Q20 per 1000

60 parts per million of BIO - Q20

employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions should be made in the surface collection trays of the airwash system.

BIO - Q20 is used

air-washing systems that maintain effective m

to its use, systems should be cleaned to remove

deposits. An initial slug dose of 11.1

BIO - Q20 pe

recommended. Repeat initial dosage until control is achieved. Initial dosages of 7.5 to 18.3 fluid ounces of BIO - Q20 per 1000 gallons of water should be employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the surface collection trays of the airwash system.

recommended. Repeat initial dosage until control is achieved. Initial dosages of 7.5 to 18.3 fluid ounces of BIO - Q20 per 1000 gallons of water should be employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the surface collection trays of the airwash system.

recommended. Repeat initial dosage until control is achieved. Initial dosages of 7.5 to 18.3 fluid ounces of BIO - Q20 per 1000 gallons of water should be employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the surface collection trays of the airwash system.

recommended. Repeat initial dosage until control is achieved. Initial dosages of 7.5 to 18.3 fluid ounces of BIO - Q20 per 1000 gallons of water should be employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the surface collection trays of the airwash system.

recommended. Repeat initial dosage until control is achieved. Initial dosages of 7.5 to 18.3 fluid ounces of BIO - Q20 per 1000 gallons of water should be employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the surface collection trays of the airwash system.

recommended. Repeat initial dosage until control is achieved. Initial dosages of 7.5 to 18.3 fluid ounces of BIO - Q20 per 1000 gallons of water should be employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the surface collection trays of the airwash system.

recommended. Repeat initial dosage until control is achieved. Initial dosages of 7.5 to 18.3 fluid ounces of BIO - Q20 per 1000 gallons of water should be employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the surface collection trays of the airwash system.

recommended. Repeat initial dosage until control is achieved. Initial dosages of 7.5 to 18.3 fluid ounces of BIO - Q20 per 1000 gallons of water should be employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the surface collection trays of the airwash system.

recommended. Repeat initial dosage until control is achieved. Initial dosages of 7.5 to 18.3 fluid ounces of BIO - Q20 per 1000 gallons of water should be employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the surface collection trays of the airwash system.

recommended. Repeat initial dosage until control is achieved. Initial dosages of 7.5 to 18.3 fluid ounces of BIO - Q20 per 1000 gallons of water should be employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the surface collection trays of the airwash system.

recommended. Repeat initial dosage until control is achieved. Initial dosages of 7.5 to 18.3 fluid ounces of BIO - Q20 per 1000 gallons of water should be employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the surface collection trays of the airwash system.

recommended. Repeat initial dosage until control is achieved. Initial dosages of 7.5 to 18.3 fluid ounces of BIO - Q20 per 1000 gallons of water should be employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the surface collection trays of the airwash system.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**STORAGE:** Do not stack more than four drums high. Leaking drums for disposal. Spills should be absorbed in sawdust or sand and kept closed when not in use.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product should be disposed of by approved waste disposal facility.

**CONTAINER DISPOSAL:**

**PLASTIC:** Triple rinse (or equivalent). Then offer for recycling or other recovery. If neither is available, burn in a sanitary landfill, by incineration, or, if allowed by state and local authorities, by other procedures approved by state and local authorities.

**METAL:** Triple rinse (or equivalent). Then offer for recycling or other recovery. If neither is available, burn in a sanitary landfill, or by other procedures approved by state and local authorities.

**Manufactured by**  
Chemical Mechanical Services  
P.O. Box 491418  
Los Angeles, CA 90049

EPA REG. NO. \_\_\_\_\_ EPA

**NET CONTENTS** \_\_\_\_\_