133

53719-19

Until Reregistration

Bengal Lawn Flea & Tick Killer

120 - 9 1991

Bengal Chemical, Inc. P.O. Box 40487 Baton Rouge, LA 70835-0487 18 /3 403644

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

- 1. Submit/cite all data or other material required for registration/ reregistration of your product under FIFRA section 3(c)(5) or FIFRA section 4 when the Agency requires all registrants of similar products to submit such data.
- 2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 53719-19."
 - b. Limit use of the product to residential sites only by adding the following statement to the front panel:

Emulsifiable Concentrate For Use on Residential Lawns and Around Residential Premises Only.

c. Under Statement of Practical Treatment for "If Inhaled . . ." add ". . . Get medical attention."

63293:I:CR-31:Moats:WP5.0-5:KEVRIC:12/05/91:01/05/92:rj:wo:dd:rj



d. Under Precautionary Statements, change the first sentence to read as follows:

Harmful if swallowed, absorbed through skin, or inhaled. Causes moderate eye irritation.

Also add the following sentence:

Remove contaminated clothing and wash before reuse.

after the statement:

Wash with soap and warm water after use.

e. Delete the following phrase under Environmental Hazards:

... or wetlands . . . marshes and potholes).

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca Product Manager (13) Insecticide-Rodenticide Branch Registration Division (H7505C)

Enclosures



LAWN FLEA & TICK KILLER

EMULSIFIABLE CONCENTRATE

MAKES 36 GALLONS

TREATS 6.000 SQ. FT.

Kills Deer Ticks and other ixodid species that carry and transmit lyme disease.

Also kills Fleas, Roaches, Palmetto Bugs, Fire Ants, Crickets, Sowbugs and Spiders

ACTIVE INGREDIENT: (S)-cyano(3-phenoxyphenyl)methyl-(s)-4-chloro-alpha-(1-methylethyl)benzeneacetate 0.449 *INERT INGREDIENTS 99.569 0.44% 99.56%

*Contains petroleum distillate

KEEP OUT OF REACH OF CHILDREN CAUTION STATEMENT OF **PRACTICAL** TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Do not induce vomiting because of aspiration pneumonia hazard. IF IN EYES: Flush with plenty of water. Get immediate medical attention. IF ON SKIN OR CLOTHING: Remove contaminated ciothing and wash before re-use. Wash skin with soap and warm water. Get medical attention if irritation persists. IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

> Manufactured for: Pengal Chemical, Inc. P.O. Box 40487 Baton Rouge, LA 70835-0487 (504) 753-1313

EPA Reg. No. 53719 EPA Est. No. 11715-TN-1 Net Contents 16 oz.

PRECAUTIONARY STATEMENTS

100.00%

Hazards to Humans and Domestic Animals

CAUTION Hamiful if swallowed. Contains petroleum distillate. Do not induce vomiting because of aspiration pneumonia hazard. Avoid breathing vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soap and warm water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs. Do not spray plants used for food or feed.

ENVIRONMENTAL

HAZARDS This pesticide is highly toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Drift from treated areas may be hazardous to organisms in adjacent aquatic sites. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL **HAZARDS**

Do not use or store near heat or open flame.

HOSE-END SPRAYER APPLICATION

Amount of Product to Use	Amount of	Area to be
Fluid Ounces*	Water to Use	Treated
1 1/3 Fluid Ounces (8 TSP) 2 2/3 Fluid Ounces (16 TSP) 5 1/3 Fluid Ounces (32 TSP) 10 2/3 Fluid Ounces (64 TSP) 16 Fluid Ounces (32 TBSP)	12 gellone	500eq. R. (50' X 10') 1,000eq. R. (50' X 20') 2,000eq. R. (50' X 40') 4,000eq. R. (50' X 80') 6,000eq. R. (60' X 100')

NOTE: 1 fluid ounce = 2 Tablespoons = 6 Teaspoons

DIRECTIONS FOR USE It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

LAWN FLEA AND TICK CONTROL:
To kill fleas and ticks harboring in lawns and backyards,
use Bengal Lawn Flea & Tick Killer in a hose-end sprayer.
Place required amount of concentrate in sprayer jar (see Place required amount of concentrate in sprayer jar (see above chart) and fill with water to the recommended level. Mix well. Attach to sprayer and spray as recommended. For best results, lawn should be mowed a day or two before spraying. Spray using a slow, even sweeping motion, being sure to cover the entire lawn surface where the pets will normally frequent. Spray under ornamentals and trees, but avoid soaking young or flowering plants. Repeat treatments may be necessary at 7 to 14 day intervals. Kills on contact the <u>Ixodes dammini tick</u> (deer tick), which transmits lyme disease. Also kills foraging fire ants upon direct contact. A registered fire ant mound treatment should also be used in conjunction with this product.

product.
Keep pets and children out of the treated area until after the spray has dried. Do not spray animals, Dogs, cats, their kennel or bedding area should also be treated with Bengal Flea & Tick Spray for Pets in conjunction with this

FOR OUTDOOR PESTS:
Mix Bengal Lawn Flea & Tick Killer in a compressed air sprayer or watering can at the rate of Two (2) fluid ounces per one (1) gallon of water to control on contact ants, cockroaches (including German and Asian cockroaches), crickets, palmetto bugs, sowbugs, spiders, and ticks. Use at the rate of one (1) gallon (diluted spray) per 1,000 square feet to outside surfaces of buildings, porches, patios, garages and other areas where these pests have been seen or are found. Do not spray in or near fish ponds or other bodies of water. Do not allow spray to contact omamental plants or shrubs because of possible injury.

BUILDING PERIMETER TREATMENT: To help prevent infestations of buildings by ants, centipedes, crickets, sowbugs, and spiders, treat a 12-18 inch band of soil or other substrate adjacent to buildings and the building foundation to a height of 2 to 3 feet where these pests are active and may find entrance. Use sixteen (16) fluid ounces of concentrate per gallon of water and apply as a wet spray at the rate of one (1) gallon per 1,000 country feat square feet.

 $D_{i,-1}$

STOR/ Store in contain DISPO Do not contain

several and dis