OFFICE OF PESTICIDES PROGRAMS	14.231.32-1 (15.25) (15.25) (16.25)
REGISTRATION DIVISION (73-767) WASHINGTON, DC 20460	TERM OF ISSUANCE
NOTICE OF PESTICIDE: RESISTRATION	NAME OF PESTICIDE PRODUCT
(Under the Federal Insecticide, Fungicide,	Sanı-Kiny P-Max 3 Cartridge
end Rodenticide Act, an amended)	
NAME AND ADDRESS OF REGISTRANT (Include 2IP code)	
Г	٦
King Technology, Inc.	
99 09 Smet ana Drive Minnetonka, NN - 5534°	
Parine Concd, 114 3719	j
<u>L</u>	1
-	7
NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.	
On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.	
A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.	
Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.	
This product is conditionally begintered in accordance with little hear on $\beta(c)/(7)$ (A) provided that year	
 subrect/c.te all data required product under PIPRA section (60)(6) or regist mats of challer produce to star 	
2. Make the labeling charges limited below before you resease the product for shipment:	
a. Add the purace "DA Regist	Jan 5 735-2."
b. Revise the Lag ed. ent. stat	ement is follows:
Antiva Pagran ent:	
Transcrop - En usamette ome 9.%	
	12
Ave. Lab. of Charles	· · · · · · · · · · · · · · · · · · ·
3. Submit five (5) Topies of your times bilited ribeling torock you release the product for an parent. Refer to the A-79 er Tosure for a far her	
description of final printed linesing.	BEST AVAILABLE PORT
	BEST AVAILABLE COPY
ATTACHMENT IS APPLICABLE	
IGNATURE OF APPROVING OFFICIAL	DATE

EPA Form 8570-6 (Rev. 5-74)

61971:I:CR-30:Pringle:L32-1:KENCO:10/01/90:11/01/90:DD:VO:DD:CL R:61972:CR-31:Pringle:L32-1:KENCO:10/11/90:11/10/90:CL:vo:ek:de If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

W

Walter C. Francis Acting Product Manager (32) Antimicrobial Program Branch Registration Division (H7505C)

Enclosures

SANI-KING

P-MAX 8

CARTRIDGE

For inline and offline feeders

KEEP OUT OF REACH OF CHILDREN
DANGER!
SEE FIRST AID AND ADDITIONAL
PRECAUTIONARY STATEMENTS ON
BACK PANEL

Net Wt. 8 lbs

EPA REG. NO: EPA EST. NO:

ACCEPTED
with COMMENTS
in BPA Lette: Detail

TACT 2 6 1990

Under the Periorel Insenticita, Empirede, and Hudesticide And no arounderl, for the posticide registered under SPA Reg. No. 33

BEST AVAILABLE COPY

PRODUCT DESCRIPTION:

The Sani-King P-Max 8 Cartridge System is part of an advanced Feeder/Cartridge Delivery System that uniformly feeds chlorine, efficiently kills bacteria and controls algae continously for weeks under normal conditions in a stabilized pool. The convenient disposable cartridge lets you control the rate of chlorine delivery to meet changing conditions in your pool, by simply adjusting the control dial on the chlorine delivery system. You never have to touch the chlorinating tablets. FOR USE ONLY IN THE SANI-KING PERFORM-MAX POOL FEEDER.

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

- 1. Adjust pH level to 7.2 7.6
- 2. Bring Free Available Chlorine (FAC) residual to 1-3 ppm using a chlorine shock.

Follow Label Directions.

3. Stabilize the pool with cyanuric acid stabilizer.

Follow Label Directions.

- 4. To install cartridge: Take feeder cap off. Remove cartridge cut offs A & B (see diagram 1). Hold cartridge so the open end faces down. Point the arrow located on top of the cartridge in the direction of the water flow (ie: pool). Insert into feeder. The male end of the cartridge must align with the female end located inside the chemical feeder the bottom (see diagram 2). DO NOT FORCE. Replace feeder cap and set the control dial to the appropriate setting. For a guideline, using a 13,500 gallon pool with a pump running 8 hours per day, begin with the control dial set To achieve the proper FAC, turn the control dial to a higher setting to increase the FAC and turn city to a lower setting to decrease the FAC. Operate the poclifor 1 day. Check the FAC residual and in rease/decrease to maintain 1-3
- 5. Once you have determined the proper setting for your pool, you should not have to re-adjust the setting under normal conditions. Should conditions change (ie: weather, pool use, etc), the control dial can be easily adjusted to increase or decrease the chlorine feed.
- 6. Superchlorinate if needed. Do not add shock treatment to the skimmer. Turn control dial to setting #0 before superchlorinating. Once desired FAC has been obtained, return the control dial to the normal operating setting.

7. Periodically check the feeder cartridge and replace with a new one when empty. Do not attempt to open or refill this cartridge. DO NOT REUSE.

CAUTION:

The warranty will be void if the appropriate cartridge is not used in this feeder. Fire or explosion may result if an incorrect cartridge is used with this chemical feeder.

STORAGE AND DISPOSAL

1

Store cartridges in original container in a cool, dry, well-ventilated area away from heat or open flame. In case of decomposition, isolate container and flood area with large amounts of water to dissolve all material before discarding this cartridge. Do not contaminate food or feed with this product. This cartridge is designed for one time use. When empty, triple rinse in pool water, drain, wrap in newspaper and discard in trash.

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS: DANGER

Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Irritating to nose and throat. DO NOT handle chlorinating chemical without wearing rubber gloves and goggles.

FIRST AID (Practical Treatment)

IF CHEMICAL GETS ON SKIN: Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists get medical attention.

IF INHALED: Remove person to fresh air. Get immediate medical attention.

IF IN EYES: Flush with cold water for at least 15 minutes. Get immediate medical attention.

IF SWALLOWED: Give bread soaked in milk followed by large amounts of water. If person is conscious and vomiting, place face down with head lower than hips. Get immediate medical attention.

CHEMICAL HAZARDS: DANGER:

Strong oxidizing agent. Do not refill empty cartridge. Contamination with any substance may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible fire and explosion. Avoid any contact with flame, or burning material, such as a lighted cigarette.

ENVIROMENTAL HAZARD:

This product is toxic to fish. Do not contaminate lakes, ponds or streams.

KING TECHNOLOGY, INC., 9909 Smetana Drive, Minnetonka, MN 55343

Sani-King Perform-Max is a Registered Trademark of King Technology, Inc.

Patents pending

