

January 21, 2003

Laura Larson  
King Technology, Inc.  
530 11<sup>th</sup> Avenue South  
Hopkins, MN 55343

Subject: Sani-King P-Max 8 Cartridge  
EPA Registration No. 53735-2  
Application Dated: December 17, 2002  
Receipt Date: December 23, 2002  
Notification Per PR Notice 98-10

Dear Ms. Larson:


This will acknowledge receipt of your notification for the alternate brand names below, submitted under the provision of FIFRA Section 3(c) 9. Based on a review of the submitted material the following comments apply.

Alternate Brand Names

1. Aqua Smarte Bac Pac
2. Aqua Smarte Chamber
3. Frog Bac Pac
4. New Water Cycler Pac
5. Prevail Pool Pack
6. Sparco Automatic Water Treatment Chamber
7. Sparco Bac Pac

This alternate brand names notification is acceptable and has been made a part of the file for this product.

Sincerely,

  
Wanda Y. Mitchell  
Notification Coordinator  
Regulatory Management Branch II  
Antimicrobials Division (7510C)

## CONCURRENCES

SYMBOL	7510C						
SURNAME	W. Mitchell						
DATE	1-21-03						

#### DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

#### PRODUCT DESCRIPTION:

This Pac is part of an advanced system that uniformly feeds chlorine, efficiently kills bacteria and controls algae continuously for weeks under normal conditions in a stabilized pool. The conveniently disposable Pac lets you control the rate of chlorine delivery to meet changing conditions in your pool by simply adjusting the control dial on the Cyclor. You never have to touch the chlorinating tablets.

#### USE DIRECTIONS:

1. Adjust pH level to 7.2 - 7.6.
2. Bring Free Available Chlorine (FAC) residual to 1-3 ppm using a chlorine shock. Follow Manufacturer's Label Directions.
3. Stabilize the pool with cyanuric acid stabilizer. Follow Manufacturer's Label Directions.
4. To install Pac: Take Cyclor cap off. Remove Pac cut-offs. Hold Pac so the open end faces down. Insert into Cyclor Reservoir. The end of the Pac must align with the key located inside the Cyclor at the bottom. DO NOT FORCE. Replace Cyclor cap and set the control dial to appropriate setting. For a guideline, using a 13,500 gallon pool with a pump running 8 hours per day, begin with the control dial set on #2. For an 18,000 gallon pool, start at setting #3.5. To achieve the proper FAC, turn the control dial to the next higher setting to increase the FAC and turn it to the next lower setting to decrease the FAC. Operate the pool for 1 day. Check the FAC residual and increase/decrease one setting per day until you achieve 1-3 ppm. Pool should not be entered until the chlorine residual is 1-3 ppm.
5. Once you have determined the proper setting for your pool, you should not have to re-adjust the setting under normal conditions. Should conditions change (i.e. weather, rain, pool use, bather load, etc.) the control dial can be easily adjusted to increase or decrease the chlorine feed.
6. Super chlorinate if needed. Do not add shock treatment to the skimmer. Turn control dial to setting #0 before super-chlorinating. Once desired FAC has been obtained, return the control dial to the normal operating setting.
7. Periodically check the Pac and replace with a new one when empty. Do not attempt to open or refill this Pac. DO NOT REUSE.

**NOTE:** Some settling may occur during shipment. DO NOT REMOVE LABEL #20-43-1515. NPTN hot-line number for public information: 1-800-858-7378.

E031502553090243



# AQUA SMARTE®

## BAC PAC

### MODEL 5751

#### FOR USE ONLY WITH AQUA SMARTE SYSTEM

**KEEP OUT OF REACH OF CHILDREN  
DANGER  
SEE FIRST AID AND ADDITIONAL PRECAUTIONARY  
STATEMENTS ON BACK PANEL**

#### Active Ingredient:

Trichloro-s-Triazinetrione 99%

Other Ingredients 1%

Total 100%

Available Chlorine 89%

**NET Wt. 2.4375 lbs.**

EPA REG. NO.: 53735-2

EPA EST. NO.: 71187-MO-001

Manufactured by: **KING TECHNOLOGY, INC.**  
530 11th Avenue South, Hopkins, MN 55343 USA [www.kingtechnology.com](http://www.kingtechnology.com)  
US Patent Numbers 5,076,315; 5,218,983; 6,210,566; D410,520 and Foreign Patents Pending

**STORAGE AND DISPOSAL:** Do not contaminate food or feed with this product.

**Product Storage:** Store Pac in original container in a cold, dry, well-ventilated area away from heat or open flame. In case of decomposition, isolate container and flood area with large amounts of water to dissolve all material before discarding this Pac.

**Product Disposal:** This Pac is designed for one time use. When empty, triple rinse in pool water, drain, wrap in newspaper and discard in trash.

**PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS: DANGER: CORROSIVE:** Causes irreversible eye damage and skin burns. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mists. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

**FIRST AID: If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. **If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **If Swallowed:** Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **Note to Physician:** Probable mucosal damage may contraindicate the use of gastric lavage.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish and aquatic organisms.

**PHYSICAL OR CHEMICAL HAZARDS: Corrosive:** Strong oxidizing agent. Do not refill empty Pac. Use only clean dry utensils. Mix only into water. Contamination with moisture, dirt, organic matter or other chemicals (including other pool chemicals) or any other foreign matter may start a chemical reaction with generation of heat, liberation of hazardous gases and possible fire and explosion. Avoid any contact with flaming or burning material such as a lighted cigarette. Do not use this product in any chlorinating device which has been used with any inorganic or unstabilized chlorinating compounds (e.g., calcium hypochlorite). Such use may cause fire or explosion.

**IMPORTANT:** The warranty will be void if this Pac is not used with the appropriate Cyclor. Fire or explosion may result if this Pac is used with an incorrect Cyclor.

228

**STORAGE AND DISPOSAL.** Do not contaminate food or feed with this product. **Product Storage.** Store this original container in a cold, dry, well-ventilated area away from heat or open flame in case of decomposition. Isolate container and flood area with large amounts of water to dissolve all material before discarding this product. Dispose of this product for one time use. When empty, triple rinse in cool water, drain, wash in detergent, and discard.

**PRECAUTIONARY STATEMENTS.** **DANGER TO HUMANS AND DOMESTIC ANIMALS:** **DANGER - CORROSIVE.** Causes irreversible eye damage and skin burns. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mists. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking, using tobacco, contacting contact, driving, and sex before reuse.

**FIRST AID:** If inhaled: Move patient to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. If on skin or clothing: Remove contaminated clothing and shoes. Wash skin with soap and water. If in eyes: Hold eyes open and flush with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If swallowed: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Note to physician: Fluorocarbonyl fluoride, a potent irritant, may contribute to the use of gastric lavage or pumping for treatment. Note to physician: Fluorocarbonyl fluoride may contribute to the use of gastric lavage.

**HAZARD STATEMENT:** **HAZARDOUS TO THE ENVIRONMENT.** May contribute to the use of gastric lavage.

**PHYSICAL OR CHEMICAL HAZARDS:** This pesticide is toxic to fish and aquatic organisms.

**ENVIRONMENTAL HAZARDS:** **Corrosive.** Strong oxidizing agent. Do not mix with any other dry dry chemical, or with any other foreign matter. May start a chemical reaction with generation of heat, liberation of hazardous gases and volatile fire and explosion. Avoid any contact with flaming or burning material such as a lit cigarette. Do not use this product in any chlorinating device that has been used with any inorganic or unbalanced chlorinating compounds such as calcium hypochlorite. Such use may produce fire or explosion.

**ENVIRONMENTAL PRECAUTIONS:** Do not use this product in or near water. Do not use with the following: 1. Chlorinating compounds such as calcium hypochlorite. 2. Chlorinating compounds such as calcium hypochlorite. 3. Chlorinating compounds such as calcium hypochlorite. 4. Chlorinating compounds such as calcium hypochlorite. 5. Chlorinating compounds such as calcium hypochlorite. 6. Chlorinating compounds such as calcium hypochlorite. 7. Chlorinating compounds such as calcium hypochlorite. 8. Chlorinating compounds such as calcium hypochlorite. 9. Chlorinating compounds such as calcium hypochlorite. 10. Chlorinating compounds such as calcium hypochlorite. 11. Chlorinating compounds such as calcium hypochlorite. 12. Chlorinating compounds such as calcium hypochlorite. 13. Chlorinating compounds such as calcium hypochlorite. 14. Chlorinating compounds such as calcium hypochlorite. 15. Chlorinating compounds such as calcium hypochlorite. 16. Chlorinating compounds such as calcium hypochlorite. 17. Chlorinating compounds such as calcium hypochlorite. 18. Chlorinating compounds such as calcium hypochlorite. 19. Chlorinating compounds such as calcium hypochlorite. 20. Chlorinating compounds such as calcium hypochlorite. 21. Chlorinating compounds such as calcium hypochlorite. 22. Chlorinating compounds such as calcium hypochlorite. 23. Chlorinating compounds such as calcium hypochlorite. 24. Chlorinating compounds such as calcium hypochlorite. 25. Chlorinating compounds such as calcium hypochlorite. 26. Chlorinating compounds such as calcium hypochlorite. 27. Chlorinating compounds such as calcium hypochlorite. 28. Chlorinating compounds such as calcium hypochlorite. 29. Chlorinating compounds such as calcium hypochlorite. 30. Chlorinating compounds such as calcium hypochlorite. 31. Chlorinating compounds such as calcium hypochlorite. 32. Chlorinating compounds such as calcium hypochlorite. 33. Chlorinating compounds such as calcium hypochlorite. 34. Chlorinating compounds such as calcium hypochlorite. 35. Chlorinating compounds such as calcium hypochlorite. 36. Chlorinating compounds such as calcium hypochlorite. 37. Chlorinating compounds such as calcium hypochlorite. 38. Chlorinating compounds such as calcium hypochlorite. 39. Chlorinating compounds such as calcium hypochlorite. 40. Chlorinating compounds such as calcium hypochlorite. 41. Chlorinating compounds such as calcium hypochlorite. 42. Chlorinating compounds such as calcium hypochlorite. 43. Chlorinating compounds such as calcium hypochlorite. 44. Chlorinating compounds such as calcium hypochlorite. 45. Chlorinating compounds such as calcium hypochlorite. 46. Chlorinating compounds such as calcium hypochlorite. 47. Chlorinating compounds such as calcium hypochlorite. 48. Chlorinating compounds such as calcium hypochlorite. 49. Chlorinating compounds such as calcium hypochlorite. 50. Chlorinating compounds such as calcium hypochlorite. 51. Chlorinating compounds such as calcium hypochlorite. 52. Chlorinating compounds such as calcium hypochlorite. 53. Chlorinating compounds such as calcium hypochlorite. 54. Chlorinating compounds such as calcium hypochlorite. 55. Chlorinating compounds such as calcium hypochlorite. 56. Chlorinating compounds such as calcium hypochlorite. 57. Chlorinating compounds such as calcium hypochlorite. 58. Chlorinating compounds such as calcium hypochlorite. 59. Chlorinating compounds such as calcium hypochlorite. 60. Chlorinating compounds such as calcium hypochlorite. 61. Chlorinating compounds such as calcium hypochlorite. 62. Chlorinating compounds such as calcium hypochlorite. 63. Chlorinating compounds such as calcium hypochlorite. 64. Chlorinating compounds such as calcium hypochlorite. 65. Chlorinating compounds such as calcium hypochlorite. 66. Chlorinating compounds such as calcium hypochlorite. 67. Chlorinating compounds such as calcium hypochlorite. 68. Chlorinating compounds such as calcium hypochlorite. 69. Chlorinating compounds such as calcium hypochlorite. 70. Chlorinating compounds such as calcium hypochlorite. 71. Chlorinating compounds such as calcium hypochlorite. 72. Chlorinating compounds such as calcium hypochlorite. 73. Chlorinating compounds such as calcium hypochlorite. 74. Chlorinating compounds such as calcium hypochlorite. 75. Chlorinating compounds such as calcium hypochlorite. 76. Chlorinating compounds such as calcium hypochlorite. 77. Chlorinating compounds such as calcium hypochlorite. 78. Chlorinating compounds such as calcium hypochlorite. 79. Chlorinating compounds such as calcium hypochlorite. 80. Chlorinating compounds such as calcium hypochlorite. 81. Chlorinating compounds such as calcium hypochlorite. 82. Chlorinating compounds such as calcium hypochlorite. 83. Chlorinating compounds such as calcium hypochlorite. 84. Chlorinating compounds such as calcium hypochlorite. 85. Chlorinating compounds such as calcium hypochlorite. 86. Chlorinating compounds such as calcium hypochlorite. 87. Chlorinating compounds such as calcium hypochlorite. 88. Chlorinating compounds such as calcium hypochlorite. 89. Chlorinating compounds such as calcium hypochlorite. 90. Chlorinating compounds such as calcium hypochlorite. 91. Chlorinating compounds such as calcium hypochlorite. 92. Chlorinating compounds such as calcium hypochlorite. 93. Chlorinating compounds such as calcium hypochlorite. 94. Chlorinating compounds such as calcium hypochlorite. 95. Chlorinating compounds such as calcium hypochlorite. 96. Chlorinating compounds such as calcium hypochlorite. 97. Chlorinating compounds such as calcium hypochlorite. 98. Chlorinating compounds such as calcium hypochlorite. 99. Chlorinating compounds such as calcium hypochlorite. 100. Chlorinating compounds such as calcium hypochlorite. 101. Chlorinating compounds such as calcium hypochlorite. 102. Chlorinating compounds such as calcium hypochlorite. 103. Chlorinating compounds such as calcium hypochlorite. 104. Chlorinating compounds such as calcium hypochlorite. 105. Chlorinating compounds such as calcium hypochlorite. 106. Chlorinating compounds such as calcium hypochlorite. 107. Chlorinating compounds such as calcium hypochlorite. 108. Chlorinating compounds such as calcium hypochlorite. 109. Chlorinating compounds such as calcium hypochlorite. 110. Chlorinating compounds such as calcium hypochlorite. 111. Chlorinating compounds such as calcium hypochlorite. 112. Chlorinating compounds such as calcium hypochlorite. 113. Chlorinating compounds such as calcium hypochlorite. 114. Chlorinating compounds such as calcium hypochlorite. 115. Chlorinating compounds such as calcium hypochlorite. 116. Chlorinating compounds such as calcium hypochlorite. 117. Chlorinating compounds such as calcium hypochlorite. 118. Chlorinating compounds such as calcium hypochlorite. 119. Chlorinating compounds such as calcium hypochlorite. 120. Chlorinating compounds such as calcium hypochlorite. 121. Chlorinating compounds such as calcium hypochlorite. 122. Chlorinating compounds such as calcium hypochlorite. 123. Chlorinating compounds such as calcium hypochlorite. 124. Chlorinating compounds such as calcium hypochlorite. 125. Chlorinating compounds such as calcium hypochlorite. 126. Chlorinating compounds such as calcium hypochlorite. 127. Chlorinating compounds such as calcium hypochlorite. 128. Chlorinating compounds such as calcium hypochlorite. 129. Chlorinating compounds such as calcium hypochlorite. 130. Chlorinating compounds such as calcium hypochlorite. 131. Chlorinating compounds such as calcium hypochlorite. 132. Chlorinating compounds such as calcium hypochlorite. 133. Chlorinating compounds such as calcium hypochlorite. 134. Chlorinating compounds such as calcium hypochlorite. 135. Chlorinating compounds such as calcium hypochlorite. 136. Chlorinating compounds such as calcium hypochlorite. 137. Chlorinating compounds such as calcium hypochlorite. 138. Chlorinating compounds such as calcium hypochlorite. 139. Chlorinating compounds such as calcium hypochlorite. 140. Chlorinating compounds such as calcium hypochlorite. 141. Chlorinating compounds such as calcium hypochlorite. 142. Chlorinating compounds such as calcium hypochlorite. 143. Chlorinating compounds such as calcium hypochlorite. 144. Chlorinating compounds such as calcium hypochlorite. 145. Chlorinating compounds such as calcium hypochlorite. 146. Chlorinating compounds such as calcium hypochlorite. 147. Chlorinating compounds such as calcium hypochlorite. 148. Chlorinating compounds such as calcium hypochlorite. 149. Chlorinating compounds such as calcium hypochlorite. 150. Chlorinating compounds such as calcium hypochlorite. 151. Chlorinating compounds such as calcium hypochlorite. 152. Chlorinating compounds such as calcium hypochlorite. 153. Chlorinating compounds such as calcium hypochlorite. 154. Chlorinating compounds such as calcium hypochlorite. 155. Chlorinating compounds such as calcium hypochlorite. 156. Chlorinating compounds such as calcium hypochlorite. 157. Chlorinating compounds such as calcium hypochlorite. 158. Chlorinating compounds such as calcium hypochlorite. 159. Chlorinating compounds such as calcium hypochlorite. 160. Chlorinating compounds such as calcium hypochlorite. 161. Chlorinating compounds such as calcium hypochlorite. 162. Chlorinating compounds such as calcium hypochlorite. 163. Chlorinating compounds such as calcium hypochlorite. 164. Chlorinating compounds such as calcium hypochlorite. 165. Chlorinating compounds such as calcium hypochlorite. 166. Chlorinating compounds such as calcium hypochlorite. 167. Chlorinating compounds such as calcium hypochlorite. 168. Chlorinating compounds such as calcium hypochlorite. 169. Chlorinating compounds such as calcium hypochlorite. 170. Chlorinating compounds such as calcium hypochlorite. 171. Chlorinating compounds such as calcium hypochlorite. 172. Chlorinating compounds such as calcium hypochlorite. 173. Chlorinating compounds such as calcium hypochlorite. 174. Chlorinating compounds such as calcium hypochlorite. 175. Chlorinating compounds such as calcium hypochlorite. 176. Chlorinating compounds such as calcium hypochlorite. 177. Chlorinating compounds such as calcium hypochlorite. 178. Chlorinating compounds such as calcium hypochlorite. 179. Chlorinating compounds such as calcium hypochlorite. 180. Chlorinating compounds such as calcium hypochlorite. 181. Chlorinating compounds such as calcium hypochlorite. 182. Chlorinating compounds such as calcium hypochlorite. 183. Chlorinating compounds such as calcium hypochlorite. 184. Chlorinating compounds such as calcium hypochlorite. 185. Chlorinating compounds such as calcium hypochlorite. 186. Chlorinating compounds such as calcium hypochlorite. 187. Chlorinating compounds such as calcium hypochlorite. 188. Chlorinating compounds such as calcium hypochlorite. 189. Chlorinating compounds such as calcium hypochlorite. 190. Chlorinating compounds such as calcium hypochlorite. 191. Chlorinating compounds such as calcium hypochlorite. 192. Chlorinating compounds such as calcium hypochlorite. 193. Chlorinating compounds such as calcium hypochlorite. 194. Chlorinating compounds such as calcium hypochlorite. 195. Chlorinating compounds such as calcium hypochlorite. 196. Chlorinating compounds such as calcium hypochlorite. 197. Chlorinating compounds such as calcium hypochlorite. 198. Chlorinating compounds such as calcium hypochlorite. 199. Chlorinating compounds such as calcium hypochlorite. 200. Chlorinating compounds such as calcium hypochlorite. 201. Chlorinating compounds such as calcium hypochlorite. 202. Chlorinating compounds such as calcium hypochlorite. 203. Chlorinating compounds such as calcium hypochlorite. 204. Chlorinating compounds such as calcium hypochlorite. 205. Chlorinating compounds such as calcium hypochlorite. 206. Chlorinating compounds such as calcium hypochlorite. 207. Chlorinating compounds such as calcium hypochlorite. 208. Chlorinating compounds such as calcium hypochlorite. 209. Chlorinating compounds such as calcium hypochlorite. 210. Chlorinating compounds such as calcium hypochlorite. 211. Chlorinating compounds such as calcium hypochlorite. 212. Chlorinating compounds such as calcium hypochlorite. 213. Chlorinating compounds such as calcium hypochlorite. 214. Chlorinating compounds such as calcium hypochlorite. 215. Chlorinating compounds such as calcium hypochlorite. 216. Chlorinating compounds such as calcium hypochlorite. 217. Chlorinating compounds such as calcium hypochlorite. 218. Chlorinating compounds such as calcium hypochlorite. 219. Chlorinating compounds such as calcium hypochlorite. 220. Chlorinating compounds such

# AQUA SMART® CHAMBER

**MODEL 755AP**  
For use only in the  
**AQUA SMART DELTAVERSE SYSTEM**  
**KEEP OUT OF REACH OF CHILDREN**  
**DANGER**  
SEE FIRST AID AND ADDITIONAL PRECAUTIONARY  
INSTRUCTIONS ON BACK PANEL

Net Wt. 5 lbs.  
EPA REG NO 53735-2  
EPA EST. NO. 7187-MO-007

Active Ingredient:	
Trichloro-s-Triazine 90%	90%
Other Ingredients	10%
Total	100%

2051503

10/1/97

**DIRECTIONS FOR USE:**  
 It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
**PRODUCT DESCRIPTION:**  
 This product is part of an advanced system that uniformly feeds enzyme, efficiently kills bacteria and controls algae under normal conditions in a specialized pond. The conveniently disposable packets you

[illegible]

**NOTE:** Some settling may occur during shipment. DO NOT RETURN UNMANUFACTURED OR DEFECTIVE PRODUCTS TO THE MANUFACTURER.

1

#### DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

#### PRODUCT DESCRIPTION:

This Pac is part of an advanced system that uniformly feeds chlorine, efficiently kills bacteria and controls algae continuously for weeks under normal conditions in a stabilized pool. The conveniently disposable Pac lets you control the rate of chlorine delivery to meet changing conditions in your pool by simply adjusting the control dial on the Cycler. You never have to touch the chlorinating tablets.

#### USE DIRECTIONS:

1. Adjust pH level to 7.2 - 7.6.
2. Bring Free Available Chlorine (FAC) residual to 1-3 ppm using a chlorine shock. Follow Manufacturer's Label Directions.
3. Stabilize the pool with cyanuric acid stabilizer. Follow Manufacturer's Label Directions.
4. To install Pac: Take Cycler cap off. Remove Pac cut-offs. Hold Pac so the open end faces down. Insert into Cycler Reservoir. The end of the Pac must align with the key located inside the Cycler at the bottom. DO NOT FORCE. Replace Cycler cap and set the control dial to appropriate setting. For a guideline, using a 13,500 gallon pool with a pump running 8 hours per day, begin with the control dial set on #2. For an 18,000 gallon pool, start at setting #3.5. To achieve the proper FAC, turn the control dial to the next higher setting to increase the FAC and turn it to the next lower setting to decrease the FAC. Operate the pool for 1 day. Check the FAC residual and increase/decrease one setting per day until you achieve 1-3 ppm. Pool should not be entered until the chlorine residual is 1-3 ppm.
5. Once you have determined the proper setting for your pool, you should not have to re-adjust the setting under normal conditions. Should conditions change (i.e. weather, rain, pool use, bather load, etc.) the control dial can be easily adjusted to increase or decrease the chlorine feed.
6. Super chlorinate if needed. Do not add shock treatment to the skimmer. Turn control dial to setting #0 before super-chlorinating. Once desired FAC has been obtained, return the control dial to the normal operating setting.

7. Periodically check the Pac and replace with a new one when empty. Do not attempt to open or refill this Pac. DO NOT REUSE.

**NOTE:** Some settling may occur during shipment. DO NOT REMOVE LABEL #20-43-1420 NPTN hot-line number for public information: 1-800-858-7378. E031502553090243



FOR USE WITH THE  
POOL FROG® CYCLER AND RESERVOIR

KEEP OUT OF REACH OF CHILDREN  
**DANGER**

SEE FIRST AID AND ADDITIONAL PRECAUTIONARY  
STATEMENTS ON BACK PANEL

#### Active Ingredient:

Trichloro-s-Triazinetrione	99%
Other Ingredients	1%
Total	100%
Available Chlorine	89%

NET Wt. 2.4375 lbs.

EPA REG. NO.: 53735-2

EPA EST. NO.: 71187-MO-001

Manufactured by: KING TECHNOLOGY, INC.

530 11th Avenue South, Hopkins, MN 55343 USA www.kingtechnology.com  
US Patent Numbers 5,076,315, 5,218,983, 6,210,566, D410,520 and Foreign Patents Pending

**STORAGE AND DISPOSAL:** Do not contaminate food or feed with this product.

**Product Storage:** Store Pac in original container in a cold, dry, well-ventilated area away from heat or open flame. In case of decomposition, isolate container and flood area with large amounts of water to dissolve all material before discarding this Pac.

**Product Disposal:** This Pac is designed for one time use. When empty, triple rinse in pool water, drain, wrap in newspaper and discard in trash.

**PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS:**

**DANGER: CORROSIVE:** Causes irreversible eye damage and skin burns. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mists. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

**FIRST AID: If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. **If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **If Swallowed:** Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **Note to Physician:** Probable mucosal damage may contraindicate the use of gastric lavage.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish and aquatic organisms.

**PHYSICAL OR CHEMICAL HAZARDS: Corrosive:** Strong oxidizing agent. Do not refill empty Pac. Use only clean dry utensils. Mix only into water. Contamination with moisture, dirt, organic matter or other chemicals (including other pool chemicals) or any other foreign matter may start a chemical reaction with generation of heat, liberation of hazardous gases and possible fire and explosion. Avoid any contact with flaming or burning material such as a lighted cigarette. Do not use this product in any chlorinating device which has been used with any inorganic or unstabilized chlorinating compounds (e.g., calcium hypochlorite). Such use may cause fire or explosion.

**IMPORTANT:** The warranty will be void if this Pac is not used with the appropriate Cycler. Fire or explosion may result if this Pac is used with an incorrect Cycler.

4  
8  
8

**KEEP OUT OF REACH OF CHILDREN  
DANGER  
SEE FIRST AID AND ADDITIONAL PRECAUTIONARY  
STATEMENTS ON BACK PANEL**

Net Wt. 5 lbs.  
EPA REG. NO. - 37354-J  
EPA EST. NO. 71167-000-001

**Active Ingredient:**  
Tricloro-2-Thymolone—50%  
**Other Ingredients:**  
Fenol, 1,4-Dichlorobenzene, Chlorine,  
etc.



**NEW  
WATER®**

...with me betting.

**INSTRUCTIONS FOR USE:**  
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

On the day the controller was interviewed, the company was in the process of installing a new inventory control system. The controller said that the new system would be installed by the end of the year. The controller said that the new system would be installed by the end of the year. The controller said that the new system would be installed by the end of the year.

[illegible]

Setting to electric...  
setting you achieve 4-5 ppm. rain, good use.  
per day until you determine the proper setting (i.e. weather). Turn control  
if conditions change (e.g. weather). Turn control  
if conditions change (e.g. weather).

5. Once the conditions are met, the price shall be adjusted to the normal conditions. Should the price be adjusted to the normal conditions, the price shall be adjusted to the normal conditions. Should the price be adjusted to the normal conditions, the price shall be adjusted to the normal conditions.

5. Super prior must be dial to setting of before super-dial setting. one when empty to 100%.

7. Periodically check the patent status of your technology.  
8. Periodically check the patent status of your technology.  
9. Periodically check the patent status of your technology.

US Patent Numbers 5,076,315; 5,210,102; 5,210,103; 5,210,104; 5,210,105; 5,210,106; 5,210,107; 5,210,108; 5,210,109; 5,210,110; 5,210,111; 5,210,112; 5,210,113; 5,210,114; 5,210,115; 5,210,116; 5,210,117; 5,210,118; 5,210,119; 5,210,120; 5,210,121; 5,210,122; 5,210,123; 5,210,124; 5,210,125; 5,210,126; 5,210,127; 5,210,128; 5,210,129; 5,210,130; 5,210,131; 5,210,132; 5,210,133; 5,210,134; 5,210,135; 5,210,136; 5,210,137; 5,210,138; 5,210,139; 5,210,140; 5,210,141; 5,210,142; 5,210,143; 5,210,144; 5,210,145; 5,210,146; 5,210,147; 5,210,148; 5,210,149; 5,210,150; 5,210,151; 5,210,152; 5,210,153; 5,210,154; 5,210,155; 5,210,156; 5,210,157; 5,210,158; 5,210,159; 5,210,160; 5,210,161; 5,210,162; 5,210,163; 5,210,164; 5,210,165; 5,210,166; 5,210,167; 5,210,168; 5,210,169; 5,210,170; 5,210,171; 5,210,172; 5,210,173; 5,210,174; 5,210,175; 5,210,176; 5,210,177; 5,210,178; 5,210,179; 5,210,180; 5,210,181; 5,210,182; 5,210,183; 5,210,184; 5,210,185; 5,210,186; 5,210,187; 5,210,188; 5,210,189; 5,210,190; 5,210,191; 5,210,192; 5,210,193; 5,210,194; 5,210,195; 5,210,196; 5,210,197; 5,210,198; 5,210,199; 5,210,200; 5,210,201; 5,210,202; 5,210,203; 5,210,204; 5,210,205; 5,210,206; 5,210,207; 5,210,208; 5,210,209; 5,210,210; 5,210,211; 5,210,212; 5,210,213; 5,210,214; 5,210,215; 5,210,216; 5,210,217; 5,210,218; 5,210,219; 5,210,220; 5,210,221; 5,210,222; 5,210,223; 5,210,224; 5,210,225; 5,210,226; 5,210,227; 5,210,228; 5,210,229; 5,210,230; 5,210,231; 5,210,232; 5,210,233; 5,210,234; 5,210,235; 5,210,236; 5,210,237; 5,210,238; 5,210,239; 5,210,240; 5,210,241; 5,210,242; 5,210,243; 5,210,244; 5,210,245; 5,210,246; 5,210,247; 5,210,248; 5,210,249; 5,210,250; 5,210,251; 5,210,252; 5,210,253; 5,210,254; 5,210,255; 5,210,256; 5,210,257; 5,210,258; 5,210,259; 5,210,260; 5,210,261; 5,210,262; 5,210,263; 5,210,264; 5,210,265; 5,210,266; 5,210,267; 5,210,268; 5,210,269; 5,210,270; 5,210,271; 5,210,272; 5,210,273; 5,210,274; 5,210,275; 5,210,276; 5,210,277; 5,210,278; 5,210,279; 5,210,280; 5,210,281; 5,210,282; 5,210,283; 5,210,284; 5,210,285; 5,210,286; 5,210,287; 5,210,288; 5,210,289; 5,210,290; 5,210,291; 5,210,292; 5,210,293; 5,210,294; 5,210,295; 5,210,296; 5,210,297; 5,210,298; 5,210,299; 5,210,300; 5,210,301; 5,210,302; 5,210,303; 5,210,304; 5,210,305; 5,210,306; 5,210,307; 5,210,308; 5,210,309; 5,210,310; 5,210,311; 5,210,312; 5,210,313; 5,210,314; 5,210,315; 5,210,316; 5,210,317; 5,210,318; 5,210,319; 5,210,320; 5,210,321; 5,210,322; 5,210,323; 5,210,324; 5,210,325; 5,210,326; 5,210,327; 5,210,328; 5,210,329; 5,210,330; 5,210,331; 5,210,332; 5,210,333; 5,210,334; 5,210,335; 5,210,336; 5,210,337; 5,210,338; 5,210,339; 5,210,340; 5,210,341; 5,210,342; 5,210,343; 5,210,344; 5,210,345; 5,210,346; 5,210,347; 5,210,348; 5,210,349; 5,210,350; 5,210,351; 5,210,352; 5,210,353; 5,210,354; 5,210,355; 5,210,356; 5,210,357; 5,210,358; 5,210,359; 5,210,360; 5,210,361; 5,210,362; 5,210,363; 5,210,364; 5,210,365; 5,210,366; 5,210,367; 5,210,368; 5,210,369; 5,210,370; 5,210,371; 5,210,372; 5,210,373; 5,210,374; 5,210,375; 5,210,376; 5,210,377; 5,210,378; 5,210,379; 5,210,380; 5,210,381; 5,210,382; 5,210,383; 5,210,384; 5,210,385; 5,210,386; 5,210,387; 5,210,388; 5,210,389; 5,210,390; 5,210,391; 5,210,392; 5,210,393; 5,210,394; 5,210,395; 5,210,396; 5,210,397; 5,210,398; 5,210,399; 5,210,400; 5,210,401; 5,210,402; 5,210,403; 5,210,404; 5,210,405; 5,210,406; 5,210,407; 5,210,408; 5,210,409; 5,210,410; 5,210,411; 5,210,412; 5,210,413; 5,210,414; 5,210,415; 5,210,416; 5,210,417; 5,210,418; 5,210,419; 5,210,420; 5,210,421; 5,210,422; 5,210,423; 5,210,424; 5,210,425; 5,210,426; 5,210,427; 5,210,428; 5,210,429; 5,210,430; 5,210,431; 5,210,432; 5,210,433; 5,210,434; 5,210,435; 5,210,436; 5,210,437; 5,210,438; 5,210,439; 5,210,440; 5,210,441; 5,210,442; 5,210,443; 5,210,444; 5,210,445; 5,210,446; 5,210,447; 5,210,448; 5,210,449; 5,210,450; 5,210,451; 5,210,452; 5,210,453; 5,210,454; 5,210,455; 5,210,456; 5,210,457; 5,210,458; 5,210,459; 5,210,460; 5,210,461; 5,210,462; 5,210,463; 5,210,464; 5,210,465; 5,210,466; 5,210,467; 5,210,468; 5,210,469; 5,210,470; 5,210,471; 5,210,472

NPMA POLYMER ALUMINUM

10

**IMPORTANT:** The warranty will be void if this Pac is not used with the appropriate Cyber File or explosion may result if this Pac is used with an incorrect Cyber File.

Available Chlorine, . . . . . 604

0542-1166

NAME: \_\_\_\_\_  
ADDRESS: \_\_\_\_\_  
CITY: \_\_\_\_\_  
STATE: \_\_\_\_\_  
ZIP: \_\_\_\_\_

## STATEMENTS ON BACK PAIN

**INSTRUCTIONS FOR USE:**  
This is a violation of federal health product legislation.  
This is part of an advanced system that uniformly feeds chlorine, efficiently kills bacteria and controls algae. The conveniently disposable Pac lets you use this product in a manner inconsistent with others. There are no messy, time-consuming tablets to mess changing conditions in your pool by simply adjusting the control.



NOTE: some settings  
NPTN hotline number for public info.

**STORAGE AND DISPOSAL:** Do not contain in fire hazard or use in this product. Product, Sparco, 100% in original container in a cool, dry, well-ventilated place away from heat or open flame. Do not use in areas with high humidity and poor ventilation. Do not use in areas with large amounts of water to dissolve in material before discarding this product. Do not use in areas with large amounts of water to dissolve in material before discarding this product. Do not use in areas with large amounts of water to dissolve in material before discarding this product.

**PRECAUTIONARY STATEMENTS:** HAZARDS TO HUMANS AND DOMESTIC ANIMALS: Causes irritation to eyes, nose and throat. Harmful if swallowed. Do not get it in eyes, on skin or on clothing. Do not use in areas with large amounts of water to dissolve in material before discarding this product. Do not use in areas with large amounts of water to dissolve in material before discarding this product.

# SPARCO

## AUTOMATIC WATER TREATMENT CHAMBER

### MODEL 500SP

For use only in the Sparco System  
**KEEP OUT OF REACH OF CHILDREN**  
**DANGER PRECAUTIONARY**  
**SEE FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS ON BACK PANEL**

Net Wt. 5 lbs.  
 ERM 500, NO. 5084, 2  
 ERM 501, NO. 7110, 40/60/1

Approved for use in the Sparco System, 99%  
 100%  
 100%  
 100%

Do not use in areas with large amounts of water to dissolve in material before discarding this product. Do not use in areas with large amounts of water to dissolve in material before discarding this product.

**PRECAUTIONARY STATEMENTS:** HAZARDS TO HUMANS AND DOMESTIC ANIMALS: Causes irritation to eyes, nose and throat. Harmful if swallowed. Do not get it in eyes, on skin or on clothing. Do not use in areas with large amounts of water to dissolve in material before discarding this product. Do not use in areas with large amounts of water to dissolve in material before discarding this product.

**PRECAUTIONARY STATEMENTS:** HAZARDS TO HUMANS AND DOMESTIC ANIMALS: Causes irritation to eyes, nose and throat. Harmful if swallowed. Do not get it in eyes, on skin or on clothing. Do not use in areas with large amounts of water to dissolve in material before discarding this product. Do not use in areas with large amounts of water to dissolve in material before discarding this product.

**PRECAUTIONARY STATEMENTS:** HAZARDS TO HUMANS AND DOMESTIC ANIMALS: Causes irritation to eyes, nose and throat. Harmful if swallowed. Do not get it in eyes, on skin or on clothing. Do not use in areas with large amounts of water to dissolve in material before discarding this product. Do not use in areas with large amounts of water to dissolve in material before discarding this product.



100%  
 100%  
 100%

#### DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

#### PRODUCT DESCRIPTION:

This Pac is part of an advanced system that uniformly feeds chlorine, efficiently kills bacteria and controls algae continuously for weeks under normal conditions in a stabilized pool. The conveniently disposable Pac lets you control the rate of chlorine delivery to meet changing conditions in your pool by simply adjusting the control dial on the Cyclor. You never have to touch the chlorinating tablets.


#### USE DIRECTIONS:

1. Adjust pH level to 7.2 - 7.6
2. Bring Free Available Chlorine (FAC) residual to 1-3 ppm using a chlorine shock. Follow Manufacturer's Label Directions.
3. Stabilize the pool with cyanuric acid stabilizer. Follow Manufacturer's Label Directions.
4. To install Pac: Take Cyclor cap off. Remove Pac cut-offs. Hold Pac so the open end faces down. Insert into Cyclor Reservoir. The end of the Pac must align with the key located inside the Cyclor at the bottom. **DO NOT FORCE.** Replace Cyclor cap and set the control dial to appropriate setting. For a guideline, using a 13,500 gallon pool with a pump running 8 hours per day, begin with the control dial set on #2. For an 18,000 gallon pool, start at setting #3.5. To achieve the proper FAC, turn the control dial to the next higher setting to increase the FAC and turn it to the next lower setting to decrease the FAC. Operate the pool for 1 day. Check the FAC residual and increase/decrease one setting per day until you achieve 1-3 ppm. Pool should not be entered until the chlorine residual is 1-3 ppm.
5. Once you have determined the proper setting for your pool, you should not have to re-adjust the setting under normal conditions. Should conditions change (i.e. weather, rain, pool use, bather load, etc.) the control dial can be easily adjusted to increase or decrease the chlorine feed.
6. Super chlorinate if needed. Do not add shock treatment to the skimmer. Turn control dial to setting #0 before super-chlorinating. Once desired FAC has been obtained, return the control dial to the normal operating setting.

7. Periodically check the Pac and replace with a new one when empty. Do not attempt to open or refill this Pac. **DO NOT REUSE.**

**NOTE:** Some settling may occur during shipment. **DO NOT REMOVE LABEL #20-43-1517.** NPTN hotline number for public information: 1-800-858-7378.

E031502553090243



**STORAGE AND DISPOSAL:** Do not contaminate food or feed with this product.

**Product Storage:** Store Pac in original container in a cold, dry, well-ventilated area away from heat or open flame. In case of decomposition, isolate container and flood area with large amounts of water to dissolve all material before discarding this Pac.

**Product Disposal:** This Pac is designed for one time use. When empty, triple rinse in pool water, drain, wrap in newspaper and discard in trash.

**PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC**

**ANIMALS: DANGER: CORROSIVE:** Causes irreversible eye damage and skin burns. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mists. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

**FIRST AID: If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. **If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **If Swallowed:** Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **Note to Physician:** Probable mucosal damage may contraindicate the use of gastric lavage.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish and aquatic organisms.

**PHYSICAL OR CHEMICAL HAZARDS: Corrosive:** Strong oxidizing agent. Do not refill empty Pac. Use only clean dry utensils. Mix only into water. Contamination with moisture, dirt, organic matter or other chemicals (including other pool chemicals) or any other foreign matter may start a chemical reaction with generation of heat, liberation of hazardous gases and possible fire and explosion. Avoid any contact with flaming or burning material such as a lighted cigarette. Do not use this product in any chlorinating device which has been used with any inorganic or unstabilized chlorinating compounds (e.g., calcium hypochlorite). Such use may cause fire or explosion.

**IMPORTANT:** The warranty will be void if this Pac is not used with the appropriate Cyclor. Fire or explosion may result if this Pac is used with an incorrect Cyclor.

828