



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY Washington, D.C. 20460

June 12, 2008

Heather R. Bjornson Regulatory Assistant to King Technology, Inc. c/o Technology Sciences Group, Inc. 1150 18th Street NW, Suite 100 Washington DC 20036

Subject:

Sani-King P-Max VIII Cartridge EPA Registration No. 53735-2 Application Date: May 16, 2008 Receipt Date: May 19, 2008

Dear Ms. Bjornson:

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA section 3(c)9.

Proposed Notification

Revision to Storage and Disposal Statements

General Comments

Based on a review of the material submitted, the following comments apply:

The notification application is acceptable and a copy has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, please contact me at (703) 308-6345.

Sincerely.

Wanda Y. Henson Product Reviewer (32) Regulatory Management Branch II Antimicrobials Division (7510C)

| | | | <u> </u> | CONCURRENC | 25 | | |
|-------------------|----------|------------|----------|------------|--------------|---------|-------|
| YMBOL | 7510P | 7570P | | | | | ` |
| URNAME | 10 66 19 | Willenson. | | | | | |
| ATE) | 6/12/08 | 6/12/08 | _ | | ************ | ••••••• | |
| OFFICIAL FUE CODY | | | | | | | |

EPA Form 1320-1A (1/90)

Printed on Remoded Par



May 16, 2008

WASHINGTON

1150 18th Street, N.W.

Suite 1000

Washington, D.C. 20036

Telephone 202 223-4392

Fax 202 872-0745

Emily Mitchell, PM 32 Antimicrobial Division Office of Pesticide Products, US EPA Room S-4900, One Potomac Yard

2777 South Crystal Drive Arlington, VA 22202-4501

RE: King Technology, Inc.: Sani-King P-Max VIII Cartridge

(EPA Reg. No. 53735-2)

Notification per PR Notice 2007-4

SACRAMENTO

712 Fifth Street

Dear Ms. Mitchell:

Suite A

Davis, CA 95616

Telephone 530 757-1298

Fax 530 757-1299

(KTI), a notification to revise the container disposal instructions.

- You will find in support of this notification: 1) Notification application form,
 - 2) One redline version of the revised label, and
 - 3) One clean version of the label.

Should you have any questions or comments, please do not hesitate to contact me directly at (202) 828-8945 or via e-mail hbjornson@tsgusa.com.

Technology Sciences Group is submitting on behalf of King Technology, Inc.

Sincerely,

CANADA

275 Slater Street

Suite 900

Ottawa, Ontario

K1P 5H9

Telephone 613 247-6285

Fax 613 236-3754

Heather R. Bjornson

Shather R. Bron

Regulatory Consultant to King Technology, Inc.

E-mail tsg@tsgusa.com

http://www.tsgusa.com

| Please re | ad instruction | s on reverse | before com |
|------------|----------------|--------------|------------|
| Ş E | PA | Env | ironmen |

| | Registration Amendment |
|---|------------------------|
| | Amendment |
| ╗ | 0.45 |

Form Approve

OPP Identifier Number

| Environmental Protection Ag | | | _ | ncy | | | Amendm | | Or Identifier Hamber | |
|--|---------------------------------|----------------------------------|--|------------|---|---|---------------------------------------|----|----------------------|--|
| Washington, DC 20 | | | | | . [| | | | | |
| | | Application | n for P | esticid | e - Sect | ion | | | · | |
| 1. Company/Product Number 53735 -2 | | | 2. EPA Product Manager Emily Mitchell | | | 3. Proposed Classification ✓ None Restricted | | | | |
| 4. Company/Product (Name) Sani-King P-Max VIII Ca | artridge | | PM# 32 | | | | | | | |
| 5. Name and Address of App | | de) | 6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) | | | | | | | |
| King Technology, Inc. 530 11th Avenue Sou | | | (b)(i), my product is similar or identical in composition and labeling to: | | | | riposition and labeling | | | |
| Hopkins, MN 55343 | (II) | | EPA Reg. No. | | | | | | | |
| | is a new address | | Product Name | | | | | | | |
| | | | Sect | ion - II | | | | | | |
| Amendment - Explain Resubmission in respo | below. onse to Agency letter | dated | | | Final printed Agency lette "Me Too" A | er date | | to | | |
| Notification - Explain | below. | • | | | Other - Expla | ain bel | low. | | | |
| Explanation: Use addition | al page(s) if necessary | /. (For section) | l and Sec | tion II.) | · · · · · · · · · · · · · · · · · · · | - | | | | |
| This notification is to revise the container disposal instructions per PR Notice 2007-4. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA. | | | | | | | | | | |
| | | | Secti | on - III | | | | | | |
| 1. Material This Product Will | T | | T | | | | | | | |
| Child-Resistant Packaging Yes | Unit Packaging Yes | | | Soluble Pa | ckaging | | 2. Type of Container Metal | | | |
| No Yes | No | | Yes | | | Plastic | | | | |
| لــا | If "Yes" | No. per | If "Yes" No. per | | | Glass | | | | |
| * Certification must be submitted | Unit Packaging wgt. | | Package wgt contains | | | 1 | | | pecify) | |
| | | | etail Container 5. Location of Label | | | l Directions | | | | |
| Label C | ontainer | | <u> </u> | | | | | | | |
| 6. Manner in Which Label is | Affixed to Product | Lithogra Paper gl Stencile | graph Other | | | | · | | | |
| Section - IV | | | | | | | | | | |
| 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) | | | | | | | | | | |
| Name Title Telephone No. (Include Area Code) | | | | | No. (Include Area Code) | | | | | |
| Heather R. Bjornson, Technology Sciences Group, Inc. | | | Regulatory Consultant (20 | | | 202) 828- | 8945 | | | |
| Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complace. I acknowledge that any knowlingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. 6. Date Application Received (Stamped) | | | | | Received ' | | | | | |
| 2. Signature | | | 3. Title | | | | | | | |
| Statue R- Byon | | | Regulatory Consultant to King Technology, Inc. | | | | , , , , , , , , , , , , , , , , , , , | | | |
| 4. Typed Name | | | 5. Date | | | | | | | |
| Heather R. Bjornson | | | May 16, 2008 | | | | , | | | |

{All text in brackets [xxx] optional and may or may not be included on a final label.} {All text in braces {xxx} is administrative and will not appear on a final label.}

{MASTER LABEL}

Sani-King P-Max VIII Cartridge

[For use only in the P-Max System]

{Alternate Brand Names:}

[Aqua Smarte Bac Pac]
[Aqua Smarte Chamber]
[Frog Bac Pac]
[New Water Cycler Pac]
[Pool Frog Pac]
[Pool Frog Bac Pac]
[Prevail Bac Pac]
[Prevail Pool Pack]

[Sparco Automatic Water Treatment Chamber]

[Sparco Bac Pac]

[1-inch tablets]
[3-inch tablets]
[3-inch pucks]
[Sticks]

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS ON BACK PANEL

| Active ingredient: | • |
|-------------------------------|-------------------------|
| Trichloro-s-triazinetrione99% | Net Wt |
| Other Ingredients:1% | |
| Total 100% | EPA REG. NO: 53735-2 |
| Available Chlorine: 90% | EPA EST. NO: 69470-WV-2 |

Manufactured by: **KING TECHNOLOGY, INC**. 530 11th Avenue S., Hopkins, MN 55343 USA www.kingtechnology.com

FIRST AID: If Inhaled: ve person to fresh air. If person is not athing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If Swallowed: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage. {Directions to be used for pool cartridge}

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

PRODUCT DESCRIPTION:

This [chamber] [pac] is part of an advanced system that uniformly feeds chlorine, efficiently kills bacteria and controls algae continuously for weeks under normal conditions in a stabilized pool. The conveniently disposable [chamber] [pac] lets you control the rate of chlorine delivery to meet changing conditions in your pool, by simply adjusting the control dial on the chlorine delivery system. You never have to touch the chlorinating tablets.

USE DIRECTIONS:

- 1. Adjust pH level to 7.2-7.8.
- 2. Bring Free Available Chlorine (FAC) residual to 1.0-1.5 ppm using a chlorine shock. Follow Manufacturer's Label Directions.
- 3. Stabilize the pool with cyanuric acid stabilizer. Follow Manufacturer's Label Directions.
- 4. **To install [chamber] [pac]**: Take feeder cap off. Remove [chamber] [pac] [colored caps] [cut offs]. Hold [chamber] [pac] so the open end faces down. Insert into feeder. The end of the [chamber] [pac] must align with the key located inside the feeder at the bottom. DO NOT FORCE. Replace feeder cap and set the control dial to the appropriate setting. For a guideline, using a 13,500 gallon pool with a pump running 8 hours per day, begin with the control dial set on #3. For a 18,000 gallon pool, start at setting #4. To achieve the proper FAC, turn the control dial to the next higher setting to increase the FAC and turn it to the next lower setting to decrease the FAC. Operate the pool for 1 day. Check the FAC residual and increase/decrease one setting per day until you achieve 1.0-1.5 ppm. Pool should not be entered until the chlorine residual is 1.0-1.5 ppm.
- 5. Once you have determined the proper setting for your pool, you should not have to re-adjust the setting under normal conditions. Should conditions change (i.e. weather, rain, pool use, bather load, etc.) the control dial can be easily adjusted to increase or decrease the chlorine feed.
- 6. Superchlorinate if needed. Do not add shock treatment to the skimmer. Turn control dial to [Setting 0 or] [Minimum] before super-chlorinating. Once desired FAC has been obtained, return the control dial to the normal operating setting.
- 7. Periodically check the [chamber] [pac] and replace with a new one when empty. Do not attempt to open or refill this [chamber] [pac]. **DO NOT REUSE.**

{Directions to be used wit ool Frog Mineral Reservoir EPA Reg. , 53735-11}

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

PRODUCT DESCRIPTION:

This [chamber] [pac] is part of an advanced pool care system that uses the Pool Frog Mineral Reservoir (EPA Reg. No. 53735-11) with low levels of chlorine to destroy bacteria continuously for weeks under normal conditions in a stabilized pool. The conveniently disposable [chamber] [pac] lets you control the rate of chlorine delivery to meet changing conditions in your pool, by simply adjusting the control dial on the chlorine delivery system. You never have to touch the chlorinating tablets.

USE DIRECTIONS:

- 1. Adjust pH level to 7.2-7.8.
- 2. Bring Free Available Chlorine (FAC) residual to 1.0 ppm using a chlorine shock. Follow Manufacturer's Label Directions.
- 3. Stabilize the pool with cyanuric acid stabilizer. Follow Manufacturer's Label Directions.
- 4. **To install [chamber] [pac]**: Take feeder cap off. Remove [chamber] [pac] [colored caps] [cut offs]. Hold [chamber] [pac] so the open end faces down. Insert into feeder. The end of the [chamber] [pac] must align with the key located inside the feeder at the bottom. DO NOT FORCE. Replace feeder cap and set the control dial per the size and pump run time of your pool according to the chart in the manual included with the Mineral Reservoir. Monitor chlorine level daily for the first week to determine correct dial setting. Turn the control dial to the next higher setting to increase the FAC and turn it to the next lower setting to decrease the FAC. Check the FAC residual and increase/decrease one setting per day until you achieve at least 0.5 ppm. Pool should not be entered until the chlorine residual is at least 0.5 ppm.
- 5. Once you have determined the proper setting for your pool, you should not have to re-adjust the setting under normal conditions. Should conditions change (i.e. weather, rain, pool use, bather load, etc.) the control dial can be easily adjusted to increase or decrease the chlorine feed.
- 6. Superchlorinate if needed. Do not add shock treatment to the skimmer. Turn control dial to [Setting 0 or] [Minimum] before super-chlorinating. Once desired FAC has been obtained, return the control dial to the normal operating setting.
- 7. Periodically check the [chamber] [pac] and replace with a new one when empty. Do not attempt to open or refill this [chamber] [pac]. **DO NOT REUSE.**

{Directions to be used for spa cartridge}

PRODUCT DESCRIPTION:

Use this cartridge in either the In-line Spa System, the Floating Spa System or as a free-floating sanitizer. When the cartridge is used as directed, spa care is easy and spa water is crystal clear.

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label to use strictly in accordance with precautionary statements and directions.

Ensure all spa equipment is working properly. The pump and filter should be operated for at least 3 hours per day. Clean filter following manufacture's directions. Adjust pH to between 7.2 - 7.8 and total alkalinity to 60-120 ppm. When using other products as outlined in directions for this

product, always follow directions on those products. Spa temperature ecommended at 102° but not to exceed 104°. Keep the spa free of leaves and debris. Residential spas and hot tubs should be drained and filled with fresh water periodically. See you spa manufacturer's directions.

Using the In-line Spa System: Set the cartridge at #1 by holding the bottom and turning the top until the number 1 appears in the setting window. To install: open cap on In-Line System and turn cartridge holder counter-clockwise to unlock. Pull holder out. Snap cartridge into "lower" section. Make sure to line up indent on cartridge with raised line on holder. After cartridge is snapped in, replace holder by lining up arrow on holder with arrow on system lip, push down and lock in place. Replace cap. Initially monitor chlorine levels daily until a 1.0-1.5 ppm residual is achieved. Remove and adjust cartridge to maintain a chlorine level depending on spa size and use.

Using the Floating Spa System: Set the cartridge at #1 by holding the bottom and turning the top until the number 1 appears in the setting window. To install: push the cartridge into the bottom opening of the Floating Spa System. Set entire system in the spa water. Initially monitor chlorine levels daily until a 1.0 - 1.5 ppm is achieved. Then adjust to maintain a chlorine level depending on spa size and use.

Using as a Free Floating Sanitizer: Set cartridge as described for the Floating Spa System and allow to free float in spa.

FOR ALL USES: Adjusting to a higher setting will increase the chlorine output while a lower setting will decrease it. When empty follow disposal instructions and replace with a new cartridge.

REENTRY into treated spas is prohibited above levels of 3 ppm chlorine.

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: DANGER: CORROSIVE: Causes irreversible eye damage and skin burns. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mists. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

PHYSICAL OR CHEMICAL HAZARDS: Corrosive: Strong oxidizing agent. Do not refill empty [chamber] [pac] [cartridge]. Use only clean dry utensils. Mix only into water. Contamination with moisture, dirt, organic matter or other chemicals (including other [pool] [spa] chemicals) or any other foreign matter may start a chemical reaction with generation of heat, liberation of hazardous gases and possible fire and explosion. Avoid any contact with flaming or burning material such as a lighted cigarette. Do not use this product in any [chlorinating] [dispensing] device, which has been used with any inorganic or unstabilized chlorinating compounds (e.g., calcium hypochlorite). Such use may cause fire or explosion.

(Environmental hazards soment for end-use products of less than gallons (liquid) or less than 50 pounds (solid, dry weight).

ENVIRONMENTAL HAZARD: This pesticide is toxic to fish and aquatic organisms.

STORAGE AND DISPOSAL:

Do not contaminate food or feed with this product.

Product Storage: Store delivery [chamber] [pac] [cartridge] in original container in a cold, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container and flood area with large amounts of water to dissolve all material before discarding this chamber.

{Disposal directions for pool cartridge}

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this [container] [chamber] [pac]. Offer for recycling if available. Rinse thoroughly before recycling or discarding in trash.

{Disposal directions for spa cartridge}

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. Rinse thoroughly before recycling or discarding in trash.

{Optional notes for labels}

[IMPORTANT:

The warranty will be void if this [chamber] [cartridge] in not used with the appropriate feeder. Fire or explosion may result if this [chamber] [cartridge] is used with an incorrect chemical feeder.]

[NOTE: Some settling may occur during shipment.]

[NOTE: Buyer assumes all responsibility for safety and use not in accordance with directions.]

[DO NOT REMOVE LABEL]

[IN CASE OF MEDICAL EMERGENCY CALL 1-800-424-9300]

[NPTN Hotline number for public information 1-800-858-7378]

[U.S. Patent Numbers xxxx] [World Patents Pending] The Sani-King P-Max VIII [Cartridge] [Pac] [Chamber] is:

Pre-filled with chlorine

Pre-filled

Pre-filled chlorine replacement [cartridges] [pacs] [chambers].

Easy to Use

Lightweight

Less Odors

Reduced odors and no touching or measuring chlorine

The easier alternative to bulk chlorine

Automatic Pool Care System

The no-hassle way to a clean pool

Now for use with P-Max VIII Cycler Series [100 or 200] [400 or 600]

Model # [##-##-###]

The Sani-King P-Max VIII Cycler uses pre-filled chlorine replacement [cartridges] [pacs] [chambers].

The Automatic Pool Care System uses pre-filled chlorine replacement [cartridges] [pacs] [chambers].

Saves time – chlorine lasts longer

No hassles – no contact with chlorine – the [cartridge] [pac] [chamber] contains the odor

What makes this pool care system better than the rest?

- 1) Convenient: Pre-filled [cartridge] [cycler pac] [chamber] eliminates exposure to chlorine for greater safety and convenience.
- 2) Precise: The control dial precisely meters out just the right amount of sanitation for each pool.
- 3) Longer Lasting: Trapped air in [cartridge] [pac] [chamber] keeps chlorine dry so it lasts longer with less consumed per season.
- 4) Reliable: Water cycles through only a small amount of chlorine for more uniform and reliable output.

Store in a cool, dry place

See Product Label for Directions for Use and Precautionary Statements

In case of emergency call Chemtrec at (800) 424-9300

{DOT shipping information on carton} Trichloroisocyanuric Acid, Dry Class 5.1 (Oxidizer), UN 2468 PG11

Cycler not included

APSP Logo; The Association of Pool & Spa Professionals

{Alternate Brand Name:} New Water {Tag Line:} Clean Water. Just for the Fun of it.

{All text on this page is optional for use with alternate brand names}

Pool Frog Bac Pac Model 5051 For use in the Pool Frog Cycler and Pool Frog Mineral Reservoir Now for use with Pool Frog Series 5100, 5200, 5400, 5600, 6100 and Prevail Series 5770, 5771, 5790

Pool Frog Bac Pac Model 4551 For use with the Pool Frog Cycler and Reservoir

New Water Cycler Pac [105C] [407C] For use in Cycler Series [100 and 200] [400 and 600]

Aqua Smarte Bac Pac Model 5751 For use only with Aqua Smarte System

Aqua Smarte Chamber Model 725AP For use only in the Aqua Smarte Delivery System

Sparco Automatic Water Treatment System Model 500SP For use only in the Sparco System

Sparco Bac Pac Model 5551 For use only with the Sparco System

Prevail Pool Pack Model 70.5C For use only in the Prevail System Model 5770

Prevail Bac Pac Model 5071 For use only with the Prevail System

Pool Frog Pac 540C
For use in the Pool Frog XL Pro Chlorine Cycler