

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (75-767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.

DATE OF ISSUANCE
APR 10 1991

53735-6

TERM OF ISSUANCE

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT

Automatic Delivery Chamber 7 lbs.

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

King Technology, Inc.
9909 Smetana Drive
Minnetonka, MN 55343

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and approved by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data or other material required for registration/reregistration of your product under FIFRA section 3(c)(5) or FIFRA section 4 when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

- a. Add the phrase "EPA Registration No. 53735-6."
- b. Move the "Practical Treatment" section to the front panel of the label.
- c. Change the "If swallowed" statement in the First Aid section to:

If swallowed drink large quantities of water.
Do not induce vomiting. Avoid alcohol. Call
a physician immediately.

- d. Insert the complete product name "Automatic Delivery Chamber - 7 lbs." on the front panel of the label.

ATTACHMENT IS APPLICABLE

BEST AVAILABLE COPY

SIGNATURE OF APPROVING OFFICIAL

DATE
APR 10 1991

- e. Expand the "Environmental Hazard" statement to read:
"This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in a NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA."

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.



Walter C. Francis
Product Manager (32)
Antimicrobial Program Branch
Registration Division (H7505C)

Enclosures

AUTOMATIC DELIVERY

CHAMBER

For inline and
offline feeders

**KEEP OUT OF REACH OF CHILDREN
DANGER!
SEE FIRST AID AND ADDITIONAL
PRECAUTIONARY STATEMENTS ON
BACK PANEL**

Net Wt. 7 lbs

Active Ingredient:	
Trichloro-s-Triazinetrione....	99%
Inert Ingredients:	1%
Available Chlorine:	89%

EPA REG. NO: 53735-
EPA EST. NO:

BEST AVAILABLE COPY

**ACCEPTED
with COMMENTS
in EPA Letter Dated:**

APR 10 1981

Under the Federal Insecticide, and Herbicide Act as amended, for the registration of...

53735-6

PRODUCT DESCRIPTION:

The Automatic Delivery Chamber is part of an advanced Automatic Delivery System that uniformly feeds chlorine, efficiently kills bacteria and controls algae continuously for weeks under normal conditions in a stabilized pool. The convenient disposable chamber lets you control the rate of chlorine delivery to meet changing conditions in your pool, by simply adjusting the control dial on the chlorine delivery system. You never have to touch the chlorinating tablets. FOR USE ONLY IN THE AUTOMATIC DELIVERY FEEDER SYSTEM.

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

- 1. Adjust pH level to 7.2 - 7.6
- 2. Bring Free Available Chlorine (FAC) residual to 1-3 a chlorine shock.

ACCEPTED
with COMMENTS
EPA Letter Dated

Follow Manufacturer's Label Directions.

APR 10 1991

- 3. Stabilize the pool with cyanuric acid stabilizer.

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 57735-6

Follow Manufacturer's Label Directions.

- 4. To install chamber: Take feeder cap off. Remove chamber cut offs A & B (fig. 1). Hold chamber so the open end faces down (fig. 2). Insert into feeder. The male end of the chamber must align with the female end located inside the feeder at the bottom (fig. 3). DO NOT FORCE. Replace feeder cap and set the control dial to the appropriate setting. For a guideline, using a 13,500 gallon pool with a pump running 8 hours per day, begin with the control dial set on #2. To achieve the proper FAC, turn the control dial to a higher setting to increase the FAC and turn it to a lower setting to decrease the FAC. Operate the pool for 1 day. Check the FAC residual and increase/decrease to maintain 1-3 ppm.
- 5. Once you have determined the proper setting for your pool, you should not have to re-adjust the setting under normal conditions. Should conditions change (ie: weather, rain, pool use, bather load, etc), the control dial can be easily adjusted to increase or decrease the chlorine feed.

- ~~6. Superchlorinate if needed. Do not add shock treatment to the skimmer. Turn control dial to setting #0 before superchlorinating. Once desired FAC has been obtained, return the control dial to the normal operating setting.~~

BEST AVAILABLE COPY

7. Periodically check the chamber and replace with a new one when empty. Do not attempt to open or refill this chamber.
DO NOT REUSE.

CAUTION:

The warranty will be void if this chamber is not used with the appropriate feeder. Fire or explosion may result if an incorrect chamber is used with this chemical feeder.

ACCEPTED
with COMMENTS
in EPA Letter dated

APR 10 1991

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

53755-6

BEST AVAILABLE COPY

270

STORAGE AND DISPOSAL

Store delivery chambers in original container in a cool, dry, well-ventilated area away from heat or open flame. In case of decomposition, isolate container and flood area with large amounts of water to dissolve all material before discarding this chamber. Do not contaminate food or feed with this product. This chamber is designed for one time use. When empty, triple rinse in pool water, drain, wrap in newspaper and discard in trash.

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS: DANGER

Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Irritating to nose and throat. DO NOT handle chlorinating chemical without wearing rubber gloves and goggles.

FIRST AID (Practical Treatment)

IF CHEMICAL GETS ON SKIN: Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists get medical attention.

IF INHALED: Remove person to fresh air. Get immediate medical attention.

IF IN EYES: Flush with cold water for at least 15 minutes. Get immediate medical attention.

IF SWALLOWED: Give bread soaked in milk followed by large amounts of water. If person is conscious and vomiting, place face down with head lower than hips. Get immediate medical attention.

CHEMICAL HAZARDS: DANGER:

Strong oxidizing agent. Do not refill empty chamber. Contamination with any substance may start a chemical reaction with generation of heat, liberation of hazardous gases and possible fire and explosion. Avoid any contact with flame or burning material, such as a lighted cigarette.

ENVIRONMENTAL HAZARD:

This product is toxic to fish. Do not contaminate lakes, ponds or streams.

Manufactured by: KING TECHNOLOGY, INC., 9909 Smetana Rd.,
Minnetonka, MN 55343 U.S.A. **ACCEPTED FOR REGISTRATION IN EPA Letter Board**

Patents pending

BEST AVAILABLE COPY

APR 10 1991
Under the Federal Insecticide
Fungicide, and Rodenticide Act
as amended, for the purpose
registered under EPA Reg. No.
53735-6