

New Water Pool Protector

For Bottled Product: MINERAL ALGAE PREVENTATIVE
For Bottled Product: Prevents Algae Up to 3 Months

[For Feeder System]: Algae Knock Out Champ


**KEEP OUT OF REACH OF CHILDREN
CAUTION**
SEE ADDITIONAL CAUTIONS ON BACK PANEL

Active Ingredients:
Elemental Copper as Triethanolamine Complex.....3.03%
Inert Ingredients:.....96.97%
Contains 0.32 lb. of Elemental Copper per Gallon

NET CONTENTS = 32 fl oz
24 fl oz

EPA No: 53735-9
EPA Est. No: 57787-MI-1

Distributed by King Technology, Inc., Minneapolis , MN 55343



**USE ONCE EVERY THREE MONTHS
TO PREVENT ALGAE IN YOUR SWIMMING POOL**

PRODUCT DESCRIPTION (BOTTLED PRODUCT):

New Water Pool Protector is part of the New Water 3 Pool Care System that reduces chlorine use and makes pool care easy. Simply add once every four months and use in conjunction with the New Water Cycler and Pac, New Water Knock-Out shock treatment and other New Water products.

DIRECTIONS FOR USE (BOTTLED PRODUCT):

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DOSAGE RATES

PREVENTATIVE: Add 16 fl oz New Water Pool Protector per 10,000 gallons pool water EVERY THREE MONTHS to prevent algae growth in all pool types.

TREATMENT: Add 32 fl oz New Water Pool Protector per 10,000 gallons pool water for SEVERE ALGAE.

WINTER DOSE: Add 16 fl oz New Water Pool Protector per 10,000 gallons pool water.

GENERAL DIRECTIONS

Do not use with any other copper based products.


1. Maintain pool water in the pH range 7.2 to 7.8. Adjust the pH to 7.2 for severe algae.
2. Ensure the filtration system is working properly and the filtration cycle is adequate.
3. A regular brushing program will assist in the removal of stubborn algae.
4. Calculate the volume of New Water Pool Protector required for your pool (16 fl. oz. per 10,000 gallons).
5. Add the product directly to the pool, distributing it over as wide an area as possible.
6. While New Water Pool Protector controls algae it is important that adequate levels of sanitizers (chlorine) be maintained to control bacterial growth.
7. Do not super chlorinate 48 hours before or after using this product.
8. Avoid adding other chemicals until this product has been circulated (filtered) for at least 24 hours.

PRODUCT DESCRIPTION (IN FEEDER SYSTEM):

New Water Pool Protector, that when used with the complete POOL FROG Mineral System, protects a swimming pool against even the toughest algae. Just one initial dose will maintain crystal clear water for a full 90 days. It's one of a kind formula works so well, using once every 3 months ensures no messy algae clean-ups and no weekly additives. It's easy. It's effective. It's powerful! New Water Pool Protector - only from FROG - the water treatment experts.

DIRECTIONS FOR USE (IN FEEDER SYSTEM):

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.



PREVENTATIVE DOSAGE RATES: One New Water Pool Protector per 10,000 to 15,000 gallons pool water every 3 months, two New Water Pool Protector per 20,000 to 30,000 gallons pool water every 3 months.

TREATMENT DOSAGE RATES: Two New Water Pool Protector per 10,000 to 15,000 gallons pool water, four New Water Pool Protector per 20,000 to 30,000 gallons pool water.

PLACEMENT: Turn circulation pump off, open drain valve on side of Cyclor and remove cap from Cyclor. Remove cap from New Water Pool Protector without removing the seal and insert container upside down into the center of the Mineral Reservoir pushing down gently to puncture seal. Replace the cap and drain valve on the Cyclor. Turn control dial on the Cyclor to maximum and turn pump on for 1 hour allowing New Water Pool Protector to circulate through the pool.

REMOVAL: Turn pump off and Remove Cyclor cap. Lift the New Water Pool Protector container up and allow any water in the container to drain through the Cyclor. Remove the empty container and insert a FROG chlorine Bac Pac following directions for use on its label.

GENERAL DIRECTIONS:

- 1) Maintain pH of pool water between 7.2 to 7.8. Adjust the pH to 7.2 for severe algae.
- 2) Ensure the filtration system is working properly and the filtration cycle is adequate.
- 3) A regular brushing program will assist in the removal of stubborn algae.
- 4) While New Water Pool Protector controls algae, it is important that adequate levels of sanitizers (chlorine) be maintained to control bacterial growth.
- 5) Do not super chlorinate 48 hours before or after using this product.
- 6) Avoid adding other chemicals until this product has been circulated (filtered) for at least 24 hours.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

New Water Pool Protector may cause eye irritation and skin damage. Do not get in eyes or on clothing. In case of contact, wash thoroughly. For eyes, flush with plenty of water and get medical attention immediately. Harmful if swallowed. Do not induce vomiting or give anything by mouth to an unconscious person. If swallowed call a doctor.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Treated effluent should not be discharged in lakes, ponds or public water.

DISPOSAL

Do not re-use empty container. Wrap container and dispose of properly.

NOTICE

Neither King Technology Inc. nor the seller of this product can accept any responsibility where the product is not used according to directions and for the manner in which it was intended.

