

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

JUN 0 5 2003

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Ms. Laura Larson Controller for, King Technology, Inc. 530 11th Avenue S. Hopkins, MN 55343

Subject: New Water Pool Protector

EPA Registration Number 53735-9 Your Notification Dated May 8th, 2003 EPA Received Date May 14th, 2003

The notification referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, to add additional container size(s) and the statement, "Tailor made for service companies," is acceptable.

Your notification has been made a part of the permanent records for this file.

If you have any questions concerning this letter, please contact Karen M. Leavy-Munk at (703)-308-6237.

Sincerely,

Marshall Swindell
Product Manager 3

Product Manager 33

Regulatory Management Branch I Antimicrobial Division(7510C)

Please read instructions on	reverse petore comple	ting form.		Form Approved	1. OMB No. 207	0-0060	, , , , , , , , , , , , , , , , , , , ,	
United States Environmental Protection Washington, DC 2046			160 X		Registration Amendment Other		OPP Identifier Number 287503	
Application for Pesticide - Section I								
1. Company/Product Number 53735-9				2. EPA Product Manager 3. Proposed Classification Marshall Swindell				
4. Company/Product (Name) New Water Pool Protector			PM#.;	PM#-13 3 4 X None Restricted				
King Technolog 530 11th Avenue Hopkins, MN 55	(b)(i), m to: EPA R	EPA Reg. No						
Section • II								
Amendment - Explain Resubmission in resp Notification - Explain		Final printed labels in response to Agency letter dated "Me Too" Application. Other - Explain below.						
Explanation: Use additional page(s) if necessary. (For section I and Section II.) Notification of additional size container and the addition of a statement on the front panel of master label "Tailor made for service companies". All changes appear in red print on enclosed labels.								
Section - III								
3 Material This Product Will Be Packaged In:								
Child-Resistant Packaging Yes* No Pertification must	Unit Packaging Yes No If "Yes" No. per		Water Soluble Peckaging Yes No If "Yes" No. per		2. Type of Container Metal Plastic Glass Paper Other (Specify)			
b <i>ibmitted</i>	Unit Peckaging wgt.	renic trop	Peckage wgt	container	[——	Otiner (Sp	-ecity/	
Lebel Container 16, 24,				5. Location of Label Directions On Label On Label On Labeling accompanying product				
6. Manner in Which Label is Affixed to Product Lithograph Other Paper glued Stenciled								
Section - IV								
. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)								
lame Laura Larson			Tide Controller		Telephone No. (Include Area Code)			
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. 6. Date Application Received CStamped								
Laura Larson			Controller				***	
. Typed Name Laura Larson		5	. Date 5/8/0	03				
Laura Larson								

New Water Pool Protector

For Bottled Product: For Bottled Product:

MINERAL ALGAE PREVENTATIVE Prevents Algae Up to 3 Months

[For Feeder System]:

Algae Knock Out Champ 90 Day Algae Protection

KEEP OUT OF REACH OF CHILDREN CAUTION SEE ADDITIONAL CAUTIONS ON BACK PANEL

Active Ingredients:

Contains 0.32 lb. of Elemental Copper per Gallon

NET CONTENTS = 32 fl oz

24 fl oz

EPA No: 53735-9

EPA Est. No: 57787-MI-1

Distributed by King Technology, Inc.,

, MN 55343

TREATMENT DOSAGE RATES: Two New Water Pool Protector per 10,000 to 15,000 gallons pool water, four New Water Pool Protector per 20,000 to 30,000 gallons pool water.

<u>PLACEMENT:</u> Turn circulation pump off, turn dial to Pac Removal, open drain valve on side of Cycler and remove cap from Cycler. Remove cap from New Water Pool Protector without removing the seal and insert container upside down into the center of the Mineral Reservoir pushing down gently to puncture seal. Replace the cap and drain valve on the Cycler. Turn control dial on the Cycler to maximum and turn pump on for 90 minutes allowing New Water Pool Protector to circulate through the pool.

REMOVAL: Turn pump off, turn dial to Pac Removal and Remove Cycler cap. Lift the New Water Pool Protector container up and allow any water in the container to drain through the Cycler before discarding. NOTE: After discarding New Water Pool Protector, if water shows more than a hint of blue inside Cycler, replace the Cycler cap, turn dial to Maximum and run the pump for one minute. Repeat Placement and Removal instructions if additional New Water Pool Protector is required. Then insert a Pool FROG chlorine Bac Pac following the directions on its label.

GENERAL DIRECTIONS:

- 1) Maintain pH of pool water between 7.2 to 7.8. Adjust the pH to 7.2 for severe algae.
- 2) Ensure the filtration system is working properly and the filtration cycle is adequate.
- 3) A regular brushing program will assist in the removal of stubborn algae.
- 4) While New Water Pool Protector controls algae, it is important that adequate levels of sanitizers (chlorine) be maintained to control bacterial growth.
- 5) Do not super chlorinate 48 hours before or after using this product.
- 6) Avoid adding other chemicals until this product has been circulated (filtered) for at least 24 hours.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

New Water Pool Protector may cause eye irritation and skin damage. Do not get in eyes or on clothing. In case of contact, wash thoroughly. For eyes, flush with plenty of water and get medical attention immediately. Harmful if swallowed. Do not induce vomiting or give anything by mouth to an unconscious person. If swallowed call a doctor.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Treated effluent should not be discharged in lakes, ponds or public water.

DISPOSAL

Do not re-use empty container. Wrap container and dispose of properly.

NOTICE

Neither King Technology Inc. nor the seller of this product can accept any responsibility where the product is not used according to directions and for the manner in which it was intended. New Water Pool Protector must be used in accordance with King Technology's operating instructions. Failure to use New Water Pool Protector as instructed will void the warranty.

USE ONCE EVERY THREE MONTHS TO PREVENT ALGAE IN YOUR SWIMMING POOL

PRODUCT DESCRIPTION (BOTTLED PRODUCT):

New Water Pool Protector is part of the New Water 3 Pool Care System that reduces chlorine use and makes pool care easy. Simply add once every four months and use in conjunction with the New Water Cycler and Pac, New Water Knock-Out shock treatment and other New Water products.

DIRECTIONS FOR USE (BOTTLED PRODUCT):

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DOSAGE RATES

PREVENTATIVE: Add 16 fl oz New Water Pool Protector per 10,000 gallons pool water EVERY THREE MONTHS to prevent algae growth in all pool types.

TREATMENT: Add 32 fl oz New Water Pool Protector per 10,000 gallons pool water for SEVERE ALGAE.

WINTER DOSE: Add 16 fl oz New Water Pool Protector per 10,000 gallons pool water.

GENERAL DIRECTIONS

Do not use with any other copper based products.

- 1. Maintain pool water in the pH range 7.2 to 7.8. Adjust the pH to 7.2 for severe algae.
- 2. Ensure the filtration system is working properly and the filtration cycle is adequate.
- 3. A regular brushing program will assist in the removal of stubborn algae.
- 4. Calculate the volume of New Water Pool Protector required for your pool (16 fl. oz. per 10,000 gallons).
- 5. Add the product directly to the pool, distributing it over as wide an area as possible.
- 6. While New Water Pool Protector controls algae it is important that adequate levels of sanitizers (chlorine) be maintained to control bacterial growth.
- 7. Do not super chlorinate 48 hours before or after using this product.
- 8. Avoid adding other chemicals until this product has been circulated (filtered) for at least 24 hours.

PRODUCT DESCRIPTION (IN FEEDER SYSTEM):

New Water Pool Protector, when used with the complete POOL FROG Mineral System, protects a swimming pool against even the toughest algae. Just one initial dose will prevent algae for a full 90 days. It's one of a kind formula works so well, using once every 3 months ensures no messy algae clean-ups and no weekly additives. It's easy. It's effective. It's powerful! New Water Pool Protector - only from the makers of FROG - the water treatment experts.

DIRECTIONS FOR USE (IN FEEDER SYSTEM):

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

PREVENTATIVE DOSAGE RATES: One New Water Pool Protector per 10,000 to 15,000 gallons pool water every 3 months, two New Water Pool Protector per 20,000 to 30,000 gallons pool water every 3 months.