

53735-9

9/26/2012

1/13



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON D C 20460

SEP 26 2012

OFFICE OF
PREVENTION PESTICIDES
AND TOXIC SUBSTANCES

Abigail T Downs
Regulatory Agent for,
King Technologies, Inc
530 11th Avenue South
Hopkins, MN 55343

Mail to Abigail T Downs
TSG Technology Sciences Group
1150 18th Street, NW, Suite 1000
Washington, D C 20036

Subject New Water Pool Protector
EPA Registration Number 53735-9
Your Amendment Date June 5, 2012
EPA Received Date June 5, 2012

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, FIFRA, as amended, to revise the product labeling, is acceptable

A stamped copy of the labeling is enclosed for your file

If you have questions concerning this letter, please contact Karen M Leavy at (703)-308-6237

Sincerely,

A handwritten signature in black ink, which appears to read "Marshall Swindell", is written over the typed name.

Marshall Swindell
Product Manager 33
Regulatory Management Branch I
Antimicrobials Division(7510P)

{All text in brackets [xxx] is optional and may or may not be included on a final label }

{All text in braces {xxx} is administrative and will not appear on a final label }

{MASTER LABEL}

{Alternate Brand Names }

[Frog Bam]

[Aqua Smarte Jump Start]

[Frog Leap Bam]

[Frog Leap Cannon Ball]

[Frog Leap BOMB 90]

[Frog Leap ALL-OUT]

[Frog Leap Bombshell 90]

[Frog Leap Blitz!]

[Aqua Smarte Plus Cannon Ball]

[Aqua Smarte BOMB 90]

[Aqua Smarte ALL-OUT]

[Aqua Smarte Bombshell 90]

[Aqua Smarte Blitz!]

New Water Pool Protector

For Bottled Product

For Bottled Product

MINERAL ALGAE PREVENTATIVE

Prevents Algae Up to 3 Months

{For Feeder System}

[Algae Knock Out Champ]

90 Day Algae Protection

{Optional}

[Tailor Made for Service Companies]

ACCEPTED
with COMMENTS
in EPA Letter Dated
SEP 26 2012

Under the Federal Insecticide
Fungicide and Rodenticide Act as
amended for the pesticide
registered under EPA Reg No. 53735-9

KEEP OUT OF REACH OF CHILDREN

WARNING

See First Aid and Additional Precautionary Statements on Back Panel

Active Ingredient

Copper triethanolamine complex (CAS Number 82027-59-6) 10 03%

Other Ingredients

89 97%

Total

100 00%

Elemental Copper - 3 03%

NET CONTENTS = [32 fl oz]

[24 fl oz]

[128 fl oz]

EPA No 53735-9

EPA Est No 57787-MI-1

[Distributed by] King Technology, Inc 530 11th Ave So Hopkins MN 55343

King Technology New Water Pool Protector

Label Revision September 19 2012

Page 1 of 12

**USE ONCE EVERY THREE MONTHS
TO PREVENT ALGAE IN YOUR SWIMMING POOL**

PRODUCT DESCRIPTION {BOTTLED PRODUCT}

New Water Pool Protector is a 90 day algae preventative for swimming pools. Simply add New Water Pool Protector directly to the pool water once every three months to ensure no messy algae clean ups and no weekly additives.

DIRECTIONS FOR USE {BOTTLED PRODUCT}

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DOSAGE RATES

PREVENTATIVE Add 16 fl oz New Water Pool Protector per 10,000 gallons pool water EVERY THREE MONTHS to prevent algae growth in all pool types.

TREATMENT Add 32 fl oz New Water Pool Protector per 10,000 gallons pool water for SEVERE ALGAE.

WINTER DOSE Add 16 fl oz New Water Pool Protector per 10,000 gallons pool water.

GENERAL DIRECTIONS

Do not use with any other copper based products.

1. Maintain pool water in the pH range 7.2 to 7.8. Adjust the pH to 7.2 for severe algae.
2. Ensure the filtration system is working properly and the filtration cycle is adequate.
3. A regular brushing program will assist in the removal of stubborn algae.
4. Calculate the volume of New Water Pool Protector required for your pool (16 fl oz per 10,000 gallons).
5. Add the product directly to the pool, distributing it over as wide an area as possible.
6. While New Water Pool Protector controls algae, it is important that adequate levels of sanitizers (chlorine) be maintained to control bacterial growth.
7. [Wait 24 hours after shocking before using New Water Pool Protector] [If using directly after a shock treatment, test the water first to ensure the pH is in the proper range of 7.2 to 7.8 and the chlorine level is no more than 4.0 ppm].
8. Avoid adding other chemicals until this product has been circulated (filtered) for at least 24 hours.

PRODUCT DESCRIPTION {IN FEEDER SYSTEM}

New Water Pool Protector, [when used with the complete POOL FROG Mineral System], protects a swimming pool against even the toughest algae. Just one initial dose will prevent algae for a full 90 days. It's one of a kind formula works so well, using once every 3 months ensures no messy algae clean-ups and no weekly additives. It's easy. It's effective. It's powerful! New Water Pool Protector - from the makers of [FROG] [King Technology] - the water treatment experts.

DIRECTIONS FOR USE {IN FEEDER SYSTEM}

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

ACCEPTED
with COMMENTS
in EPA Letter Dated

SEP 26 2012

Under the Federal Insecticide
Fungicide and Rodenticide Act as
amended for the pesticide
registered under EPA Reg No 53735-9

King Technology New Water Pool Protector
Label Revision September 19 2012
Page 2 of 12

4/13

PREVENTATIVE DOSAGE RATES Use one New Water Pool Protector for pools up to 15,000 gallons of water every 3 months Use two New Water Pool Protector for pools between 15 000 and 30,000 gallons of water every 3 months

TREATMENT DOSAGE RATES Use two New Water Pool Protector for pools up to 15,000 gallons of water Use four New Water Pool Protector for pools between 15,000 and 30 000 gallons of water

PLACEMENT Turn circulation pump off turn dial to [Setting 0] [Minimum] [Pac Removal][or OFF] [depending on the model] [lowest setting], and remove cap from Cyclor If Bac Pac is currently being used inside the Mineral Reservoir remove and set aside Remove cap from New Water Pool Protector without removing the seal and insert container upside down into the center of the Mineral Reservoir pushing down firmly to puncture seal Replace the cap on the Cyclor Turn control dial on the Cyclor to Maximum Setting [5] [10] or ON depending on the model and turn pump on for 90 minutes allowing New Water Pool Protector to circulate through the pool

REMOVAL Turn pump off, turn dial to [Setting 0] [Minimum] [Pac Removal] [or OFF] [lowest setting] and remove Cyclor cap Lift the New Water Pool Protector container up and allow any water in the container to drain through the Cyclor before discarding [NOTE After discarding New Water Pool Protector, if water shows more than a hint of blue inside Cyclor, replace the Cyclor cap turn dial to Maximum, Setting [5] [10] or ON and run the pump for one minute] Repeat Placement and Removal instructions if additional New Water Pool Protector is required Then insert a Pool FROG chlorine [Bac] Pac following the directions on its label

GENERAL DIRECTIONS

Do not use with any other copper based products

- 1) Maintain pH of pool water between 7.2 to 7.8 Adjust the pH to 7.2 for severe algae
- 2) Ensure the filtration system is working properly and the filtration cycle is adequate
- 3) A regular brushing program will assist in the removal of stubborn algae
- 4) While New Water Pool Protector controls algae, it is important that adequate levels of sanitizers (chlorine) be maintained to control bacterial growth
- 5) [Wait 24 hours after shocking before using New Water Pool Protector] [If using directly after a shock treatment test the water first to ensure the pH is in the proper range of 7.2 to 7.8 and the chlorine level is no more than 4.0 ppm]
- 6) Avoid adding other chemicals until this product has been circulated (filtered) for at least 24 hours

PRODUCT DESCRIPTION {IN FLOATING POOL SYSTEM}

New Water Pool Protector 90-day algae preventative uniquely dispenses into the pool as part of a 3-step pool care system for [pop up] [splasher] [small above ground] [easy set] [quick set] [metal frame] [oval frame] [ultra frame] [frame] [set] pools Just one dose protects a swimming pool against even the toughest algae for up to 3 months Simply [connect] [attach] to the mineral and chlorine [cartridges] [halves] [system] and float in the pool No measuring, no guessing no messy algae clean-ups and no weekly additives It's easy and effective

ACCEPTED
with Comments
and Letter Dated
SEP 26 2012
Under the Federal Insecticide
Fungicide and Rodenticide Act as
amended for the pesticide
registered under EPA Reg No 53735-9

King Technology New Water Pool Protector
Label Revision September 19 2012
Page 3 of 12

5/13

DIRECTIONS FOR USE {IN FLOATING POOL SYSTEM}

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

PREVENTATIVE DOSAGE RATES Use one New Water Pool Protector for pools {up to {12 } {15 } {18 } in diameter } {or } {approximately {3000 } {5000 } {6000 } gallons } {between {1000 } {2000 } and {5000 } {6000 } gallons } every 3 months Not recommended for pools under {800 } {1000 } {1200 } gallons

PLACEMENT Remove from box and follow directions carefully [Remove protective [seal] [insert] [sticker] [wrapping] from product] Attach to FROG Flip by lining up the [arrows] [alignment marks] [tick marks] [icons] [water drops] on the mineral half with the same marks on this product [Push down] [Rotate] until it clicks in place [Attached chlorine half to the other end of this product by lining up the arrows pushing together and twisting to set] To prevent spillage, turn product so protruding [cap] [tab] [plug] is facing up and hold over the pool [Unscrew cap] [Twist and break off tab] [Remove plug] and [toss] [place] [let] entire system [float in] [into] the pool

REMOVAL Wait [30] [60] [90] [minutes] [8 hours] [1day] [2 days] for product to fully dispense Then remove by [rotating until [arrows] [alignment marks] [tick marks] [icons] [water drops] line up and pull apart] [pulling up on product to disengage from system] Drain water and discard or recycle

GENERAL DIRECTIONS

Do not use with any other copper based products

- 1) Maintain pH of pool water between 7.2 to 7.8 Adjust the pH to 7.2 for severe algae
- 2) Ensure the filtration system is working properly and the filtration cycle is adequate
- 3) A regular brushing program will assist in the removal of stubborn algae
- 4) While New Water Pool Protector controls algae, it is important that adequate levels of sanitizers (chlorine) be maintained to control bacterial growth
- 5) [Wait 24 hours after shocking before using New Water Pool Protector] [If using directly after a shock treatment, test the water first to ensure the pH is in the proper range of 7.2 to 7.8 and the chlorine level is no more than 4ppm]
- 6) Avoid adding other chemicals until this product has been circulated (filtered) for at least 24 hours

PRODUCT DESCRIPTION {IN BULK CHLORINATOR}

New Water Pool Protector 90 day algae preventative uniquely dispenses into the pool as part of a 3 step pool care system that fits inside a [Hayward] [Rainbow] chlorinator Just one dose protects a swimming pool against even the toughest algae for up to 3 months Simply connect to the [Pool Frog Mineral Reservoir] [adapter] to pierce the seal and insert into the chlorinator No measuring, no guessing, no messy algae clean-ups

ACCEPTED
with COMMENTS
in EPA Letter Dated.

SEP 26 2012

Under the Federal Insecticide
Fungicide and Rodenticide Act as
amended for the pesticide
registered under EPA Reg No
53735-9

and no weekly additives It's easy It's effective It's powerful! New Water Pool Protector - from the makers of FROG - the water treatment experts

DIRECTIONS FOR USE {IN BULK CHLORINATOR}

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

PREVENTATIVE DOSAGE RATES Use one New Water Pool Protector for pools up to [12,000] [15,000] [20,000] [25,000] [30,000] gallons of water every 3 months Use two or more New Water Pool Protector every 3 months for larger pools

TREATMENT DOSAGE RATES Double the preventative dose of New Water Pool Protector for pools up to [12,000] [15 000] [20 000] [25,000] [30,000] gallons of water

PLACEMENT Turn circulation pump off, turn dial on chlorinator to OFF and remove its cap If chlorine pac is in use remove and set aside Remove cap from New Water Pool Protector without removing the seal [Partially [Push] [Screw] [Affix] New Water Pool Protector on to the POOL FROG Mineral Reservoir and insert the system into the chlorinator When in place, continue to [push] [screw] down firmly to puncture the seal] [When the POOL FROG Mineral Reservoir is in place at the bottom of the chlorinator, lower New Water Pool Protector over protrusion and [push] [screw] down firmly to puncture seal] Replace cap turn dial to full open and run for [30] [60] [90] minutes [8 hours] [1day] to evenly distribute New Water Pool Protector

REMOVAL Turn pump off turn dial on chlorinator to OFF and remove its cap Lift the New Water Pool Protector up and disengage it from the POOL FROG Mineral Reservoir by [pulling the two apart] [unscrewing it] Allow any water in the container to drain [through] [into] the chlorinator before discarding Repeat Placement and Removal instructions if additional New Water Pool Protector is required Then insert a POOL FROG chlorine Pac following the directions on its label

GENERAL DIRECTIONS

Do not use with any other copper based products

- 1) Maintain pH of pool water between 7.2 to 7.8 Adjust the pH to 7.2 for severe algae
- 2) Ensure the filtration system is working properly and the filtration cycle is adequate
- 3) A regular brushing program will assist in the removal of stubborn algae
- 4) While New Water Pool Protector controls algae, it is important that adequate levels of sanitizers (chlorine) be maintained to control bacterial growth
- 5) [Wait 24 hours after shocking before using New Water Pool Protector] [If using directly after a shock treatment test the water first to ensure the pH is in the proper range of 7.2 to 7.8 and the chlorine level is no more than 4ppm]
- 6) Avoid adding other chemicals until this product has been circulated (filtered) for at least 24 hours

ACCEPTED
with COMMENTS
in EPA Letter Dated.
SEP 26 2012

Under the Federal Insecticide
Fungicide and Rodenticide Act as
amended for the pesticide
registered under EPA Reg. No.

53735-9

King Technology New Water Pool Protector
Label Revision September 19 2012
Page 5 of 12

FIRST AID **If Inhaled** Move person to fresh air. If person is not breathing call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. **If Swallowed** Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **If on Skin or Clothing** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **If in Eyes** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-424-9300 for emergency treatment information.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

May be fatal if inhaled. Harmful if swallowed. Harmful if absorbed through skin. Causes moderate eye irritation. Do not breathe vapor or spray mist. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear long-sleeved shirt and long pants, socks, shoes and chemical-resistant gloves made of any waterproof materials and a dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C) or a NIOSH approval respirator with any N, R, P or HE pre-filter.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

User Safety Recommendations

User should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

User should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

User should remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

ACCEPTED
with COMMENTS
in EPA Letter Dated
SEP 26 2012
Under the Federal Insecticide
Fungicide and Rodenticide Act as
amended for the pesticide
registered under EPA Reg No

53735-9 King Technology New Water Pool Protector
Label Revision September 19 2012
Page 6 of 12

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Treated effluent should not be discharged in lakes, ponds or public water.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage Store this product in a cool, dry place away from children and pets.

Pesticide Disposal and Container Handling Nonrefillable container. **If empty** Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE

Neither King Technology Inc. nor the seller of this product can accept any responsibility where the product is not used according to directions and for the manner in which it was intended. New Water Pool Protector must be used in accordance with King Technology's operating instructions. Failure to use New Water Pool Protector as instructed will void the warranty.

{Optional Language to accompany product on Hang Tag}

NEW WATER POOL PROTECTOR Algae Protection Guarantee!*

*This is a limited warranty. Details on back.

Attention: POOL FROG Mineral System Users!

King Technology Inc. warrants its NEW WATER POOL PROTECTOR product for a period of 90 days to eliminate algae from inground or above ground swimming pools when used properly with the POOL FROG Mineral System and if (a) NEW WATER POOL PROTECTOR is added to the pool every 90 days (b) the POOL FROG Mineral Reservoir has been replaced within 6 months (c) the pool maintains a chlorine residual of at least 0.5 ppm at all times and (d) the pool is properly balanced.

Consumer Claims Terms and Conditions

If algae occurs during the 90 day warranty period for your NEW WATER POOL PROTECTOR, notify your FROG dealer and provide him with (a) sales receipt showing purchase of a Pool Frog Mineral Reservoir within 6 months of the date of claim, (b) sales receipt showing purchase of NEW WATER POOL PROTECTOR within 90 days of the date of claim and (c) a pool water sample showing proper chlorine levels, pH balancing and normal cyanuric acid levels. If dealer approves the claim, you will be provided with enough NEW WATER POOL PROTECTOR to take care of the algae problem. Follow label directions for treatment carefully.

ACCEPTED
with COMMENTS
in EPA Letter Dated

SEP 26 2012

Under the Federal Insecticide
Fungicide and Rodenticide Act as
amended for the pesticide
registered under EPA Reg No. 3359

King Technology New Water Pool Protector
Label Revision September 19, 2012
Page 7 of 12

This warranty is the exclusive warranty for NEW WATER POOL PROTECTOR. This warranty is not transferable. KING TECHNOLOGY INC. MAKES NO REPRESENTATION OR WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, AS TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER MATTER WITH RESPECT TO NEW WATER POOL PROTECTOR. All claims for NEW WATER POOL PROTECTOR, whether in contract, negligence, strict liability or any other tort or otherwise are deemed waived or released unless made within the 90 day warranty period for NEW WATER POOL PROTECTOR to your local FROG dealer with the proofs of claim required. YOUR EXCLUSIVE REMEDY SHALL IN NO EVENT EXCEED PROVIDING YOU WITH ADDITIONAL NEW WATER POOL PROTECTOR TO CURE THE ALGAE PROBLEM. IN NO EVENT WILL KING TECHNOLOGY INC. BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, SPECIAL OR PUNITIVE DAMAGES RESULTING FROM ANY CAUSE. King Technology, Inc. will not be liable for any product misuse, incorrect water balancing, allowing the chlorine residual to drop below standards provided above, not cleaning the pool filter when needed or improper circulation time per day.

Dealer Instructions

To handle an algae claim, proceed as follows:

1. Collect all sales receipts requested above.
2. Test pool water for a chlorine residual of at least 0.5 ppm, proper pH levels of 7.2 to 7.8, proper alkalinity of 60-120 ppm and proper cyanuric acid levels of 20-80 ppm.
3. If pool test meets requirements and their circulation time was at least 6-8 hours per day, give the consumer enough NEW WATER POOL PROTECTOR to treat the algae at no charge (see label directions for algae treatment).
4. Send a no charge NEW WATER POOL PROTECTOR invoice stating consumer name, address and phone number {and e-mail address} along with all consumer documentation, including the pool test readings, to BAM Guarantee, c/o King Technology Inc., 530 11th Avenue So., Hopkins, MN 55343.
5. Reimbursement will be replacement NEW WATER POOL PROTECTOR in the same quantity sent directly to your dealership.
6. Questions? Contact King Technology's Customer Service Department at 800-222-0169.]

ACCEPTED
with COMMENTS
in EPA Letter Dated

SEP 26 2012

Under the Federal Insecticide
Fungicide and Rodenticide Act
amended for the pesticide
registered under FIFRA

53735-9

10/13

[All text on this page is optional language for manuals and packaging]

Frog Leap Pool Wake Up! Operation Instructions
For Spring Openings

It's as easy as Ready Set Go!

Frog Leap Depth Charge
Ready Start by removing contaminants to keep water crystal clear

Frog Leap Reveille
Set Then set your chlorine level

Frog Leap All Out
Go Then prevent algae with a 90 day algae protection guarantee (see website below for guarantee details)

- 1 Frog Leap Depth Charge
After balancing the pool water and inserting a new Frog Leap Anti Bac Mineral Pac into the {Frog Leap} {or Pool Frog} {System} {Cycler} {Infuser} insert Frog Leap Depth Charge using steps 1 through 87

WATER BALANCE GUIDELINES	
pH	7.2 - 7.8
Total Alkalinity	60 - 120 ppm
Calcium Hardness	150 - 400
Total Dissolved Solids	<1500
Stabilizer (Cyanuric Acid)	20 - 80 ppm
Free Chlorine	0.5 - 1.0 ppm

- 1 With the circulation system off set control dial to {Setting 0} {Minimum} {Pac Removal} {or} {Off} {depending on the model} {lowest setting} and remove the cap to the {Frog Leap} {or Pool Frog} {System} {Cycler} {Infuser}
- 2 Remove caps from Frog Leap Depth Charge with a pliers or other suitable tool
- 3 Turn Frog Leap Depth Charge over so open ends face down and insert into the center of the Frog Leap Anti-Bac Mineral Pac. The ends of the pac will align with an L shaped key in the system. DO NOT FORCE
- 4 Replace cap on {Frog Leap} {or Pool Frog} {System} {Cycler} {Infuser} and set dial to {setting 5} {Maximum} {or} {On} {depending on the model}
- 5 Turn on pump and allow 1 hour for the product to slowly dispense into the pool. If after 1 hour the pac still contains some ingredient reinsert, replace cap and run the circulation for an additional 30 minutes. {1 Hour Dispensing} {Dispenses in 1 hour}
- 6 Remove the empty Frog Leap Depth Charge and discard or recycle
- 7 Replace cap on {Frog Leap} {or Pool Frog} {System} {Cycler} {Infuser} and allow circulation to run at least 15 minutes before inserting any other Frog Leap products
- 8 Repeat steps 1-7 if additional Frog Leap Depth Charge is required
- 2 Frog Leap Reville
Dispense Frog Leap Reville to establish your initial chlorine level in the pool following the same steps 1 through -87 for Frog Leap Depth Charge

ACCEPTED
with COMMENTS
in EPA Letter Dated
SEP 26 2012
Under the Federal Insecticide
Fungicide and Rodenticide Act as
amended for the pesticide
registered under EPA Reg No 537359

[All text on this page is optional language for manuals and packaging]

3 Frog Leap All-Out

After Frog Leap Depth Charge and Frog Leap Reveille have dispensed test the water before adding Frog Leap All-Out for a 90 day algae protection guarantee. When the pH is between 7.2 and 7.8 and the chlorine level is no more than 4.0 ppm follow steps 1-8 below.

1 Turn off pump and turn dial to {Setting 0} {Minimum} {Pac Removal} {or} {Off} {depending on the model} {the lowest setting} and remove cap from the {Frog Leap} {or Pool Frog} {System} {Cycler} {Infuser}.

2 Remove cap from Frog Leap All Out without removing seal.

3 Insert upside down into center of Frog Leap Anti Bac Mineral Pac pushing down firmly on key to puncture seal.

4 Replace cap by hand only. DO NOT OVERTIGHTEN. Turn control dial to {Setting 5} {Maximum} {or} {On} {depending on the model}.

5 Turn pump on for 90 minutes allowing Frog Leap All-Out to circulate through pool.

6 To remove Frog Leap All Out turn pump off turn dial to {Setting 0} {Minimum} {Pac Removal} {or Off} {depending on the model} {lowest setting} and remove system cap.

7 Lift Frog Leap All-Out up and allow any water in the container to drain through the system before recycling or discarding in trash. **NOTE: If water shows more than a hint of blue inside {Frog Leap} {or Pool Frog} {System} {Cycler} {Infuser}, replace the cap, turn dial to Setting 5 {Maximum} {or} {On} {depending on the model} and run the pump for one minute.**

7a If pool size requires additional Frog Leap All-Out repeat steps 1-7. **NOTE: Avoid adding other chemicals until this product has been circulated (filtered) for at least 24 hours.**

After using Frog Leap Pool Wake Up! insert your Frog Leap Torpedo Pac for continuous low chlorine maintenance for weeks at a time.

Use only the factory recommended prefilled pacs inside the Pool Frog or FROG Leap System per the instructions. Do not use any other pac or bulk chemicals in the Pool Frog or Frog Leap System. Use of any other product could result in damage to pool equipment or surface, unsafe pool conditions, fire or explosion.

Frog Leap Pool Hibernation Operation Instructions For Fall Closings

The 1-2 Winterizing Punch!

- Frog Leap Depth Charge removes contaminants {to keep water crystal clear}. Dispenses in 1 hour.

Before lowering the water level and discarding the used Frog Leap Anti Bac Mineral Pac insert Frog Leap Depth Charge using steps 1 through -8.

- Frog Leap All Out prevents algae {throughout the winter} {all winter long} {to prepare the pool for a {smoother spring start up} {worry free summer}}. Dispenses in 90 minutes.

If pH is balanced and the chlorine level is under 4.0 ppm dispense Frog Leap All Out algae preventative following steps 1-7.

U.S. Patent Numbers ## and other U.S. and Foreign patents pending

ACCEPTED
with COMMENTS
in EPA Letter Dated

SEP 26 2012

Under the Federal Insecticide
Fungicide and Rodenticide Act as
amended for the pesticide
registered under EPA Reg. No.

53735-9

King Technology New Water Pool Protector
Label Revision September 19, 2012
Page 10 of 12

[All text on this page is optional language for packaging]

Convenience Pack for Spring Start up

No Guess No Mess No Stress

For Optimal {Optimum} Performance of the FROG Leap System!

Wakes up your pool in a snap!

After inserting a new FROG Leap Anti Bac Mineral Pac it's time for Frog Leap Depth Charge

Start by {oxidizing} {cleansing}

{Install} {Use} {Dispense} the FROG Shock Pac {Frog Leap Depth Charge} {per the directions on the label} to {remove} {oxidize} {eliminate} contaminants Allow 1 hour for Frog Leap Depth Charge to slowly dispense into the pool

After fully dispensing Frog Leap Depth Charge run the pool circulation for 15 minutes before inserting FROG Dichlor Pac

{Install} {Use} {Dispense} the FROG Dichlor Pac {per the directions on the label} to establish a chlorine {residual} {level} Use this to determine your Cyclor dial setting to ensure you are maintaining the 0.5 to 1.0 ppm level used with the FROG Leap Mineral System Sets {Establishes} a chlorine {residual} {level} in the pool {prior to adjusting} {to help find the} precise dial setting for the FROG {Leap} {System} {Cyclor} {Infuser}

Allow 1 hour for Frog Dichlor Pac to slowly dispense into the pool

Test the water after {FROG Dichlor Pac} to ensure the pH is balanced and the chlorine level is below 4.0 ppm before {installing} {using} {dispensing} FROG Leap All Out {per the directions on the label} for a 90 day algae protection guarantee! Prevents algae for a cleaner clearer pool
Prevents algae {all winter long} {during} {through} {the winter}

All {Frog Leap} {Pool Wake Up} {Pool Hibernation} components are recyclable!

Convenience Pack for Fall Closing{s}

Puts your pool to sleep for the {winter} {off season}

The 1 – 2 {Winterizing} {Fall Closing} {Hibernation} Punch

- 1 Frog Leap Depth Charge – Removes contaminants to keep water crystal clear
- 2 Frog Leap All-Out – Prevents algae to prepare the pool for a smoother spring start-up

Use the Frog Leap Depth Charge and FROG Leap All-Out Algae Preventative for an easy 2 step {winterizing} {fall closing} {fall shut down} program that uniquely {feeds} {dispenses} through the FROG {Leap} {System} {Cyclor} {Infuser}

Before lowering the water level and discarding the Frog Leap Anti-Bac Mineral Pac it's time for Frog Leap Depth Charge

Ensure a worry free off season as your pool sleeps away the winter months!

For residential pools up to {15 000} {20 000} {40 000} gallons **[All text on this page is optional marketing statements]**

Use with FROG Shock Pac {Frog Leap Depth Charge} and FROG BAM {for complete pool opening start up} {to awaken wake up your pool}

Leap into Summer!

ACCEPTED
with COMMENTS
in EPA Letter Dated

SEP 26 2012

Under the Federal Insecticide
Fungicide and Rodenticide Act as
amended for the pesticide
registered under EPA Reg No

King Technology New Water Pool Protector
Label Revision September 19 2012
Page 11 of 12

53735-9

Use the FROG Shock Pac {Frog Leap Depth Charge} the FROG Dichlor Pac and FROG BAM Algae Preventative for an easy 3 step start up {program} {system} that uniquely feeds through the FROG Leap {System} {Cycler}

Prepare your pool for a {fun summer ahead} {smoother spring start-up}!
Ensure a worry free summer with proper start up
It s as easy as {1 2 3} {A B C}

Always start you summer with a new FROG Leap Mineral Reservoir Then it s time for {Wake Up} {Awakening} {Awake}

After using the {Wake Up} {Awakening} {Awake} Kit insert your FROG {Leap} {Bac} {Torpedo} Pac for continuous low chlorine maintenance for weeks at a time

The worry free way to winterize your pool
The Essential FROG Leap Pool {Start up} {Opening} {Winterizing} {Closing} {Shut Down} Kit
Specially packaged for FROG Leap Mineral System users

No mixing no measuring no touch

{Get the most from your Frog Leap Mineral System} {Maximize your mineral benefits} with the FROG Leap {Wake Up} {and} {Hibernation} Kit{s}

All {FROG Leap} {Pool Wake Up!} {Pool Hibernation} components are recyclable {when finished dispensing for a responsible solution to pool care}

FROG says recycling your kit products after use is the responsible thing to do!

www.kingtechnology.com

[Prevents] [Helps keep] algae [out of the pool] for up to 90 days
Uniquely delivered for greater convenience
Evenly dispenses over time
Long lasting for less work this summer
No daily dosing
Not your normal bottled algaecide
Takes algae worries [away] [out of sight]
The 3rd step in the easy FROG 1 2 3 pool care system
Protects the pool [against tough algae] [all] [during the] winter
The pool protector!
Protect your pool against algae with New Water Pool Protector
The algae protection [you] [your pool] need[s]
When it comes to algae one dose of prevention saves hours spent on clean up
24 ounces of algae prevention is worth pounds of chemicals for an algae clean up
Wouldn t you rather prevent algae than cure it?
Don t face algae again this summer – use New Water Pool Protector

{Mineral pool care that s} {It s Frog but} a Leap Ahead!
Adopt a Frog for Worry-Free Water!

ACCEPTED
with COMMENTS
in EPA Letter Dated

SEP 26 2012

Under the Federal Insecticide
Fungicide and Rodenticide Act as
amended for the pesticide
registered and 53735-9

King Technology New Water Pool Protector
Label Revision September 19 2012
Page 12 of 12