

53735-13

02-01-2012

1/8



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

FEB - 1 2012

Ms. Heather R. Bjornson
Agent for King Technology Inc.
Technology Sciences Group Inc.
1150 18th Street, NW, Suite 1000
Washington, D.C. 20036

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Subject: Frog[®] Dichlor Pac
EPA Registration No.: 53735-13
Application Date: 12/20/2011
Receipt Date: 12/20/2011

Dear Ms. Bjornson:

The following amendment submitted in connection with registration under FIFRA, as amended, is acceptable.

Proposed Amendment

- Optional label claims
- Expanded marketing language

General Comments

The optional label claims and expanded marketing language are acceptable. A stamped label is enclosed for your records. Should you have any questions or comments concerning this letter, you may contact me by telephone at (703) 308-0410 or by e-mail at harris.monisha@epa.gov or Jaclyn Carl by telephone at (703) 347-0213 or by e-mail at carl.jaclyn@epa.gov. When submitting information or data in response to this letter, a copy of this letter should accompany the submission to facilitate processing.

Sincerely,

A handwritten signature in black ink, appearing to read "Monisha Harris".

Monisha Harris
Product Manager (32)
Regulatory Management Branch II
Antimicrobials Division (7510P)

[All text in braces {xxx} is optional and may or may not be included on a final label.]

[All text in brackets [xxx] is administrative and will not appear on a final label.]

[Master Label] FROG[®] Dichlor Pac

{Establish an initial chlorine level with precise feeding
Wake up your pool with an initial chlorine level
Step 2 of the 3 part Pool Wake Up! Convenience Pack
Use with FROG Leap Pool Wake Up! for spring openings}


**KEEP OUT OF REACH OF CHILDREN
DANGER**

See {back} {side} panel for First Aid and additional precautionary statements.

Active Ingredient:

Sodium dichloro-s-triazinetriene dihydrate.....	99.0%*
Other Ingredients:.....	1.0%
Total.....	100.0%


*Available chlorine 55%



Distributed by:
King Technology, Inc.
530 11th Avenue South
Hopkins, MN 55343
www.kingtechnology.com

EPA Reg. No.: 53735-13
EPA Est. No.: 57787-MI-1

Net Wt.: _____



PRODUCT DESCRIPTION: This pre-filled, {disposable} {or} {recyclable} pac provides an effective and easy way to both start up a swimming pool in the spring {and {close,} {shut down} the pool {for the winter} {in the fall}}. Use FROG Dichlor Pac with the FROG Leap Mineral System for residential swimming pools up to {15,000} {20,000} {40,000} gallons. It will establish an initial chlorine {level} {residual} by precisely feeding into the pool with no measuring or touching the chemical inside.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

{For Spring Start up:} {After balancing the pool water and inserting a new FROG Mineral Reservoir (EPA Reg. No. 53735-11) and FROG Shock Pac into the FROG {System} {Cycler}, insert the FROG Dichlor Pac using steps 1 through 7 below.}

{For {Winterizing} {Fall Closing}: Before lowering the water level and discarding the used FROG Mineral Reservoir, insert the FROG Dichlor Pac using steps 1 through 7 below.}

1. With the circulation system off, {set the control dial to 0 and} remove the cap to the FROG Leap {System} {Cycler}.
2. Remove caps from the FROG Dichlor Pac with a pliers or other suitable tool.
3. Turn FROG Dichlor Pac over so open ends face down and insert into the center of the FROG Mineral Reservoir. The ends of the pac will align with an L shaped key in the {System} {Cycler}. DO NOT FORCE.
4. Replace cap on {FROG Leap} {or} {POOL FROG} {System} {Cycler} {Infuzer} and set dial to Setting 5. Turn on pump and allow 1 hour for the {product} {Dichlor} {chlorine} to slowly dispense into the pool.
5. If after 1 hour, the pac still contains some ingredient, re-insert, replace cap and run the circulation for an additional 30 minutes.
6. Remove the empty FROG Dichlor Pac and discard.
7. Replace cap on {FROG Leap} {or} {POOL FROG} {System} {Cycler} {Infuzer} and allow circulation to run at least 15 minutes before inserting any other FROG pac products.

FIRST AID: If in eyes: Hold eye open and rise slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. **If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **If swallowed:** Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

2/2

IN CASE OF MEDICAL EMERGENCY, CALL 1-800-424-9300

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: DANGER: Corrosive: Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Wear goggles, face shield or safety glasses. Avoid breathing dust and fumes. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT. Do not refill empty {container} {pac}. Do not mix with other chemicals. Never add water to product. Always add product to large quantities of water. Mix only into water using clean dry utensils. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction and generate heat, hazardous gas, possible fire and explosion. Do not use this product to any dispensing device which has been used with any inorganic or unstabilized chlorinating compounds (e.g., calcium hypochlorite). Such use may cause a violent reaction leading to fire or explosion.

[Environmental hazards statement for end use products of less than 50 pounds (solid, dry weight).]

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms.

STORAGE AND DISPOSAL: Store {container} {pac} in a cold, dry, well ventilated area away from heat or open flame. Moisture may decompose this product and cause a violent reaction leading to fire and explosion. In case of decomposition, isolate {container} {pac}, if possible and flood with large amounts of water to dissolve all material before discarding this {container} {pac}. Do not contaminate food or feed by storage or disposal.

Container Disposal: Non-refillable container. Do not reuse or refill this {container} {pac}. Offer for recycling if available. Rinse thoroughly before recycling or discarding in trash.


Important: The warranty will be void if this pac is not used with the appropriate FROG Leap {System} {Cycler}. Fire or explosion may result if this pac is used with an incorrect {system} {cycler}.

{Note: Some settling may occur during shipment.}

{DO NOT REMOVE LABEL.}

{NPTN hotline number for public information: 1-800-858-7378}

{Note: Buyer assumes all responsibility for safety and use not in accordance with directions.}



5/8

[All text on this page is optional language for manuals and packaging]

Frog Leap Pool Wake Up! Operation Instructions
For Spring Openings

It's as easy as Ready, Set, Go!

Frog Leap Depth Charge

Ready: Start by removing contaminants to keep water crystal clear

Frog Leap Reveille

Set: Then set your chlorine level

Frog Leap All-Out

Go: Then prevent algae with a 90 day algae protection guarantee (see website below for guarantee details)

1. Frog Leap Depth Charge

After balancing the pool water and inserting a new Frog Leap Anti-Bac Mineral Pac into the {Frog Leap} {or Pool Frog} {System} {Cycler} {Infuzer}, insert Frog Leap Depth Charge using steps 1 through 7.

WATER BALANCE GUIDELINES	
pH	7.2-7.8
Total Alkalinity	60-120 ppm
Calcium Hardness	150-400
Total Dissolved Solids	<1500
Stabilizer (Cyanuric Acid)	20-80 ppm
Free Chlorine	0.5-1.0 ppm

1. With the circulation system off, set control dial to 0 and remove the cap to the {Frog Leap} {or Pool Frog} {System} {Cycler} {Infuzer}.
2. Remove caps from Frog Leap Depth Charge with a pliers or other suitable tool.
3. Turn Frog Leap Depth Charge over so open ends face down and insert into the center of the Frog Leap Anti-Bac Mineral Pac. The ends of the pac will align with an L-shaped key in the system. DO NOT FORCE.
4. Replace cap on {Frog Leap} {or Pool Frog} {System} {Cycler} {Infuzer} and set dial to **setting 5**.
5. Turn on pump and allow 1 hour for the product to slowly dispense into the pool. If after 1 hour, the pac still contains some ingredient, reinsert, replace cap and run the circulation for an additional 30 minutes.
6. Remove the empty Frog Leap Depth Charge and discard or recycle.
7. Replace cap on {Frog Leap} {or Pool Frog} {System} {Cycler} {Infuzer} and allow circulation to run at least 15 minutes before inserting any other Frog Leap products.

2. Frog Leap Reveille

Dispense Frog Leap Reveille to establish your initial chlorine level in the pool following the same steps 1 through 7 for Frog Leap Depth Charge.

[All text on this page is optional language for manuals and packaging]

3. Frog Leap All-Out

Wait 24 hours after Frog Leap Depth Charge and Frog Leap Reveille to dispense Frog Leap All-Out for a 90 day algae protection guarantee following steps 1-7.

1. Turn off pump and turn dial to Setting 0 and remove cap from the {Frog Leap} {or Pool Frog} {System} {Cycler} {Infuzer}.
 2. Remove cap from Frog Leap All-Out without removing seal. **NOTE: Avoid adding other chemicals until this product has been circulated (filtered) for at least 24 hours,**
 3. Insert upside down into center of Frog Leap Anti-Bac Mineral Pac pushing down firmly on key to puncture seal.
 4. Replace cap by hand only. DO NOT OVERTIGHTEN. Turn control dial to **Setting 5.**
 5. Turn pump on for 90 minutes allowing Frog Leap All-Out to circulate through pool.
 6. To remove Frog Leap All-Out, turn pump off, turn dial to 0, remove system cap.
 7. Lift Frog Leap All-Out up and allow any water in the container to drain through the system before recycling or discarding in trash. **NOTE: If water shows more than a hint of blue inside {Frog Leap} {or Pool Frog} {System} {Cycler} {Infuzer}, replace the cap, turn dial to Setting 5 and run the pump for one minute.**
- 7a. If pool size requires additional Frog Leap All-Out, repeat steps 1-7.

After using Frog Leap Pool Wake Up!, insert your Frog Leap Torpedo Pac for continuous low-chlorine maintenance for weeks at a time.

Frog Leap Pool Hibernation Operation Instructions
For Fall Closings


The 1-2 Winterizing Punch!

- Frog Leap Depth Charge removes contaminants to keep water crystal clear.

Before lowering the water level and discarding the used Frog Leap Anti-Bac Mineral Pac, insert Frog Leap Depth Charge using steps 1 through 7

- Frog Leap All-Out prevents algae to prepare the pool for a smoother spring start-up.

Wait 24 hours after Frog Leap Depth Charge to dispense Frog Leap All-Out algae preventative following steps 1-7.



[All text on this page is optional marketing language]

Sets {Establishes} a chlorine {residual} {level} in the pool {prior to adjusting} {to help find the} precise dial setting for the FROG Leap {System} {Cycler}.

Uniquely dispenses through the FROG Leap {System} {Cycler}

Use with FROG Shock Pac {Frog Leap Depth Charge} and FROG BAM {for complete pool opening, start-up} {to awaken, wake up your pool}

Convenience Pack for Spring Start-up

Leap into Summer!
Wakes up your pool in a snap!

Use the FROG Shock Pac {Frog Leap Depth Charge}, the FROG Dichlor Pac and FROG BAM Algae Preventative for an easy 3 step start up program that uniquely feeds through the FROG Leap {System} {Cycler}.

Prepare your pool for a fun summer ahead!

Ensure a worry free summer with proper start up.

Always start you summer with a new FROG Leap Mineral Reservoir. Then it's time for {Wake Up} {Awakening} {Awake}

It's as easy as {1, 2, 3} {A, B, C} {Ready, Set, Go}

After using the {Wake Up} {Awakening} {Awake} Kit, insert your FROG Leap Bac Pac for continuous low chlorine maintenance for weeks at a time.

Allow 1 hour for Frog Leap Depth Charge {to slowly dispense into the pool}.
Allow 1 hour for Frog Dichlor Pac {to slowly dispense into the pool}.

Convenience Pack for Fall Closing{s}

Puts your pool to sleep for the {winter} {off season}

Use the {FROG Shock Pac} {Frog Leap Depth Charge} and {FROG BAM} {Frog Leap All-Out} Algae Preventative for an easy 2 step {winterizing} {fall closing} {fall shut down} program that uniquely feeds through the FROG Leap {System} {Cycler}.

Before lowering the water level and discarding the Frog Leap Anti-Bac Mineral Pac, its time for Frog Leap Depth Charge.

Easy 2 Step {Fall} {Winter} Closing {Program} {System}!

Prepare your pool for a smoother spring start up!

Ensure a worry free off season as your pool sleeps away the winter months.

8

[All text on this page is optional marketing statements]

The worry free way to winterize your pool

The 1 – 2 {Winterizing} {Fall Closing} {Hibernation} Punch

The Essential FROG Leap Pool {Start-up} {Opening} {Winterizing} {Closing} {Shut Down} Kit.

For Optimal {Optimum} Performance of the FROG Leap System!

Specially packaged for FROG Leap Mineral System users.

No Guess, No Mess, No Stress

No mixing, no measuring, no touch

{Get the most from your Frog Leap Mineral System} {Maximize your mineral benefits} with the FROG Leap {Wake Up} {and} {Hibernation} Kit{s}.

FROG Shock Pac {Frog Leap Depth Charge} removes contaminants

Start by {oxidizing} {cleansing}.

{Install} {Use} {Dispense} the FROG Shock Pac {Frog Leap Depth Charge} {per the directions on the label} to {remove} {oxidize} {eliminate} contaminants.

After inserting a new FROG Mineral Reservoir it's time for FROG Shock Pac {Frog Leap Depth Charge}

FROG Dichlor Pac sets your chlorine {residual} {level}.

Then {Set} {Establish} your {initial} chlorine {residual} {level}.

{Install} {Use} {Dispense} the FROG Dichlor Pac {per the directions on the label} to establish a chlorine {residual} {level}. Use this to determine your Cyclor dial setting to ensure you are maintaining the 0.5 to 1.0 ppm level used with the FROG Leap Mineral System.

After fully dispensing FROG Shock Pac {Frog Leap Depth Charge} run the pool circulation for 15 minutes before inserting FROG Dichlor Pac.

FROG BAM prevents algae for 90 days

Then Prevent Algae with a 90 day algae protection guarantee.

Wait 24 hours after {FROG Shock Pac} {FROG Dichlor Pac} to {install} {use} {dispense}

FROG BAM {per the directions on the label} for a 90 day algae protection guarantee!

Prevents algae for a cleaner, clearer pool

Prevents algae {all winter long} {during the winter}

All {FROG Leap} {Pool Wake Up!} {Pool Hibernation} components are recyclable {when finished dispensing for a responsible solution to pool care}.

FROG says recycling your kit products after use is the responsible thing to do!

Easy 3 Step Pool Start Up {Program} {System}!

www.kingtechnology.com