

53871-3

9/23/2008

1/2



U.S. ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

SEP 23 2008

Ms. Auria Trelles
Product Registration
Troy Biosciences, Inc.
113 S. 47th Ave.
Phoenix, AZ 85043

SUBJECT: Application for Pesticide Notification (PRN 98-10)
Request General Label Change
EPA Reg. 53871-3
Application Dated August 13, 2008

Dear Registrant:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 08/13/08 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Owen F. Beeder of my staff at 703-308-8899.

Sincerely,

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs

 EPA United States Environmental Protection Agency Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other:	OPP Identifier Number <h2 style="margin: 0;">304955</h2>
---	--	---

Application for Pesticide - Section I

1. Company/Product Number 53871-3	2. EPA Product Manager Mr. Thomas C. Harris	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Stimukil Fly Bait	PM# 07	
5. Name and Address of Applicant (Include ZIP Code) Troy Biosciences, Inc. 113 S. 47th Avenue Phoenix, AZ 85043 <u>PLEASE SEND ALL CORRESPONDENCE TO</u> <u>"CONTACT POINT" LISTED BELOW</u> <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(I), my product is similar or identical in composition and labeling to: <div style="text-align: right; font-weight: bold; font-size: 1.2em;">NOTIFICATION</div> EPA Reg. No. _____ SEP 23 2008 _____ Product Name _____

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below

Explanation: Use additional page(s) if necessary. (For Section I and Section II.)

Labeling revision notification


Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No			<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify)
*Certification must be submitted If "Yes" Unit Packaging wgt. No. per container		If "Yes" Package wgt. No. per container			
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On labeling accompanying product	
6. Manner in Which Label is Affixed to Product			<input type="checkbox"/> Lithograph <input type="checkbox"/> Other _____ <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application)

Name Auria Trelles	Title Registration Coordinator	Telephone No. (Include Area Code) (973) 443-4200 ext 2206
------------------------------	--	---

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Registration Coordinator	
4. Typed Name AuriaTrelles	5. Date 8/13/08	



TROY BIOSCIENCES
I N C O R P O R A T E D

August 13, 2008

Via DHL Courier

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
Antimicrobial Division (AD)
U.S. EPA
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Attn: Mr. Thomas C. Harris

RE: Labeling revision Notification
Stimukil Fly Bait
EPA Reg. No. 53871-3

Dear Mr. Harris:


Troy Biosciences hereby is submitting a labeling notification for Stimukil Fly Bait (EPA Reg. No. 53871-3) in order to address revisions required by the Department of Defense. These revisions only pertain to the addition of the additional phrase such as package weight, (5lbs specifically). The revisions do not pertain to Directions for Use or Precautionary statements.

(All changes have been highlighted in yellow). Enclosed you will find the following documents:

- EPA Pesticide Application EPA Form (8570-1)- OPP Identifier No.304955
- Four (4) copies of the revised product label
- Certification Statement as required by PR Notice 98-10
- One copy of the last stamped EPA Label

If you should have any questions or require additional information, please contact me directly at (973) 443-4200 Ext (2206) or at Trellesa@troycorp.com

Sincerely,


Auria Trelles
Registration Coordinator


3/17

Notification of labeling revision: Stimukil Fly Bait
Per PR Notice 98-10:
EPA Reg. No. 53871-3

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notices 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Auria Trelles
Auria Trelles

8/6/08
Date



ENVIRONMENTAL HAZARDS: This pesticide is toxic to birds, fish, aquatic invertebrates and mammals. Accessible areas treated with this bait are hazardous to birds and other wildlife. Collect, cover or incorporate granules spilled on the soil surface. Do not apply directly to water, or to areas where surface water is present or intertidal areas below the mean highwater mark. Runoff may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwater or rinsate.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. STIMUKIL Fly Bait is an improved fly bait formula containing a sex-attractant and a feeding synergist, which encourages male and female flies to remain in the treated area and stimulates vigorous feeding on the bait. STIMUKIL Fly Bait should not be used around or inside homes, or any other place where children are likely to be present. Do not apply this product in a way that will contact workers or other persons either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation. Specific uses are described in more detail below:

BAIT STATION USE: Do not use around or inside homes or other places where children are likely to be present. Pour 25 grams or 2 Tablespoons STIMUKIL Fly Bait into Fly Bait Station. Replace cover carefully to avoid spillage of bait. Use the product at a rate of approximately two bait stations per 500 square feet of fly feeding area. Hang Fly Bait Stations out of reach of food producing animals or pets (at least 4 feet off the ground). Do not place bait station within reach of children. When fly populations are high, the STIMUKIL Fly Bait Station should be replenished with STIMUKIL Fly Bait every 3-5 days or when the bait is no longer visible in the bait station. The dead flies and any remaining bait should be disposed of as recommended below and STIMUKIL Fly Bait added to the Fly Bait Station. Use STIMUKIL Fly Bait Station around the outside of broiler houses, kennels, canneries, beverage processing plants, meat and poultry processing plants, food processing plants and refuse Dumpsters® associated with these establishments, and inside of caged layer houses. May also be used in fenced or otherwise enclosed areas inaccessible to children, and around the outside of restaurants, supermarkets, commissaries, and bakeries.

SCATTER BAIT USE: Use of scatter bait is limited solely to the outside of certain commercial establishments where children will not be present, such as feed lots, poultry houses, livestock barns, canneries, beverage plants, meat and poultry processing establishments, commercial refuse dumpsters which are fenced or otherwise enclosed, and food processing plants. Do not use around commercial dumpsters that are not enclosed. Do not use around dumpsters in residential settings. Distribute bait from container or use other device to avoid handling bait directly. Scatter bait (do not apply in piles) at a rate of 1/4 pound per 500 square feet of area. Do not treat areas where animals can feed on bait. Do not apply directly to water. Keep children and pets clear from scatter bait treatment areas. When fly populations are high the bait should be replenished every 3-5 days or when the bait is no longer visible in the treated area.

BRUSH ON USE: Mix 1/4lb STIMUKIL Fly Bait with 4.0 oz of water to form a paste, stir well. Apply paste with brush on walls, windowsills, and support beams where flies usually land, such that children, poultry, cattle or other animals cannot come into contact with the paste. When the fly population is high, the bait should be reapplied at a 3-5 day interval or when the flies no appear to be affected by landing on the treated area.

STORAGE AND DISPOSAL
Do not contaminate water, food or feed by storage or by disposal.

Pesticide Storage: Store in a tightly closed container in a cool, dry place out of the reach of children and pets.
Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of container in a sanitary landfill, or by other procedures approved by state and local authorities.
Bait Station Disposal: The bait station is reusable. When the container becomes cracked or broken, triple rinse (or equivalent) and dispose of according to local governmental procedures.

WARRANTY: Troy Biosciences Incorporated makes no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risks of use and handling of this material when such use and handling are contrary to label instructions.



ACTIVE INGREDIENTS:
(Z)-9-tricosyl
Methylcarbamate
[(Methylcarbamoyl)thioacetic acid]
INERT INGREDIENTS
TOTAL

CAUTION
KEEP OUT OF REACH OF CHILDREN
Read Entire Label for Additional Precautions

Manufactured by
Troy Biosciences Incorporated
7113 County Road 1
Piquette, MI 48675

EPA EST. NO. 100-100-01
EPA REG. NO. 100-100-01

NET WEIGHT 1.0 LB (454 g)

6/7

toxic to birds, fish, aquatic invertebrates and mammals. Accessible areas treated with this bait, cover or incorporate granules spilled on the soil surface. Do not apply directly to water, tidal areas below the mean highwater mark. Runoff may be hazardous to aquatic organisms when disposing of equipment washwater or rinsate.

It is unlawful to use this product in a manner inconsistent with its labeling. STIMUKIL Fly Bait is a bait and a feeding synergist, which encourages male and female flies to remain in the bait station. STIMUKIL Fly Bait should not be used around or inside homes, or any other place where people apply this product in a way that will contact workers or other persons either directly or through indirect application. For any requirements specific to your State or Tribe, consult the agency or agencies that have jurisdiction. For more details, see the label.

Use in homes or other places where children are likely to be present. Pour 25 grams or 2/3 ounce of bait into the bait station. Replace cover carefully to avoid spillage of bait. Use the product at a rate of approximately 1/4 pound per 500 square feet of area. Hang Fly Bait Stations out of reach of food producing animals or pets (at least 6 feet) in reach of children. When fly populations are high, the STIMUKIL Fly Bait Station should be used only when the bait is no longer visible in the bait station. The dead flies and any remaining bait and STIMUKIL Fly Bait added to the Fly Bait Station. Use STIMUKIL Fly Bait Station in food processing plants, meat and poultry processing plants, food processing establishments, and inside of caged layer houses. May also be used in fenced or other areas around the outside of restaurants, supermarkets, commissaries, and bakeries.

Use only in the outside of certain commercial establishments where children will not be present, canneries, beverage plants, meat and poultry processing establishments, commercial food processing plants, and food processing plants. Do not use around commercial dumpsters that are located in residential settings. Distribute bait from container or use other device to avoid handling bait. Do not treat areas where animals can feed on and pets clear from scatter bait treatment areas. When fly populations are high the bait bait is no longer visible in the treated area.

Mix 4.0 oz of water to form a paste, stir well. Apply paste with brush on walls, windowsills, and other areas where flies are present. Do not use where children, poultry, cattle or other animals cannot come into contact with the paste. When used at a 3-5 day interval or when the flies no longer appear to be affected by landing on the bait.

Dispose of by disposal.

Store in a cool, dry place out of the reach of children and pets. Do not use if the product is hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If you are unable to dispose of this material properly, contact your State Pesticide or Environmental Control Agency for the nearest EPA Regional Office for guidance.

When the container is to be recycled or reconditioned, or puncture and dispose of container in a sanitary and local authorities.

When the container becomes cracked or broken, triple rinse (or equivalent) and dispose of in a sanitary and local authorities.

There is no warranty, express or implied, concerning the use of this product other than indicated on the label. The user assumes all liability for any damage or injury resulting from the use of this material when such use and handling are contrary to label instructions.



ACTIVE INGREDIENTS:

(Z)-9-tricosene	0.040%
Methomyl (S-Methyl-N-[(Methylcarbamoyl)oxy]thioacetimidate)	1.000%
INERT	
INGREDIENTS	98.960%
TOTAL	100.000%

CAUTION:
KEEP OUT OF REACH OF CHILDREN
Read Entire Label for Additional Cautions

Manufactured by



112 South 47th Avenue
Phoenix, Arizona 85043

EPA EST. NO. 5371-AZ-01
EPA REG. NO. 53711-2

NET WEIGHT: 56g

FIRST AID

If swallowed: Call a doctor immediately. Do not induce vomiting unless instructed to do so.

If in or close to eyes: Flush with water for at least 15 minutes. Get medical attention.

If in eyes: Hold eyelids open and flush with water for at least 15 minutes. Get medical attention.

If inhaled: Move to fresh air. If breathing is difficult, get medical attention. Have the product container with you.

NOTE TO PHYSICIAN

PRECAUTIONS

Harmful if swallowed. Do not use if container is damaged. Do not use if contents are empty.

- Long-sleeved shirt and pants
 - Socks and shoes
 - Chemical-resistant gloves
- Follow manufacturer's instructions for use. Do not use if contents are empty. Do not use if container is damaged. Do not use if contents are empty.
- Users should avoid eating, drinking, or smoking while using this product.
 - Remove and wash clothing immediately if contaminated.
 - Remove and wash clothing immediately if contaminated.



ACTIVE INGREDIENTS:

(Z)-9-tricosene 0.040%
 Methomyl (S-Methyl-N-
 [(Methylcarbamoyl)
 oxy]thioacetimidate) 1.000%
INERT
INGREDIENTS 98.960%
TOTAL 100.000%

CAUTION:
KEEP OUT OF REACH
OF CHILDREN
 Read Entire Label
 for Additional Cautions

Manufactured by



1111 South 47th Avenue
Phoenix, Arizona 85042

EPA REG. NO. 53871-AZ-01
EPA REG. NO. 53871-D

NET WEIGHT: 5 LB.

FIRST AID

If **swallowed**: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on **skin** or **clothing**: Remove contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If in **eyes**: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing the eye. Call a poison control center or doctor for treatment advice.

If **inhaled**: Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN: METHOMYL is a cholinesterase inhibitor. ATROPINE is an antidote.

PRECAUTIONARY STATEMENTS-HAZARDS TO HUMANS AND DOMESTIC ANIMALS-CAUTION

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Personal Protective Equipment (PPE)

Applicators and all other handlers must wear:

- Long-sleeved shirt and long pants
- Socks and shoes
- Chemical resistant gloves made of any waterproof material

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations:

- Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, the user should wash thoroughly and change into clean clothing.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.



6840011837244

6840-01-183-7244
 CAGE 79343
 PN: STIMUKIL FLY BAIT
 INSECTICIDE, FLY BAIT
 CAN CONTAINS: 5 LB. NET WEIGHT