53883-26 8-11-2003

16
 2.20.0

Please reed instructions on	United States Environmental Protection Agency Washington, DC 20460			Form Approve	Registra Amendi Other		
		Applicatio	n for Pestici	de - Section	l		
1. Company/Product Number 53883 - 26			į.	Product Manager le LaRocca		3. Pr	oposed Classification
4. Company/Product (Name Martin's Horse & Stab			PM# 13				
5. Name and Address of Ap Control Solutions, Inc 5903 Genoa-Red Blu Pasadena, TX 7750	o. off	de)	(b)(i), n to: EPA I		nilar or ident	ical in co	FIFRA Section 3(c)(3) mposition and labeling
			Section -	1			NOTIFICATION
Amendment - Explain below.  Resubmission in response to Agency letter dated							
			Section - I	I			
1. Material This Product Wil	l Be Packaged In:						
Child-Resistant Packaging Yes No * Certification must be submitted	Ves No If "Yes" Unit Packaging wgt.	No. per container	Yes No Package wgt	No. per container	2. Type of	Container  Metal Plastic Glass Paper Other (S	pecify)
3. Location of Net Contents	Information	4. Size(s) Reta	il Container	5. Lo	cation of Lab	el Directio	na
6. Manner in Which Label is	Affixed to Product	Lithogra Paper o Stencilo	aph liued ed	Other			
			Section - I	V			7.
1. Contact Point (Complete	items directly below fo	or identification	of individual to be	contacted, if nec	essary, to pro	ocess this	epplication.)
i			Title Director, Regulatory Affairs			Telephone No. (Include Area Code) 800-242-5562	
	ments I have made on y knowlinglly false or r law.		all attachments the				6. Date Application Fieceived (Stamped)
2. Signature			3. Title Director, Regulatory Affairs				
4. Typed Name			. Date	- MILITARE			

Joe Blake

07-25-03

#### [FRONT LABEL PANEL]

#### Contains Citronella[Optional Statement]

### Martin's®

# HORSE & STABLE SPRAY

**NOTIFICATION** 

AUG 1 1 2003

- Indoor Outdoor [Optional Statement]
- Ready-To-Use [Optional Statement]
- Multi-Use Insecticide[Optional Statement]
- For Use on: Horses, Dogs, Cattle and other animals listed. [Optional Statement]
- For Control of Fleas, Brown Dog Ticks & Lice on Premises & on Dogs. [Optional Statement]
- For control of Ticks which may cause Lyme Disease on Premises.
- Controls Fleas & Ticks on Dogs for 35 days. [Optional Statement]
- Aids in control of Ticks on Dogs for an additional 2 weeks. [Optional Statement]
- For control of Stable Flies, Horse Flies, Hornflies, Face Flies, Lice, Deer Flies, Fleas, Ticks, Mosquitos, Gnats and other insects as listed. [Optional Statement]
- Kills Flies, Ticks, Fleas and Gnats. [Optional Statement]

#### **ACTIVE INGREDIENT:**

\* (3-phenoxphenyl) methyl(±) cis/trans 3-(2,2-dichloroethenyl)

2,2-dimethylcyclopropanecarboxylate.

Cis/trans ratio: min.35% ( $\pm$ ) cis and max.65% ( $\pm$ ) trans

Permanone - Registered trademark of AgrEvo Environmental Health, Inc.

#### KEEP OUT OF REACH OF CHILDREN CAUTION

See Back/Side Label Panel for Additional Precautionary Statements

Net	Contents	

#### [BACK/SIDE LABEL PANEL]

- READ ENTIRE LABEL BEFORE EACH USE
- FOR PET USE USE ONLY ON DOGS

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Wash thoroughly after handling and before smoking or eating. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria before surface applications. Do not use on humans. Do not allow children or pets to contact treated areas until surfaces are dry. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the high water mark. Do not contaminate water when disposing of equipment washwaters.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in cool, dry area away from children and domestic animals.

Disposal: If empty: Do not reuse this container. Do not rinse unless required for recycling. Place in track

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Unless otherwise instructed, place in trash. Never pour unused product down the drain or on the ground.

Affix trigger, pump or other type sprayer to container for application. Do not transfer to another container.

#### SHAKE WELL BEFORE USING.

#### INDOOR APPLICATION

For spot application only. Do not use as a space spray indoors. Do not apply to classrooms while in use. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly wash before use. Exposed food/feed should be covered or removed.

#### SURFACE SPRAYING

TO CONTROL COCKROACHES, WATER BUGS, PALMETTO BUGS, SCORPIONS, MILLIPEDES, CENTIPEDES, SOWBUGS, PILLBUGS, ANTS, SILVERFISH, FIREBRATS, SPIDERS, CRICKETS, CLOVER MITES, CHEESE MITES, GRANARY WEEVILS, RICE WEEVILS, CONFUSED FLOUR BEETLES, RUST RED FLOUR BEETLES, DRUGSTORE BEETLES, MEAL WORMS, GRAIN MITES, AND CADELLES: Direct the spray into hiding places, cracks and crevices, and behind shelves and drawers. For silverfish, spray bookcases. For ants, spray trails, nests and points of entry.

#### [BACK/SIDE LABEL PANEL]

TO CONTROL CARPET BEETLES: Spray edges of carpeting and under carpeting and rugs. Make localized application to floor and baseboards. Spray directly into cracks, crevices and infested areas of shelving. Repeat treatment as needed.

TO CONTROL BEDBUGS: Spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, moldings and floors. Repeat treatment as needed. Allow all sprayed articles to dry thoroughly before reuse.

TO CONTROL FLEAS (ADULTS AND LARVAE) AND TICKS, INCLUDING TICKS WHICH MAY CARRY LYME DISEASE (ADULTS AND LARVAE): Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and door frames, and entire areas of floor and floor covering. Fresh bedding should be placed in animal quarter following treatment. Repeat treatment as needed. Allow to dry thoroughly before allowing pets to contact treated areas.

TO CONTROL CLOTHES MOTHS: Remove any infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus, and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated lightly, keeping nozzle at least three feet from fabric to avoid staining. Allow all sprayed articles to dry thoroughly before reuse.

TO KILL LICE AND LOUSE EGGS: Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Spray from a distance of 8 to 10 inches. Treat only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Allow all treated articles to dry thoroughly before use.

#### ON LIVESTOCK

TO PROTECT CATTLE (BEEF AND DAIRY), GOATS, SHEEP, HOGS AND HORSES FROM HORN FLIES, FACE FLIES, HOUSE FLIES, MOSQUITOES, GNATS: Apply a light mist sufficient to wet the surface of the hair. For face flies, spray face and head, but do not spray into eyes.

TO CONTROL STABLE FLIES, HORSE FLIES, AND DEER FLIES: Apply at a rate of 2 ounces per adult animal, sufficient to wet the hair thoroughly. Repeat treatment daily or at intervals necessary to give continued protection.

TO CONTROL BLOOD-SUCKING LICE: Apply to the infested areas of the animal, using a stiff brush to get the spray to the base of the hair. Repeat every 3 weeks if required.

[BACK/SIDE LABEL PANEL]

TO CONTROL POULTRY LICE: Spray roosts, walls and nests or cages thoroughly. This should be followed by spraying over the birds with a fine mist.

TO CONTROL BEDBUGS AND MITES IN POULTRY HOUSES: Spray crevices of roosts poles, cracks in walls, and cracks in nests where the bedbugs and mites hide.

#### ON DOGS

TO CONTROL FLEAS, TICKS, AND LICE: Start spraying at the tail, moving the dispenser rapidly and making sure that the animal's entire body is covered, including the legs and underbody. While spraying, fluff the hair so that the spray will penetrate to the skin. Make sure spray wets thoroughly, but do not saturate animal. Do not spray into eyes or face. Avoid contact with genitalia. Use protective gloves or mitts when applying product. Repeat every two weeks as necessary.

NOTE: Do not use on puppies less than twelve weeks old. DO NOT USE ON CATS OR KITTEAS. Do not use on old, sick or debilitated animals. Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals.

#### **OUTDOOR APPLICATION**

#### TO CONTROL TICKS, INCLUDING TICKS WHEN MAY CARRY LYME DISEASE

(PERIMETER TREATMENT): Use Martin's Horse and Stable Spray as a residual treatment to control Ticks including the Deer Tick (Ixodes dammini), Lone Star Tick (Amblyomma americanum), Brown Dog Tick (Rhipicephalus sangineus), American Dog Tick (Dermacentor variabilis) and Wester Blacklegged Tick (Ixodes pacificus). For each area listed below, apply until surface is wet (approximately 1 gal/750-1000 ft). Treat around windows and doors, porches, screens, eaves, patios, garages, under stairways and in crawl spaces where these pests may enter.

Treat a band of vegetation and leaf litter 6 to 10 feet wide around and the outside of buildings to help control ticks occurring there. To help control ticks in outdoor activity areas, treat a band of vegetation and leaf litter 6 to 10 wide and adjacent to activity areas, especially where dense vegetation occurs.

FOR CONTROL OF GARDEN INSECTS: For use on roses, dahlias, asters and other ornamentals to kill Japanese Beetles hit by spray as well as Whiteflies, Aphids, Exposed Thrips, Spiders, Red Mites and Leafminers. May be used on plants as a multi-purpose spray in small gardens and for spot treatment of incipient insect infestations to prevent spreading in large garden areas

#### [BACK/SIDE LABEL PANEL]

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwoods, English ivy, eunonymus, fuschia, geraniums, crassula, grape vines, Kentia palms, laurels, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering Jews, and zinnias. Effective when used as directed against Whiteflies, Aphids, Spider and Red Mites, exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites and Armyworms. When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90° F. Contact insects directly whenever possible. Repeat treatment as infestations occur.

Buyer assumes all responsibilities for safety and use not in strict accordance with directions.

Control Solutions, Inc. 5903 Genoa-Red Bluff Pasadena, TX 77507-1041 (281) 892-2500

EPA Reg. No. 53883-26 EPA Est. No. 53883-TX-002

072502



July 25, 2003

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504C) U.S. Environmental Protection Agency Room 266A, Crystal Mall 2 1921 Jefferson Davis Highway Arlington, VA 22202-4501

Re:

Notification per (PR) Notice 2001-6

EPA Reg. No. 53883-26

Dear Sir or Madam:

Notification of label change relative to PR Notice 2001-6. This notification is consistent with the guidance in PR Notice 2001-6 and the requirements of EPA's regulations at 40 CFR 156.10 and 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of the product. I understand that it is a violation of 18 USC Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 2001-6 and the requirements of 40 CFR 156.10 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

See attached labeling, specifically the highlighted areas. Also updated company address on last page.

#### Enclosed please find:

- 1. Application for Pesticide (EPA Form 8570-1)
- 2. 1 copy of label

If you have any questions or need additional information, please do not hesitate to contact me.

Sincerely,

Jóe Blake

Director, Regulatory Affairs