

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES.

Amy Warren Registration Specialist Control Solutions, Inc. 5903 Genoa-Red Bluff Pasadena, TX 77507-1041

AUG 8 2008

Subject: Label Notification(s) for Pesticide Registration Notice 2007-4

Dear Ms. Warren:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated July 10, 2008 for:

EPA Registration 53883-33

Martin's Viper Insect Dust

EPA Registration 53883-238

CSI Fly Bait

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Nicole Williams of my staff at 703-308-5551.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

SEPA	Environmenta	United States I Protectio	60		✓	Registrati Amendm Other	ion	OPP Identifier Number
		Applicatio	n for Pesti	cide - Sect	tion	<u> </u>		·
1. Company/Product Numba 53883 - 33	T		J	A Product Manage LaRocca	-		3. Pr	roposed Classification
4. Company/Product (Name)	<u> </u>		PM#	ige Lanocca			$\exists \ lacksquare$	None Restricted
Martin's Viper Dust	·			13				
5. Name and Address of App Control Solutions, Inc 5903 Genoa-Red Blu Pasadena, TX 77507	s. ff	ode)	(b)(i) to: EPA		s sim	ilar or identic	al in co	
	13 4 1000 0001003		Section			AUU U	0 20	
Resubmission in responsible Notification - Explain Explanation: Use addition Notification of label change pregulations at 40 CFR §§ 156 Formula for this product. I unamended label is not consisted FIFRA and I may be subject	below. nal page(s) if necessar her PR Notice 2007-4. 3.10, 156.140, 156.144 hderstand that it is a vicent with the requiremen	ry. (For section This notification i , 156.146, and 19 plation of 18 U.S. ats of 40 CFR §§	is consistent with 56.156. No othe C. Sec. 1001 to 156.10, 156.140	Agency lette "Me Too" A Other - Expl the guidance in r changes have I willfully make an 1, 156.144, 156.1	PR Nobeen ry false 46, ar	otice 2007-4 and made to the labe	d the red eling or t PA. I fu	he Confidential Statement of rther understand that if the
		· .	Section -	111		 		
1. Material This Product Wil	Be Packaged In:							
Child-Resistant Packaging Yes V No Certification must be submitted	Unit Packaging Yes No If "Yes" Unit Packaging wgt.	No. per container	Water Soluble Yes No If "Yes" Package wgt	No. per container		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	ontainer Metal Plastic Glass Paper Other (S	
3. Location of Net Contents	Information	4. Size(s) Reta	il Container	· 1	5. Lo	cation of Label	Direction	ons
✓ Label C	ontainer		1 lb and 4 lb		[-'	on label		
6. Manner in Which Label is	Affixed to Product	Lithogra Paper g Stencile	eph Jued Jed	Other				
			Section -	IV	-			
1. Contact Point (Complete	items directly below f	or identification	of individual to	be contacted, i	if nece	essary, to proc	ess this	application.)
Name Amy Warren		ļ. [*]	ritle Regulatory Affa	airs Specialist				e No. (Include Area Code)
I certify that the stater I acknowledge that an both under applicable	y knowlinglly false or		all attachments			irate and comp		6. Date Application Received (Stamped)
2. Signature	Lavor	ł	. Title Regulatory Affai	s Specialist				

5. Date

7-10-08

4. Typed Name

Amy Warren



July 10, 2008

Document Processing Desk (NOTIF) Office of Pesticide Programs(7504P) U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 S. Crystal Drive Arlington, VA 22202-4501

Re: Notification per (PR) Notice 2007-4, Labeling Revisions required by the Final Rule "Pesticide Management and Disposal" (EPA Reg. No. 53883-33 Martin's Viper Insect Dust)

Dear Sir or Madam:

Enclosed is a Notification for (PR) 2007-4; See highlighted text on attached labeling.

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If you have any questions or need additional information, please feel free to contact me.

Sincerely.

Amy Warren

Regulatory Affairs Specialist

Control Solutions, Inc.

NOTIFICATION AUG 0 8 2008

[FRONT LABEL PANEL]

Martin=s

VIPER INSECT DUST

[alt. name Martin's Cow Calf Dust]
[alt. name Martin's Lice Killer]

For Outdoor Use on Home Gardens

KILLS OVER 60 INSECTS ON

- ! Vegetables
- ! Ornamentals
- ! Fruits

CAN ALSO BE USED ON

- ! Dogs and Cats
- ! Livestock

ACTIVE INGREDIENT:

* cis/trans ratio: Min. 35% (+/-) cis Max. 65% (+/-) trans

CAUTION

KEEP OUT OF REACH OF CHILDREN

See back/side panels for additional precautionary statements

NET	CONTENTS	>

READ ENTIRE LABEL BEFORE EACH USE FOR PET USE - USE ONLY ON CATS OR DOGS

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: <u>Humans</u>: Harmful if swallowed or if inhaled. Remove contaminated clothing and wash clothing before reuse. Avoid breathing dust. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before smoking or eating. Avoid contamination of feed and foodstuffs. <u>Animals</u>: Harmful if swallowed, inhaled. Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals or animals on medication. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

FIRST AID Have the product container or label with you when calling a poison control center or doctor, or going for treatment.			
If in eyes	\$ Hold eye open and rinse slowly and gently with water for 15-20 minutes. \$ Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. \$ Call a poison control center or doctor for treatment advice.		
If on skin or clothing	\$ Take off contaminated clothing. \$ Rinse skin immediately with plenty of water for 15-20 minutes. \$ Call a poison control center or doctor for treatment advice.		
If inhaled	\$ Move person to fresh air. \$ If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. \$ Call a poison control center or doctor for further treatment advice.		

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and aquatic organisms. Do not apply directly to any body of water. Do not contaminate water when disposing of equipment washwater. This pesticide is toxic to honey bees and other beneficial pollinators exposed to an application. Do not apply when bees are actively visiting blooming plants (vegetables, flowers, fruit/ornamental trees). Do not allow this product to come in direct contact with beehives at any time.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

BEEF AND DAIRY CATTLE AND HORSES: Can be used in dust bags, shaker can and mechanical dust applicator. Horn Flies, Lice, Face Flies: Place contents of this package in any commercially available dust bag, suspend bag in areas frequented by cattle or in gateways or lanes through which the animals must pass daily for water, feed, or minerals. Bags may also be placed in loafing sheds or in front of mineral feeders.

For dairy cows, bags may be suspended in the exit through which the cows leave the milking barn. The bags should hang 4 to 6 inches below the back line of the cattle. For reduction of Face Flies, bags must be located so animals will be forced to use them daily and hung at a height so that the face is dusted. Horn Flies, Lice Direct Application: Apply 2 oz. of dust per animal by shaker can over the head, neck, shoulders and back and tailhead. Repeat as necessary, but not more than once every three days.

HORSES: Dust horse for Horn flies with shaker can or dust glove along back, neck and legs. **SWINE:** Lice on Swine Direct Application: Apply only 1 ounce per head as a uniform coat to the head, shoulder and back by use of a shaker can or suitable mechanical dust applicator. Repeat as necessary but not more often than once every 10 days. In severe infestation, both animals and the bedding may be treated. Do not ship animals for slaughter within 5 days of treatment.

POULTRY: To control Northern Fowl Mites, apply at a rate of 1 lb. per 100 birds. Ensure thorough treatment of vent area.

PETS: To control Fleas, Ticks and Lice on Cats and Dogs. Use product only outside or in a well-ventilated area. Wearing household latex or rubber gloves dust animals thoroughly, working the dust into the hair down to the skin. Pay close attention to legs and feet. Use 2 oz. on animals 20 pounds and under and 1 oz. on pets over 20 pounds. Avoid getting dust in petseyes, nose, mouth, and genital areas. Reapply every three weeks as needed. Do not use on cats or dogs under twelve (12) weeks of age. Dust sleeping area including bedding and cracks and crevices.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in original container. Keep area inaccessible to children and pets.

DISPOSAL: If empty: Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Do not rinse unless required for recycling. If recycling is not available: then dispose of container in a sanitary landfill or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

If partly filled: Call your local solid waste agency for disposal instructions. Never pour unused product down any indoor or outdoor drain or on the ground.

HOME GARDENS: FOR USE ON HOME GARDENS. NOT FOR USE ON PLANTS BEING GROWN FOR SALE OR OTHER COMMERCIAL USE.

Wearing household latex or rubber gloves, use a dust applicator such as a shaker can, dust gun, puffer or other bulbous duster, rotary duster or other appropriate duster as available. Start applying at the farthest corner of the treatment area and work backward to avoid contact with dusted surfaces. Dust lightly to cover both upper and lower leaf surfaces with a thin, even film of dust. (Many insects hide on the underside of the leaf).

Apply when air is calm to avoid drift and contact with eyes and skin.

Controls a wide range of insect pests. Use at first signs of insect infestation, preferably before damage from feeding occurs. Note the pre-harvest (time between use and harvest) interval with each crop listed.

VEGETABLES: DIRECTIONS FOR APPLICATION

· ZOETHDEESI DIIG	ECTIONS FOR ALL LICATION	<u> </u>
CROP	TARGET PEST	REMARKS
Asparagus	Cutworm Complex, Asparagus Beetle	Dust lightly. Apply up to 4 times per season. May be applied until 1 Day before harvest.
Broccoli, Brussel Sprouts, Cauliflower	Cabbage Looper, Imported Cabbageworm, Diamondback Moth, Cabbage Aphid	Dust lightly. Apply up to 8 times per season. May be applied until 1 day before harvest.
Cabbage	Cabbage Looper, Imported Cabbageworm, Diamondback Moth, Cabbage Aphid	Dust lightly. Apply up to 5 times per season. May be applied until 1 day before harvest.
Cucumber, Muskmelons, Pumpkin, Squash, Watermelon	Leafminer, Squash Bug, Cabbage Looper, Cucumber Beetle (adult), Cutworm, Melon Worm, Pickle Worm, Plant Bug (including Lygus And Stink Bug), Rindworm, Squash Vine Borer	Dust lightly. Apply up to 8 times per season. May be applied until harvest.

Celery, Lettuce (head and leaf), Parsley, Rhubarb,	Vegetable Leafminer, Cabbage Looper, Cutworm Complex,	Dust lightly. Apply up to 5 times per season. May be applied until 1
Spinach	Fall Armyworm, Beet Armyworm, Corn Earworm, Leafhopper, European Corn Borer	day before harvest.
Eggplant	Colorado Potato Beetle, Vegetable Leafminer, Cabbage Looper, Flea Beetle	Dust lightly. Apply up 10 times per season. May be applied until 3 days before harvest.

CROP	TARGET PESTS	REMARKS
Onions (Dry bulb and Garlic)	Onion Thrips, Armyworm, Cutworm, Leafminer, Onion Maggot (adult), Stink Bug	Dust lightly. Apply up to 6 times per season. May be applied until 1 day before harvest.
Peppers (Bell)	Pepper Weevil, Vegetable Leafminer, Cabbage Looper, Flea Beetle, European Corn Borer	Dust lightly. Apply up to 8 times per season. May be applied until 3 days before harvest.
Potatoes	Colorado Potato Beetle, Potato Leafhopper, Aster Leafhopper, Potato Flea Beetle, Potato Aphid, Potato Tuberworm, Potato Psyllid, Cabbage Looper	Dust lightly. Apply up to 8 times per season. May be applied until 14 days before harvest.
Sweet Corn	Corn Earworm, European Corn Borer, Fall Armyworm, Southern Armyworm, Corn Rootworm (adult), Cutworm, Aster Leafhopper, Flea Beetle	Dust lightly. Apply up to 6 times per season. May be applied until 1. day before harvest.

Tomatoes

Tomato Fruitworm, Cabbage Looper, Tomato Pinworm, Vegetable Leafminer, Beet Armyworm, Southern Armyworm, Colorado Potato Beetle, Granulate Cutworm, Dust lightly. Apply up to 6 times per season. May be applied until day of harvest.

Hornworm

ORNAMENTALS: DIRECTIONS FOR APPLICATION

CROP	TARGET PESTS	REMARKS
Asparagus Fern	Japanese Beetle, Asparagus Beetle, Lygus Bug	Dust lightly. Apply to the fern stage of asparagus plant after speer harvest when adult stage of the asparagus beetle, lygus bugs and the adult stage of the Japanese beetle are present.
Roses	Beet Armyworm, Cabbage Looper, Omnivorous Leafroller	Dust lightly.

TREE CROPS: DIRECTIONS FOR APPLICATION

Dust lightly, using a dust gun or rotary duster.

CROP	TARGET PESTS	REMARKS
Apples	Apply Aphid, Redbanded Leafroller, Obliquebanded Leafroller, Plum Curculio, White Apple Leafhopper, Spotted Tentiform Leafminer,	Dust lightly. Do not apply after petal fall.
	Tarnished Plant Bug	

[BACK/SIDE LABEL PANEL]

Peaches

Peach Twig Borer, Oriental Fruit Moth, Green Fruitworm, Lesser Peachtree Borer, Plum Curculio, Tarnished Plant Bug Dust lightly. Apply up to 5 times per season. May be applied until 14 days before harvest.

Walnuts

Navel Orangeworm, Codling Moth, Walnut Husk Fly

Dust lightly. Apply up to 8 times per season. May be applied until 1 day before harvest.

NOTE: CONTROL SOLUTIONS, INC. WARRANTS THAT THIS PRODUCT CONFORMS TO THE CHEMICAL DESCRIPTION ON THE LABEL THEREOF AND IS REASONABLY FIT FOR THE PURPOSES STATED ON SUCH LABEL ONLY WHEN USED IN ACCORDANCE WITH THE DIRECTIONS UNDER NORMAL USE CONDITIONS. IT IS IMPOSSIBLE TO ELIMINATE ALL RISKS INHERENTLY ASSOCIATED WITH THE USE OF THIS PRODUCT. INEFFECTIVENESS, OR OTHER UNINTENDED CONSEQUENCES MAY RESULT BECAUSE OF SUCH FACTORS AS WEATHER CONDITIONS, PRESENCE OF OTHER MATERIALS, OR THE MANNER OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF CONTROL SOLUTIONS, INC. IN NO CASE SHALL CONTROL SOLUTIONS, INC. BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER. EXCEPT AS EXPRESSLY PROVIDED HEREIN, CONTROL SOLUTIONS, INC. MAKES NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EITHER EXPRESSED OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. BUYER=S OR USER=S EXCLUSIVE REMEDY, AND CONTROL SOLUTIONS, INC. TOTAL LIABILITY, SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

> CONTROL SOLUTIONS, INC. 5903 GENOA-RED BLUFF PASADENA, TEXAS 77507-1041 PHONE: (281) 892-2500

EPA Registration No. 53883-33 EPA Establishment No. 44616-MO-1