53883-33

6 24 2013



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460-0001

> OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

6-24-13

Anne Turnbough Control Solutions 5903 Genoa Red Bluff Pasadena, TX 77507-1041

Subject: Amended Reregistration Label Product Name: Martin's Viper Insect Dust EPA Registration Number: 53883-33

Dear Ms. Turnbough:

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the reregistration of the above referenced product in connection with the permethrin RED(s), and has concluded that your submission is acceptable.

NOTE: This product is not being reregistered under sections 3(c)5 and 4(g) of FIFRA at this time.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on non-refillable containers. The code may appear either on the label or durably marked on the container itself, and can be added by non-notification per PRN 98-10.

Please note that the record for this product currently contains the Confidential Statements of Formulation (CSFs) listed below. Any previously dated CSFs are superseded.

Basic CSF and Alt. CSF both dated 4-8-10

A copy of your label stamped "Accepted" is enclosed for the subject product. Products shipped after 12 months from the date of this amendment or the next printing of the label whichever occurs first, must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e).

Page 2 EPA Reg. 53883-33

If you have any questions about this letter, please contact either Erik Kraft at (703-308-9358) or via email at <u>Kraft.Erik@epa.gov</u> or Richard J. Gebken at (703) 305-6701 or via e-mail at <u>Gebken.Richard@epa.gov</u>.

Sincerely yours,

Richard J. Gebken Product Manager (10) Insecticide Branch Registration Division (7504P)

[FRONT LABEL PANEL]

Martin's VIPER INSECT DUST

[alt. name Martin's Cow Calf Dust] [alt. name Martin's Lice Killer]

- (Optional Marketing Statements)
- (For use on poultry, dogs, horses, swine, beef and dairy cattle)
- (Controls Lice, Mites, and certain other insects)
- (For use on beef and dairy cattle)
- (Controls listed Flies, Lice, Fleas, Mites, Ticks)
- (Controls A Wide Range of Insect Pests On Garden Vegetables As Listed)

For Outdoor Use on Home Gardens

KILLS OVER 60 INSECTS ON

- Vegetables
- Ornamentals
- Fruits

CAN ALSO BE USED ON

- Dogs
- Livestock

ACTIVE INGREDIENT:

2- dimethylcyclopropanecarboxylate* 0.25%	OTHER INGREDIENTS: TOTAL:	
trans-3-(2,2-dichloroethenyl)-2,	Permethrin (3-phenoxyphenyl) methyl (+/-) <i>cis</i> ,	

* cis/trans ratio: Min. 35% (+/-) cis Max. 65% (+/-) trans

CAUTION

KEEP OUT OF REACH OF CHILDREN

See back/side panels for additional precautionary statements

NET CONTENTS

ACCEPTED 6-24-13 Under the Federal Insecticide,

Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 53883-33

[BACK/SIDE LABEL PANEL]

• READ ENTIRE LABEL BEFORE EACH USE

• FOR PET USE - USE ONLY ON DOGS

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: <u>Humans</u>: Harmful if swallowed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. <u>Animals</u>: Harmful if swallowed, inhaled. Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals or animals on medication. Sensitivities may occur after using **ANY** pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. **DO NOT USE ON CATS**: May be toxic or potentially fatal if applied to or ingested by cats. Accidental application to cats and/or grooming a recently treated dog may result in tremors and/or uncoordinated muscle movements. If this occurs, immediate veterinary care should be provided.

FIRST AID		
If on skin or clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.	
If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.	
If inhaled	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this product, contact the National Pesticide Information Center, 1-800-858-7378, Monday-Friday, 7:30 AM-3:30 PM PST. You may also contact the National Poison Control Center, 1-800-222-1222, day or night, for emergency medical treatment information [or SafetyCall [®] at (866) 897-8050]. FOR CHEMICAL EMERGENCY: Spill, leak, fire, exposure, or accident call CHEMTREC 1-800-424-9300.		

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to run off into storm drains, drainage ditches, gutters and surface waters. Applying this product in calm weather when rain is not predicted within 24 hours will help ensure that wind or rain does not blow or wash pesticide off the treatment area.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively, visiting the treatment area.

[BACK/SIDE LABEL PANEL]

PERSONAL PROTECTIVE EQUIPMENT:

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category E on an EPA chemical resistance category section chart.

Applicators and other handlers must wear:

Long-sleeved shirt and long pants,

shoes plus socks,

chemical-resistant gloves, and

a NIOSH-approved respirator with: a dust/mist filter with MSHA/NIOSH approval number prefix TC-21 or any N, R, P, or HE filter. Application with motorized equipment is prohibited.

USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

USER SAFETY RECOMMENDATION

User should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. User should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

User should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RESTRICTIONS:

Use of handheld power duster equipment is prohibited.

Do not enter or allow others to enter until dusts have settled.

Except when applying to pets, do not apply this product in a way that will contact workers or other persons either directly or through drift.

Except when applying to pets, only protected handlers may be in the area during application. Do not breathe dusts, vapors, or spray mist.

Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

When used in dairy barns or facilities: Close milk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking.

Do not water treated area to the point of run-off. Do not make applications during rain.

USE ON LIVESTOCK

BEEF AND DAIRY CATTLE AND HORSES

Can be used in dust bags, shaker can and mechanical dust applicator.

Horn Flies, Lice, Face Flies: Place contents of this package in any commercially available dust bag, suspend bag in areas frequented by cattle or in gateways or lanes through which the animals must pass daily for water, feed, or minerals. Bags may also be placed in loafing sheds or in front of mineral feeders.

For dairy cows, bags may be suspended in the exit through which the cows leave the milking barn. The bags should hang 4 to 6 inches below the back line of the cattle. For reduction of Face Flies, bags must be located so animals will be forced to use them daily and hung at a height so that the face is dusted.

Horn Flies, Lice Direct Application: Apply 2 oz. of dust per animal by shaker can over the head, neck, shoulders and back and tailhead. Repeat as necessary, but not more than once every three days.

HORSES: Dust horse for Horn flies with shaker can or dust glove along back, neck and legs.

SWINE:

Lice on Swine Direct Application: Apply only 1 ounce per head as a uniform coat to the head, shoulder and back by use of a shaker can or suitable mechanical dust applicator. Repeat as necessary, but not more often than once every 10 days. In severe infestation, both animals and the bedding may be treated. Do not ship animals for slaughter within 5 days of treatment.

POULTRY: To control Northern Fowl Mites, apply at a rate of 1 lb. per 100 birds. Ensure thorough treatment of vent area.

USE ON DOGS

To control Fleas, Ticks and Lice on Dogs.

Use product only outside or in a well-ventilated area. Wearing household latex or rubber gloves

[BACK/SIDE LABEL PANEL]

HOME GARDENS: FOR USE ON HOME GARDENS. NOT FOR USE ON PLANTS BEING GROWN FOR SALE OR OTHER COMMERCIAL USE.

Wearing household latex or rubber gloves, use a dust applicator such as a shaker can, dust gun, puffer or other bulbous duster, rotary duster or other appropriate duster as available. Start applying at the farthest corner of the treatment area and work backward to avoid contact with dusted surfaces. Dust lightly to cover both upper and lower leaf surfaces with a thin, even film of dust. (Many insects hide on the underside of the leaf).

Apply when air is calm to avoid drift and contact with eyes and skin.

Controls a wide range of insect pests. Use at first signs of insect infestation, preferably before damage from feeding occurs. Note the pre-harvest (time between use and harvest) interval with each crop listed.

CROP	TARGET PEST	REMARKS
Asparagus	Cutworm Complex, Asparagus Beetle	Dust lightly. Apply up to 4 times per season. May be applied until 1 day before harvest.
Broccoli, Brussel Sprouts, Cauliflower	Cabbage Looper, Imported Cabbageworm, Diamondback Moth, Cabbage Aphid	Dust lightly. Apply up to 8 times per season. May be applied until 1 day before harvest.
Cabbage	Cabbage Looper, Imported Cabbageworm, Diamondback Moth, Cabbage Aphid	Dust lightly. Apply up to 5 times per season. May be applied until 1 day before harvest.

VEGETABLES: DIRECTIONS FOR APPLICATION

Cucumber, Muskmelons, Pumpkin, Squash, Watermelon Leafminer, Squash Bug, Cabbage Looper, Cucumber Beetle (adult), Cutworm, Melon Worm, Pickle Worm, Plant Bug (including Lygus And Stink Bug), Rindworm, Squash Vine Borer Dust lightly. Apply up to 8 times per season. May be applied until harvest.

[BACK/SIDE LABEL PANEL]

Celery, Lettuce (head and leaf), Parsley, Rhubarb, Spinach

Eggplant

Vegetable Leafminer, Cabbage Looper, Cutworm Complex, Fall Armyworm, Beet Armyworm, Corn Earworm, Leafhopper, European Corn Borer

Colorado Potato Beetle, Vegetable Leafminer, Cabbage Looper, Flea Beetle Dust lightly. Apply up to 5 times per season. May be applied until 1 day before harvest.

Dust lightly. Apply up to 10 times per season. May be applied until 3 days before harvest.

CROP

Onions (Dry bulb and Garlic)

Peppers (Bell)

TARGET PESTS

Onion Thrips, Armyworm, Cutworm, Leafminer, Onion Maggot (adult), Stink Bug

Pepper Weevil, Vegetable Leafminer, Cabbage Looper, Flea Beetle, European Corn Borer

REMARKS

Dust lightly. Apply up to 6 times per season. May be applied until 1 day before harvest.

Dust lightly. Apply up to 8 times per season. May be applied until 3 days before harvest. Potatoes

Colorado Potato Beetle, Potato Leafhopper, Aster Leafhopper, Potato Flea Beetle, Potato Aphid, Potato Tuberworm, Potato Psyllid, Cabbage Looper

Sweet Corn

Corn Earworm, European Corn Borer, Fall Armyworm, Southern Armyworm, Corn Rootworm (adult), Cutworm, Aster Leafhopper, Flea Beetle Dust lightly. Apply up to 8 times per season. May be applied until 14 days before harvest.

Dust lightly. Apply up to 6 times per season. May be applied until 1 day before harvest.

[BACK/SIDE LABEL PANEL]

Tomatoes

Tomato Fruitworm, Cabbage Looper, Tomato Pinworm, Vegetable Leafminer, Beet Armyworm, Southern Armyworm, Colorado Potato Beetle, Granulate Cutworm, Hornworm Dust lightly. Apply up to 6 times per season. May be applied until day of harvest.

ORNAMENTALS: DIRECTIONS FOR APPLICATION

CROP	TARGET PESTS	REMARKS
Asparagus Fern	Japanese Beetle, Asparagus Beetle, Lygus Bug	Dust lightly. Apply to the fern stage of asparagus plant after speer harvest when adult stage of the asparagus beetle, lygus bugs and the adult stage of the Japanese beetle are present.

Dust lightly.

Beet Armyworm, Cabbage Looper, Omnivorous Leafroller

TREE CROPS: DIRECTIONS FOR APPLICATION Dust lightly, using a dust gun or rotary duster.

CROP	TARGET PESTS	REMARKS
Apples	Apple Aphid, Redbanded	Dust lightly. Do not
	Leafroller, Obliquebanded	apply after petal fall.
	Leafroller, Plum Curculio,	
	White Apple Leafhopper,	
	Spotted Tentiform Leafminer,	
	Tarnished Plant Bug	

[BACK/SIDE LABEL PANEL]

PeachesPeach Twig Borer, Oriental
Fruit Moth, Green Fruitworm,
Lesser Peachtree Borer, Plum
Curculio, Tarnished Plant BugDust lightly. Apply up
to 5 times per season.
May be applied until 14
days before harvest.WalnutsNavel Orangeworm, Codling
Moth, Walnut Husk FlyDust lightly. Apply up
to 8 times per season.

day before harvest.

May be applied until 1

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in cool, dry place.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: If empty - Nonrefillable container. Do not reuse or refill this container. [When packaged in plastic containers] Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

[When packaged in paper and plastic bags] Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

STORAGE AND DISPOSAL

[final printed labeling for residential use only] Do not contaminate feed or foodstuffs by storage or disposal. **PESTICIDE STORAGE**: Store in cool, dry place. **PESTICIDE DISPOSAL: If partly filled** - Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER HANDLING: If empty - Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

[NOTICE: To the extent consistent with applicable law, Buyer assumes all risks of use, storage and disposal]

LIMITATION OF WARRANTY AND LIABILITY

Read the entire direction for use, conditions of warranties and limitations of liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following **CONDITIONS**, **DISCLAIMER OF WARRANTIES**, and **LIMITATIONS OF LIABILITY**.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risk associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Control Solutions, Inc. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, Control Solutions, Inc. makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on this label. No agent of Control Solutions, Inc. is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Control Solutions, Inc. disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid or at Control Solutions, Inc election, the replacement of product. *[Optional Statement]*

Manufactured for CONTROL SOLUTIONS, INC. 5903 GENOA-RED BLUFF PASADENA, TEXAS 77507-1041

EPA Registration No. 53883-33 EPA Establishment No.

Revised 6-19-2013