

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

April 16, 2025

Lisa Adamson Regulatory Manager Control Solutions, Inc. 5903 Genoa-Red Bluff Pasadena, TX 77507-1041

Subject: Label Amendment - Registration Review Mitigation for Permethrin

Product Name: Martin's Viper Insect Dust EPA Registration Number: 53883-33 Application Date: March 23, 2021

Decision Number: 596859

Dear Lisa Adamson:

The Agency, in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the Permethrin Interim Decision, and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling and must be used at your next label printing. You must

Page 2 of 2 EPA Reg. No. 53883-33 Decision No. 596859

submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

If you have any questions about this letter, please Carolyn Smith via email at smith.carolyn@epa.gov.

Sincerely,

Jolyn Pyrie

Jaclyn Pyne, Team Leader
Risk Management and Implementation Branch 3
Pesticide Re-Evaluation Division
Office of Pesticide Programs

ENCLOSURE: Stamped label

Martin's **VIPER INSECT DUST**

[alt. name Martin's Cow Calf Dust]
[alt. name Martin's Lice Killer]

(Optional Marketing Statements)

- (For use on poultry, dogs, horses, swine, beef and dairy cattle)
- (Controls Lice, Mites, and certain other insects)
- (For use on beef and dairy cattle)
- (Controls listed Flies, Lice, Fleas, Mites, Ticks)
- (Controls A Wide Range of Insect Pests On Garden Vegetables As Listed)

For Outdoor Use on Home Gardens

KILLS OVER 60 INSECTS ON

- Vegetables
- Ornamentals
- Fruits

CAN ALSO BE USED ON

- Dogs
- Livestock

ACCEPTED

04/16/2025

53883-33

ACTIVE INGREDIENT:

* cis/trans ratio: Min. 35% (+/-) cis Max. 65% (+/-) trans

CAUTION

KEEP OUT OF REACH OF CHILDREN

See back/side panels for additional precautionary statements

- READ ENTIRE LABEL BEFORE EACH USE
- FOR PET USE USE ONLY ON DOGS

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: <u>Humans</u>: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. <u>Animals</u>: Harmful if swallowed, inhaled. Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals or animals on medication. Sensitivities may occur after using **ANY** pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. **DO NOT USE ON CATS**: May be toxic or potentially fatal if applied to or ingested by cats. Accidental application to cats and/or grooming a recently treated dog may result in tremors and/or uncoordinated muscle movements. If this occurs, immediate veterinary care should be provided.

FIRST AID		
If on skin or clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.	
If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.	
If inhaled	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.	

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this product, contact the National Pesticide Information Center, 1-800-858-7378, Monday-Friday, 7:30 AM-3:30 PM PST. You may also contact the National Poison Control Center, 1-800-222-1222, day or night, for emergency medical treatment information [or SafetyCall® at (866) 897-8050]. **FOR CHEMICAL EMERGENCY:** Spill, leak, fire, exposure, or accident call CHEMTREC 1-800-424-9300.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to run off into storm drains, drainage ditches, gutters and surface waters. Applying this product in calm weather when rain is not predicted within 24 hours will help ensure that wind or rain does not blow or wash pesticide off the treatment area.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively, visiting the treatment area.

[BACK/SIDE LABEL PANEL]

PERSONAL PROTECTIVE EQUIPMENT:

Some materials that are chemical-resistant to this product are listed below.

Applicators and other handlers must wear:

Long-sleeved shirt and long pants,

shoes plus socks,

chemical-resistant gloves made of barrier laminate, butyl rubber (\geq 14 mils), nitrile rubber (\geq 14 mils), neoprene rubber (\geq 14 mils), natural rubber (\geq 14 mils), polyethylene, PVC (\geq 14 mils), or viton (\geq 14 mils), and

wear a minimum of a NIOSH-approved particulate filtering facepiece respirator with: any N*, R, or P filter OR a NIOSH-approved powered air purifying respirator with HE filter. Application with motorized equipment is prohibited.

USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

USER SAFETY RECOMMENDATION

User should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. User should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

User should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For outdoor use only.

RESTRICTIONS:

Use of handheld power duster equipment is prohibited.

Do not enter or allow others to enter until dusts have settled.

Except when applying to pets, do not apply this product in a way that will contact workers or other persons either directly or through drift.

Except when applying to pets, only protected handlers may be in the area during application. Do not breathe dusts, vapors, or spray mist.

When used in dairy barns or facilities: Close milk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking.

Do not apply the product into fish pools, ponds, streams, or lakes. Do not apply directly to sewers or storm drains, or to any area like a drain or gutter where drainage to sewers, storm drains, water bodies or aquatic habitat can occur.

Do not allow the product to enter any drain during or after application.

Do not apply or irrigate to the point of run-off.

Do not apply directly to impervious horizontal surfaces such as sidewalks, driveways, and patios except as a spot or crack-and-crevice treatment.

Do not make applications during rain. Avoid making applications when rainfall is expected before the product has sufficient time to dry (minimum 4 hours).

Rainfall within 24 hours after application may cause unintended runoff of pesticide application. For soil or foliar applications, do not apply by ground within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds.

RESISTANCE MANAGEMENT

For resistance management, Martin's Viper Insect Dust contains a Group 3A insecticide. Any insect population may contain individuals naturally resistant to Martin's Viper Insect Dust and other Group 3A insecticides. The resistant individuals may dominate the insect population if this group of insecticides are used repeatedly in the same fields. Appropriate resistance-management strategies should be followed."

USE ON LIVESTOCK

BEEF AND DAIRY CATTLE AND HORSES

Can be used in dust bags, shaker can and mechanical dust applicator.

Horn Flies, Lice, Face Flies: Place contents of this package in any commercially available dust bag, suspend bag in areas frequented by cattle or in gateways or lanes through which the animals must pass daily for water, feed, or minerals. Bags may also be placed in loafing sheds or in front of mineral feeders.

For dairy cows, bags may be suspended in the exit through which the cows leave the milking barn. The bags should hang 4 to 6 inches below the back line of the cattle. For reduction of Face Flies, bags must be located so animals will be forced to use them daily and hung at a height so that the face is dusted.

Horn Flies, Lice Direct Application: Apply 2 oz. of dust per animal by shaker can over the head, neck, shoulders and back and tailhead. Repeat as necessary, but not more than once every three days.

HORSES: Dust horse for Horn flies with shaker can or dust glove along back, neck and legs.

SWINE:

Lice on Swine Direct Application: Apply only 1 ounce per head as a uniform coat to the head, shoulder and back by use of a shaker can or suitable mechanical dust applicator. Repeat as necessary, but not more often than once every 10 days. In severe infestation, both animals and the bedding may be treated. Do not ship animals for slaughter within 5 days of treatment.

POULTRY: To control Northern Fowl Mites, apply at a rate of 1 lb. per 100 birds. Ensure thorough treatment of vent area.

USE ON DOGS

To control Fleas, Ticks and Lice on Dogs.

Use product only outside or in a well-ventilated area. Wearing household latex or rubber gloves dust animals thoroughly, working the dust into the hair down to the skin. Pay close attention to legs and feet. Use 1/2 oz. on animals 20 pounds and under and 1 oz. on pets over 20 pounds. Avoid getting dust in pets' eyes, nose, mouth, and genital areas. Reapply every three weeks as needed. Do not use on dogs under twelve (12) weeks of age. Dust sleeping area including bedding and cracks and crevices.

To treat insects harbored in voids and cracks-and-crevices, applications much be made in such a manner to limit dripping and avoid runoff onto untreated structural surfaces and plants.

HOME GARDENS: FOR USE ON HOME GARDENS. NOT FOR USE ON PLANTS BEING GROWN FOR SALE OR OTHER COMMERCIAL USE.

Wearing household latex or rubber gloves, use a dust applicator such as a shaker can, dust gun, puffer or other bulbous duster, rotary duster or other appropriate duster as available. Start applying at the farthest corner of the treatment area and work backward to avoid contact with dusted surfaces. Dust lightly to cover both upper and lower leaf surfaces with a thin, even film of dust. (Many insects hide on the underside of the leaf).

Do not apply when the wind speed is greater than 15 mph

Apply when air is calm to avoid drift and contact with eyes and skin.

Controls a wide range of insect pests. Use at first signs of insect infestation, preferably before damage from feeding occurs. Note the pre-harvest (time between use and harvest) interval with each crop listed.

VEGETABLES: DIRECTIONS FOR APPLICATION

VEGETABLES: DIRECTIONS FOR APPLICATION			
CROP	TARGET PEST	REMARKS	
Asparagus	Cutworm Complex, Asparagus Beetle	Dust lightly. Apply up to 4 times per season. May be applied until 1 day before harvest.	
Broccoli, Brussel	Cabbage Looper,	Dust lightly. Apply up	
Sprouts, Cauliflower	Imported Cabbageworm,	to 8 times per season.	
	Diamondback Moth,	May be applied until 1	
	Cabbage Aphid	day before harvest.	
Cabbage	Cabbage Looper, Imported Cabbageworm, Diamondback Moth, Cabbage Aphid	Dust lightly. Apply up to 5 times per season. May be applied until 1 day before harvest.	
Cucumber,	Leafminer, Squash Bug,	Dust lightly. Apply up	
Muskmelons,	Cabbage Looper, Cucumber	to 8 times per season.	
Pumpkin, Squash,	Beetle (adult), Cutworm,	May be applied until	
Watermelon	Melon Worm, Pickle Worm, Plant Bug (including Lygus And Stink Bug), Rindworm, Squash Vine Borer	harvest.	

Celery, Lettuce (head and leaf), Parsley, Rhubarb, Spinach	Vegetable Leafminer, Cabbage Looper, Cutworm Complex, Fall Armyworm, Beet Armyworm, Corn Earworm, Leafhopper, European Corn Borer	Dust lightly. Apply up to 5 times per season. May be applied until 1 day before harvest.
Eggplant	Colorado Potato Beetle, Vegetable Leafminer, Cabbage Looper, Flea Beetle	Dust lightly. Apply up to 10 times per season. May be applied until 3 days before harvest.

CROP	TARGET PESTS	REMARKS
Onions (Dry bulb and Garlic)	Onion Thrips, Armyworm, Cutworm, Leafminer, Onion Maggot (adult), Stink Bug	Dust lightly. Apply up to 6 times per season. May be applied until 1 day before harvest.
Peppers (Bell)	Pepper Weevil, Vegetable Leafminer, Cabbage Looper, Flea Beetle, European Corn Borer	Dust lightly. Apply up to 8 times per season. May be applied until 3 days before harvest.
Potatoes	Colorado Potato Beetle, Potato Leafhopper, Aster Leafhopper, Potato Flea Beetle, Potato Aphid, Potato Tuberworm, Potato Psyllid, Cabbage Looper	Dust lightly. Apply up to 8 times per season. May be applied until 14 days before harvest.
Sweet Corn	Corn Earworm, European Corn Borer, Fall Armyworm, Southern Armyworm, Corn Rootworm (adult), Cutworm, Aster Leafhopper, Flea Beetle	Dust lightly. Apply up to 6 times per season. May be applied until 1 day before harvest.

Tomatoes Tomato Fruitworm,

Cabbage Looper, Tomato Pinworm, Vegetable Leafminer, Beet Armyworm, Southern Armyworm, Colorado Potato Beetle, Granulate Cutworm, to 6 times per season. May be applied until day of harvest.

Dust lightly. Apply up

Hornworm

ORNAMENTALS: DIRECTIONS FOR APPLICATION

CROP	TARGET PESTS	REMARKS
Asparagus Fern	Japanese Beetle, Asparagus Beetle, Lygus Bug	Dust lightly. Apply to the fern stage of asparagus plant after speer harvest when adult stage of the asparagus beetle, lygus bugs and the adult stage of the Japanese beetle are present.
Roses	Beet Armyworm, Cabbage Looper, Omnivorous Leafroller	Dust lightly.

TREE CROPS: DIRECTIONS FOR APPLICATION

Dust lightly, using a dust gun or rotary duster.

CROP	TARGET PESTS	REMARKS
Apples	Apple Aphid, Redbanded	Dust lightly. Do not
	Leafroller, Obliquebanded Leafroller, Plum Curculio,	apply after petal fall.
	White Apple Leafhopper,	
	Spotted Tentiform Leafminer,	
	Tarnished Plant Bug	

Peaches Peach Twig Borer, Oriental Dust lightly. Apply up

Fruit Moth, Green Fruitworm,
Lesser Peachtree Borer, Plum
Curculio, Tarnished Plant Bug

to 5 times per season.
May be applied until 14
days before harvest.

Walnuts Navel Orangeworm, Codling Dust lightly. Apply up

Moth, Walnut Husk Fly to 8 times per season.

May be applied until 1 day before harvest.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for local disposal options

PESTICIDE STORAGE: Store in cool, dry place.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: **If empty** - Nonrefillable container. Do not reuse or refill this container. [When packaged in paper, plastic, or containers] Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and

local authorities, by burning. If burned, stay out of smoke.

[When packaged in paper,plastic bags, or containers] Completely empty bag into application equipment. Then

dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

STORAGE AND DISPOSAL

[final printed labeling for residential use only]

Do not contaminate feed or foodstuffs by storage or disposal.

Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for local disposal options

PESTICIDE STORAGE: Store in cool, dry place.

PESTICIDE DISPOSAL: **If partly filled** - Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER HANDLING: If empty - Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

[NOTICE: To the extent consistent with applicable law, Buyer assumes all risks of use, storage and disposal]

LIMITATION OF WARRANTY AND LIABILITY

Read the entire direction for use, conditions of warranties and limitations of liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following **CONDITIONS**, **DISCLAIMER OF WARRANTIES**,

and LIMITATIONS OF LIABILITY.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risk associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Control Solutions, Inc. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, Control Solutions, Inc. makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on this label. No agent of Control Solutions, Inc. is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Control Solutions, Inc. disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid or at Control Solutions, Inc election, the replacement of product. [Optional Statement]

Manufactured for CONTROL SOLUTIONS, INC. 5903 GENOA-RED BLUFF PASADENA, TEXAS 77507-1041

EPA Registration No. 53883-33 EPA Establishment No.