53883-3	39	8	2-31-20	06					l
	ر Environmenta	Inited States		Form A		<u>OMB No. 207</u> Registratio Amendme Other	on		<u>al expires 2-21</u> ntifier Number
		Applicatio	n for Pestic	de - Seo	ction I				
. Company/Product Numbe	r			Product Ma			3. Pro	oposed Cla	ssification
53883 - 39			Georg	e LaRocc	a			None	Restricte
. Company/Product (Name) Martin's Surrender Per		awn Insect (Ontrol					· ·	
Name and Address of Ap	plicant (Include ZIP Co	de)	6. Exc	edited Re	veiw.	In accordance	e with	FIFRA Se	ction 3(c)(3)
Control Solutions, Inc 5903 Genoa-Red Blu Pasadena, TX 77507	ff		(b)(i), i to:	ny product	t is simil	lar or identica	t in co	mposition	
Check if this	is a new address		Produ	ict Name		_			_
		··	Section -						
Amendment - Explain		<u>.</u>		Agency le	tter date)	NOTIF	CATION
Resubmission in resp	onse to Agency letter	dated	["Me Too"	Applicat	ion.			1 2006
✓ Notification - €xplain	below.			Other - Ex	plain bel	ow.		HUUJ	1 2005
			Section - I	11			· · · · ·		····.
. Material This Product Will	Be Packaged In:				r			···	
hild-Resistant Packaging	Unit Packaging			} ,		2. Type of Col			
Yes	Yes		Yes				letel Iastic		
No	No		No No				ilass aper		
Certification must e submitted	lf "Yes" Unit Packaging wgt.	No, per container	lf "Yes" Package wgt	No. per containe		· · · · · · · · · · · · · · · · · · ·	•	pecify)	.,
Location of Net Contents	Information ontainer	4. Size(s) Rete	ail Container 2.5 gallon	<u> </u>	5. Loci	ation of Label I on label	Directio	ns	
. Manner in Which Lebel is		Lithogr Paper (Stencil	aph	C Oth	ər				
			Section - I	V					
. Contact Point <i>(Complete</i>	items directly below f	or identification	of individual to b	e contacted	, if neces	sary, to proce	ss this	application	p.)
ame Carroll Draper			Title Registration Spe	cialist			lephone ⊪⊏242-€		rie Area Code
l certify that the stater I acknowledge that an both under applicable i	y knowlinglly false or i		all attachments th					6. Dute A Geceiv (St.	
Signature	1	-	. Title Registration Speci	alist					
L'UNIEL O	regen_		Date						
Typed Name Carroll Draper	/	5		17-06					
A C 9570 1 (Bay 2 04)	Previous editions are	obsolete		144	ite - FDA	File Copy (or	incipali	Vellow	- Applicant C

Treats up to 5000 sq. Ft.

(OPTIONAL MARKETING LANGUAGE) Treats Up To 13 Fire Ant Mounds [4 lb size only]

(OPTIONAL MARKETING LANGUAGE)

MARTIN'S SURRENDER PERMETHRIN GRANULES contains permethrin, a long lasting insecticide which provides contact and residual control for up to 4 weeks of troublesome outdoor insect pests. Controls grubs and other listed root feeding insects.

(OPTIONAL MARKETING LANGUAGE)

SPREADER SETTINGS

Spreader Settings to Apply at Listed Rate (pounds per 1000 sq. ft.)

Drop Spreaders: 2 lbs		Rotary Spreaders: 2 lbs	
Ames	12	Ames	12
Earthway Model 73008	12	Earthway	12
Precision Red Devil	1	Precision Red Devil	1
Scotts Accugreen AG-3	2	Cyclone SB3000	6
Scotts EvenGreen EV-1	6	Scotts EasyGreen EG-3	26
Scotts PrecisionGreen PF-4	5	Scotts Speedygreen SG-3	5

Martin's Surrender Permethrin Granules

Lawn Insect Control

[alt. name: Martin's Lawn & Perimeter Granules]

Kills on contact * Up to 4 week control * Protects your home from invading ants * Also stops [kills(optional wording)] spiders, roaches, ants, fleas, brown dog ticks * Grub Control * Ready to use * <u>Use on All Types</u> of Lawns

Kills: Grubs, Fleas, Ants, Crickets, Brown Dog Ticks, Fire Ants, Chinch Bugs, Armyworms, Billbugs, Cutworms, Earwigs, Sod Webworms and other listed insects

Active Ingredient
Permethrin [*(3-phenoxyphenyl)methyl (±) cis-trans-3-(2,2-
dichloroethenyl)-2,2-Dimethylcyclopropanecarboxylate]
Inert Ingredients
Total 100.00%
*cis-trans isomer ratio: min 35%(±) cis, max. 65% (±) trans.

KEEP OUT OF REACH OF CHILDREN CAUTION

See additional precautionary statements on back of bag.

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals CAUTION

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid inhalation of dust. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Avoid contamination of food and feed.

STOP. READ ENTIRE LABEL BEFORE USE.

	FIRST AID
Have the product cor	ntainer or label when calling a poison control center or doctor, or going for treatment.
If on skin or	Take off contaminated clothing.
Clothing	 Rinse skin immediately with plenty of water for 15-20 minutes.
-	Call a poison control center or doctor for treatment advice.
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish. Do not apply directly to water. Drift and runoff from treated areas may be hazardous to aquatic organisms in treated areas. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For outdoor use around the home only.

Three Easy Steps to Use this Product

- Step #1: Determine size of the job, measure the area to be treated.
- Step #2: Use spreader setting chart to determine appropriate setting for your spreader.
- Step #3: Treat as directed in rate chart. Thorough coverage is important. Water in granules where indicated.

Food utensils such as teaspoons and measuring cups should not be used for food purposes after use with pesticides.

Note: The spreader settings listed below are approximate. Accurately weigh a few pounds into your spreader and apply to a measured area. Then adjust spreader setting if necessary, in order to assure correct rate of application.

- 2 -

Spreader Make and Model	Grass or Dichondra Lawns 2 pounds	St. Augustine Lawn 3 pounds	White grubs, Billbugs 2 ½ pounds
Central Imperial Make No. 1662-G	6 1/2	7 1/4	7
Central Suburbia Lawn Spreader No. 1622-O	6 1⁄2	7 1/2	7
Cyclone Model B1 Rotary	4 1/2	5	4 3/4
Greenfield Model 105	6 1⁄2	7 1/4	6 3/4
Ortho Drop Spreader Model 3000	4 1/2	5 ½	5
Ortho Broadcast Spreader Model 4000	4 1/2	7	6
J.C. Penny Model 6005	7 1/4	8	7 1/2
J.C. Penny Rotary Spreader	5	7	6
Scott Model 35	4	5	4 1/2
Sears Craftsman Model 671.19198	6	7	6 ½
Spyker 24-22 Rotary	3.6	3.9	3.75
Lesco Rotary	10(E)	11(F)	10(E)
Prizelawn CB Rotary	3.8	4.2	4.0
EarthWay 2400 Rotary	14	15	14
Cyclone Pro	3.25	3.5	3.4
Scotts R8A	F	G	G
Lely Broadcast	2.3	2.5	2.4
Bigfoot	F	G	F-G

.

Treatment Areas	Target Pest	Remarks	Use Rate	
Band Treatment Around House Foundation Ants,Fleas, Brown dog ticks, Millipedes, Clover mites, Roaches, Spiders, Silverfish, Sowbugs (Pillbugs), Crickets, Earwigs		These pests are commonly found around or near foundations of houses as well as in lawns. Certain of these pests may enter houses. Apply a 5-foot band of granules uniformly. Water lightly after application.	3.2 oz. For each 100 sq. ft. area (5' by 20')	
Overall Lawn Application for Grass and Dichondra Lawns	Ants, Armyworms, Brown dog ticks, Chinch bugs, Clover mites, Crickets, Cutworms, Earwigs, Fleas, Lawn moths (sod webworms), Leafhoppers, Millipedes, Sowbugs	Apply with a fertilizer spreader. See spreader setting chart on the side of bag. Apply when grass is dry. Water lawn lightly after application.	For application with other types of equipment, apply at the rate of 2 lbs. per 1000 sq. ft. (an area 20' by 50') or 3.2 oz. per 100 sq. ft. (an area 10' by 10'). For heavy lawns such as St. Augustine grass, the rate should be increased to 3 lbs. per 1000 sq. ft. (or 4.8 oz. per 100 sq. ft.)	
	Grubs, Japanese beetle grubs, Ataenius spretulus (dung beetles)	Water grass thoroughly after application. For billbug control, apply when activity is first observed or when chewed or brown grass indicates damage from these insects. For grub control, except dung beetle, treat any time between late July and early October. For dung beetle grub control, apply in spring or early summer when damage is first noticed. Water grass thoroughly with 1/4 - ½ inches of water after	Apply 2.5 lbs. per 1000 sq. ft. of lawn.	

application. Treat again in late summer or early fall if a second generation occurs.

immediately after application, water in

should be applied to each mound area.

thoroughly. A minimum of 1 gallon of water

Apply gently to avoid disturbing ants. Use of high pressure watering equipment may disturb the ants and cause migration, reducing product effectiveness. Note: For best results, apply in cool weather, 65 -80F, or in early morning or late evening hours. Treat new mounds as they appear.

Apply 1 1/2 teaspoons over and around each

Apply 1 cup over, and

2 ft. around each fire

ant hill.

ant mound.

Water lightly after application.

Directions for Applying Martin's Surrender Permethrin Granules

Spot Treatment

Ants

Fire Ants

(OPTIONAL DIRECTIONS)

OPTION A

BAND TREATMENT AROUND HOUSE

General Directions

The following pests are commonly found around or near foundations of houses as well as in lawns. Some of these pests may enter the home. Apply a 3 to 5 foot band of granules next to the house's foundation.

INSECTS: Ants, Fleas, Brown dog ticks, Clover mites, Crickets, Earwigs, Millipedes, Sowbugs (Pillbugs)

RATE: 3.2 oz. for each 100 sq. ft. area (5 ft. by 20 ft.)

HOW TO USE: Distribute granules evenly. Water lightly after application.

SPOT TREATMENT FOR ANTS

RATE: Apply 1 - 1/2 teaspoons over and around each ant hill.

HOW TO USE: Water lightly after application.

OPTION B

BAND TREATMENT AROUND HOUSE

- 1. MARTIN'S SURRENDER PERMETHRIN GRANULES kills ants, as well as fleas, brown dog ticks, clover mites, crickets, earwigs, millipedes, roaches, sowbugs (pillbugs), spiders, silverfish and other pests.
- 2. Break the seal and open the pop-top cap.
- 3. Evenly sprinkle granules in a 3 to 5 foot wide band along the foundation of your home. Granules should be spaced like the ones pictured below (show picture). Use rate = 3.2 oz. for each 100 sq. ft. Area (5'x 20').
- Gently water treated areas.

USE TIPS

- 1. Try to get even coverage throughout your "barrier band".
- 2. Reapply after hard rains to areas where down spouts empty.

SPOT TREATMENT FOR ANTS

- 1. Evenly sprinkle granules over and around each ant hill.
- 2. Use ½ oz. (1 ½ teaspoons) per ant hill. (NOTE: This package will effectively treat 64 ant hills.) [The note is for a 2 pound package.]
- 3. Gently water treated areas.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in cool, dry area away from children and domestic animals.

Disposal: If empty: Do not reuse this container. Do not rinse unless required for recycling. Place in trash.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Unless otherwise instructed, place in trash. Never pour unused product down the drain or on the ground.

WARRANTY STATEMENT

NOTE: CONTROL SOLUTIONS, INC. WARRANTS THAT THIS PRODUCT CONFORMS TO THE CHEMICAL DESCRIPTION ON THE LABEL AND IS REASONABLY FIT FOR THE PURPOSES STATED ON THE LABEL WHEN USED IN ACCORDANCE WITH THE DIRECTIONS FOR USE. IT IS IMPOSSIBLE TO ELIMINATE ALL RISKS INHERENTLY ASSOCIATED WITH THE USE OF THIS PRODUCT. INEFFECTIVENESS, OR OTHER UNINTEDNED CONSEQUENCES MAY RESULT. BECAUSE OF SUCH FACTORS AS WEATHER CONDITIONS, PRESENCE OF OTHER MATERIALS. OR THE MANNER OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF CONTROL SOLUTIONS, INC. IN NO CASE SHALL CONTROL SOLUTIONS, INC BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER. EXCEPT AS EXPRESSLY PROVIDED HEREIN, CONTROL SOLUTIONS, INC. MAKES NO WARRANTIES, GUARANTIES, OR REPRESENTATIONS OF ANY KIND, EITHER EXPRESSED OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND CONTROL SOLUTIONS, INC. TOTAL LIABILITY, SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

(Optional wording to be used in place of "Warranty Statement" above) NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

> Control Solutions, Inc. 5903 Genoa-Red Bluff Pasadena, TX 77507-1041

EPA Reg. No. 53883-39 EPA Est. No. 53883-TX-002

(NOTIF 01-06-05 Opt Marketing Language)

- 6 -

CONTROL SOLUTIONS incorporated

August 17, 2006

Document Processing Desk (NOTIF) Office of Pesticide Programs U.S. Environmental Protection Agency One Potomac Yard 2777 S. Crystal Drive Arlington, VA 22202

Re: Notification per (PR) Notice 98-10, Optional Marketing Language EPA Reg. No. 53883-39 Martin's Surrender Permethrin Granules Lawn Insect Control

Dear Sir or Madam:

Enclosed is a Notification for Optional Marketing Language per (PR) Notice 98-10. Please see underlined text in the shaded area on the attached labeling.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 USC Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If you have any questions or need additional information, please feel free to contact me.

Sincerely,

Parial Diopa

Carroll Draper Registration Specialist

5903 Genoa Red Bluff • Pasadena, TX 77507-1041 • www.controlsolutionsinc.com 281-892-2500 • Fax 281-892-2501 • 800-242-5562