53883-122

sprbons

U.S. ENVIRONMENTAL PROTECTION AG Office of Pesticide Programs Registration Division (H7505C) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20004

EPA Reg. Number: 53883-122

Date of Issuance:

AUG 27 2003

Term of Issuance:

Conditional

**NOTICE OF PESTICIDE:** 

x Registration

\_\_ Reregistration

Name of Pesticide Product:

Bifenthrin Nursery G

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Control Solutions, Inc. 5903 Genoa - Red Bluff Pasadena, TX 77507-1041

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is <u>conditionally</u> registered in accordance with FIFRA sec. 3(c)(7)(A), provided that you:

- 1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of you product under FIFRA section 4.
- 2. Make the following labeling changes:
  - a. Revise the EPA Registration Number to read "EPA Reg. No.53883-122".
  - b. At your discretion, you may add the following herbs to the "Herb Use" section: "basil" and "curry (leaf)". These herbs are listed on the approved label of the cited product (Talstar® Nursery Granular Insecticide; EPA Reg. No. 279-3130).

Please submit two (2) copies of your final printed label before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing amended labeling constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Signature of Approving Official:

Date

AUG 27 2003

Summe I Starton for George T. LaRocca

Page 2 EPA Reg. No. 53883-122

If you have any questions regarding this action, please contact Susan Stanton of my team at (703) 305-5218.

Sincerely,

George T. LaRocca Product Manager (13) Insecticide Branch Registration Division (7505C)

Enclosures

# ACCEPTED with COMMENTS In EPA Letter Dated:

AUG 2 7 2003

# Bifenthrin Nursery G

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 53883-/22

For Agricultural and Commercial Use Only For Use as a Quarantine Treatment Against Imported Fire Ants and for Balled and Containerized **Nursery Stocks** 

Active Ingredient:	By Wt.
Active Ingredient: Bifenthrin*	0.2%
Other	
Total	. 100.0%
*Cis isomers 97% minimum, trans isomers 3% maximum.	
Net Contents	
AND OUR OF BEAUTIER OF CHARLES	

# KEEP OUT OF REACH OF CHILDREN CAUTION

See other panels for additional precautionary information.

	FIRST AID
If on skin or clothing:	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15 – 20 minutes.</li> </ul>
	Call a poison control center or doctor for treatment advice.
	or label with you when calling a poison control center or doctor, or going for ontact the Poison Control Center 800-222-1222.
	roduct is a pyrethroid. If large amounts have been ingested, milk, cream and s may increase absorption and so should be avoided.

# PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

Caution - Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing.

# Personal Protective Equipment:

Applicators and other handlers must wear:

- Long sleeved shirt and long pants
- Waterproof gloves
- Shoes and socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

### User Safety Recommendations: **Users Should:**

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

### Environmental Hazards

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters or rinsate.

#### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

## AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during restricted entry interval (REI) of 12 hours. Exception: if the product is soil-injected or soil incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralis
- Waterproof gloves
- Shoes plus socks

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

#### **Pesticide Storage**

Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use close tightly.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. To Confine Spill: Cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

## Pesticide Disposal

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

#### Container Disposal

Paper and plastic bags: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned stay out of smoke.

## **ORNAMENTAL USE**

(For soil incorporation into potting media used in containerized plantings of ornamental trees, shrubs, plants, flowers, conifers, Christmas trees, and non-bearing fruit and nut trees, and bushes.)

#### **HERB USE**

For soil incorporation into potting media used in containerized plantings of the following herbs: Angelica; balm; borage; burnet; chamomile; catnip; chervil; chive; chive, chinese; clary; coriander (leaf); costmary; culantro (leaf); dillweed; horehound; hyssop; lavender; lemongrass; lovage (leaf); marigold; marloram; nasturtium; parsley; pennyroyal; rosemary; rue; sage; savory, summer and winter; sweet bay; tansy; tarragon; thyme; wintergreen; woodruff; and wormwood. Minimum preshipment interval is 70 days for herbs listed above.

Application instructions for Potting Media: Determine bulk density of the potting media by measuring the dry weight of a unit volume of the mix. Based on the length of control required, thoroughly mix the appropriate quantity of the Bifenthrin Nursery G with equipment suitable to give uniform distribution in the potting media. Bifenthrin Nursery G may be pre-mixed with an appropriate amount of sand (1:10) to ensure adequate distribution of the product of the mix.

Bifenthrin Nursery G is approved under the USDA Plant Protection Imported Fire Ant Quarantine Certification program when used in accordance with USDA guidelines. Use the recommended application

rates given in the table below to determine the length of control required for certification.

Pest	USDA IFA Certification	App. Rate	Potting Media Bulk Density* (lbs. Bifenthrin Nursery G Per Cubic Yard)				
	Period (mo)	(ppm)	200	300	400	500	600
Imported Fire Ant	0-6	10	1.0	1.5	2.0	2.5	3.0
	7-12	12	1.2	1.8	2.4	3.0	3.6
	13-24	15	1.5	2.25	3.0	3.75	4.5
	Continuous	25	2.5	3.75	5.0	6.25	7.5

Comments: Incorporate appropriate amount of Bifenthrin Nursery G in one cubic yard of potting media based on the known bulk density.

## For General Use on Ornamental Plants outside the scope of USDA guidelines

For Fungus Gnat larvae & Mealybugs use 5 to 10 ppm. For Black Vine Weevil larvae, Root Weevil larvae, White Grubs (including Japanese Beetle, oriental beetle, and European chafer larvae) & Imported Fire Ants use 10 to 25 ppm. Use the higher rates for extended residual control.

Pest	App. Rate (ppm)	Potting Media Bulk Density* (lbs. Bifenthrin Nursery G Per Cubic Yard)					
		200	300	400	500	600	
Fungus Gnat Larvae	5	0.5	0.75	1.0	1.25	1.5	
Mealybugs	10	1.0	1.5	2.0	2.5	3.0	
Black Vine Weevil	10	1.0	1.5	2.0	2.5	3.0	
Root Weevil larvae	15	1.5	2.25	3.0	3.75	4.5	
White Grubs	25	2.5	3.75	5.0	6.25	7.5	
Imported Fire Ants							

Comments: Incorporate appropriate amount of Bifenthrin Nursery G in one cubic yard of potting media based on the known bulk density.

# = bulk density of potting media x ppm

(bulk density = laboratory determined dry weight of a volume of potting media.)

Dealer Should Sell in Original Packages Only

Terms of Sale or Use: On purchase of this product buyer and user agree to the following conditions: Warranty: Control Solutions, Inc. makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

<sup>\*</sup>lbs. of Bifenthrin Nursery G per cubic yard

Directions and Recommendations: Follow directions carefully. Timing, method of application and weather conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller and are assumed by the buyer at his own risk.

Use of Product: Control Solutions, Inc.'s recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practices.

Damages: Buyer's and user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.

Control Solutions, Inc., 5903 Genoa-Red Bluff, Pasadena, TX 77507-1041 EPA Reg. No. 53883 - REE EPA Est. No.