

 <p>U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505C) 1200 Pennsylvania Avenue, N.W. Washington, D.C. 20004</p> <p>NOTICE OF PESTICIDE: <u> x </u> Registration <u> </u> Reregistration</p> <p>(under FIFRA, as amended)</p>	EPA Reg. Number:	Date of Issuance:
	53883-150	OCT 31 2005
	Term of Issuance: Conditional	
Cyper 1% Horse Spray		
Name and Address of Registrant (include ZIP Code): Control Solutions, Inc. 5903 Genoa- Red Bluff Pasadena, Texas 77507-1041		
<p>Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:</p> <ol style="list-style-type: none"> 1. Submit and/or cite all data required for registration/reregistration of your product when the Agency requires all registrants of similar products to submit data; and submit acceptable responses required for reregistration of your product under FIFRA section 4. 2. Make the labeling changes listed below before you release the product for shipment: <ol style="list-style-type: none"> a. Add the phase "EPA Registration No.53883-150." b. Based on the acute toxicity profile the signal word Caution, Hazards to Humans and Domestic Animals and first aid statements are not required. If you desire to retain such statements you may use Tox Category III labeling. 		
Signature of Approving Official:		Date:

c. Delete the statements "Humans, For Animal Use Only, and Not for Use on Humans" and move the statements, "Avoid contact with eyes or mucous membrane and Avoid contamination of food." under Directions for Use, second paragraph.

d. On the front panel delete "Gentle, Sweat and water resistant fly repellent formula", "Repels & Kills Deer Ticks that may cause Lyme Disease", "Up to 28 days Fly Control", and "Won't sweat off". No data was submitted to support these optional marketing claims.

e. Change "Protects against Biting & Nuisance Flies, Gnats, Mosquitoes, Deer Ticks and Lice" to "Protects against Biting & Nuisance Flies, Gnats, and Mosquitoes (culex spp)". No data was submitted to support deer ticks and lice.

f. Based on the submitted data change "Ready- to-use, Cyper 1% Horse Spray insecticide/repellent/formula provides repellency, quick knockdown and long lasting protection from flies, gnats and mosquitoes. Unique formulation stays active and keeps working even in wet conditions and when the horse sweats." to read "Ready- to-use, Cyper 1% Horse Spray insecticide/repellent/formula provides repellency, quick knockdown from flies, gnats, and mosquitoes(culex spp)".

g. Based on the submitted data under Directions for Use change "To protect horses and ponies from Horse Flies, House Flies, Stable Flies, Face Flies, Horn Flies, Deer Flies, Gnats, Mosquitoes, Lice, Ticks, and Deer Ticks that may transmit Lyme Disease" to "To protect horses and ponies from Horse Flies, House Flies, Stable Flies, Face Flies, Horn Flies, Deer Flies, Gnats, Mosquitoes.(culex spp)".

h. On Page 3 Delete "As protection builds, reapply every 10 to 14 days as needed." No data was provided to support this claim.

i. Revise the warranty statement beginning , "In no case shall Control Solution, Inc be liable ,,, etc." to "To the fullest extent permitted by law Control Solution, Inc shall not be liable for consequential ,,, etc."

j. The data submitted support an 7 day claim for the mosquito, Culex quinquefasciatus. This claim may be expressed as a general Culex mosquito claim of up to 7 days.

k. The submitted data do not indicate that exposure to horses treated with the formulation resulted in the mortality of flies. Remove all "kills" claim relating to flies and gnats.

Within one year from the date of this registration notice you must submit a one year Storage Stability study (830.6317) and a Corrosion Characteristics study (830.6320).

ACUTE TOXICITY REVIEW

STUDY	MRID	CATEGORY	CLASSIFICATION
Acute Oral	46279403	IV	Acceptable
Acute Dermal	46279404	IV	Acceptable
Acute Inhalation	46279405	IV	Acceptable
Eye Irritation	46279406	IV	Acceptable
Dermal Irritation	46279407	IV	Acceptable
Dermal Sensitization	46279408	Negative	Acceptable

A copy of the toxicity and efficacy reviews are enclosed for your records.

3. Submit two (2) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Enclosures

4/6

CYPER 1% HORSE SPRAY

- Protects against horseflies *[Optional Marketing Language]*
- Specially designed sponge applicator *[Optional Marketing Language for use with sponge applicator bottle]*
- Gentle, Sweat and water resistant fly repellent formula *[Optional Marketing Language]*
- For Use On Horses & Ponies *[Optional Marketing Language]*
- Repels & Kills Deer Ticks that may transmit Lyme Disease *[Optional Marketing Language]*
- Repels & Kills Mosquitos that may transmit West Nile Virus *[Optional Marketing Language]*
- Water-Base Formula *[Optional Marketing Language]*
- For Horses and Ponies *[Optional Marketing Language]*
- Protects against Biting & Nuisance Flies, Gnats, Mosquitoes, Deer Ticks and Lice
- Up to 28 Days Fly Control *[Optional Marketing Language]*
- Won't sweat off *[Optional Marketing Language]*

Ready-to-use, Cyper 1% Horse Spray insecticide/repellent/ formula provides repellency, quick knockdown and long lasting protection from flies, gnats and mosquitoes. Unique formulation stays active and keeps working even in wet conditions and when the horse sweats.

ACTIVE INGREDIENTS:

Cypermethrin, CAS #52315-07-8 1.00%

OTHER INGREDIENTS: 99.00%

Total: 100.00%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

HUMANS: For animal use only. Not for use on humans. Harmful if swallowed. Avoid contact with eyes, skin, or clothing. Avoid contamination of food. Wash hands with soap and water after use.

HORSES: Avoid contact with eyes or mucous membranes. Harmful if swallowed. Avoid contamination of food.

**ACCEPTED
with COMMENTS
in EPA Letter Dated**

OCT 31 2005 Contents: _____

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the
registered under E
53883-150

FIRST AID	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the Poison Control Center 800-222-1222.	
If Swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If in Eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison center or doctor immediately for treatment advice.
If on Skin or Clothing	<ul style="list-style-type: none"> • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor immediately for treatment advice. • Take off contaminated clothing.
If Inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply to any body of water. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not for use on horses intended for human consumption.

Shake well before using. To protect horses and ponies from Horse Flies, House Flies, Stable Flies, Face Flies, Horn Flies, Deer Flies, Gnats, Mosquitoes, Lice, Ticks, and Deer Ticks that may transmit Lyme Disease: Thoroughly brush the horse's coat prior to application to remove loose dirt and debris. For dirty horses, shampoo and rinse thoroughly. Wait until the coat is completely dry before applying this product. Cyper 1% Horse Spray's unique water resistant formula contains a special conditioner that binds to the hair shaft so it keeps working even in moist conditions or when the horse sweats.

[Sponge-On Application: Shake well before using. Apply Cyper 1% Horse Spray with the specially designed sponge applicator attached to the bottle. For horse's face, **avoid getting spray into horse's eyes, nose or mouth**. Apply to horse's entire body, sponging against the lay of the coat to insure adequate coverage. *Optional text to be used when product is packed in sponge applicator bottle.*]

Spray or Wipe Application: Application should be liberal for best results. For horse's face, **always apply as a wipe** using a piece of clean, absorbent cloth, toweling (Turkish) or sponge. **Avoid getting spray into horse's eyes, nose or mouth**. Wear rubber glove or mitt when applying as a

6/6

wipe. Spray or wipe horse's entire body while brushing against the lay of the coat to insure adequate coverage.

Reapply every 5 to 7 days under normal conditions for initial applications. As protection builds, reapply every 10 to 14 days as needed. Also, reapply each time animal is washed or exposed to heavy rain.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or call 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTE: Buyer assumes all risk of use, storage or handling of this product not in strict accordance with directions given herein. *[Optional Marketing Language]*

NOTE: CONTROL SOLUTIONS, INC. WARRANTS THAT THIS PRODUCT CONFORMS TO THE CHEMICAL DESCRIPTION ON THE LABEL AND IS REASONABLY FIT FOR THE PURPOSES STATED ON THE LABEL WHEN USED IN ACCORDANCE WITH THE DIRECTIONS FOR USE. IT IS IMPOSSIBLE TO ELIMINATE ALL RISKS INHERENTLY ASSOCIATED WITH THE USE OF THIS PRODUCT. INEFFECTIVENESS, OR OTHER UNINTENDED CONSEQUENCES MAY RESULT BECAUSE OF SUCH FACTORS AS WEATHER CONDITIONS, PRESENCE OF OTHER MATERIALS, OR THE MANNER OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF CONTROL SOLUTIONS, INC. IN NO CASE SHALL CONTROL SOLUTIONS, INC. BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER. EXCEPT AS EXPRESSLY PROVIDED HEREIN, CONTROL SOLUTIONS, INC. MAKES NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EITHER EXPRESSED OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND CONTROL SOLUTIONS, INC. TOTAL LIABILITY, SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT. *[Optional Marketing Language]*

Control Solutions, Inc.
5903 Genoa-Red Bluff
Pasadena, TX 77507-1041

EPA REG NO. 53883 -
EPA EST. NO.

(EPA Submit 05-18-04)