53883-160

03/17/2005

| Please read instructions on I | everse before comple | ting form. | | Form App | proved | , OMB No. | 2070-006 | O. Approvel expires 2-28-95 |
|--|--|---|--|---|---------------------------------|---|-------------------------|---|
| \$EPA | Environmental | nited States Protection Agangton, DC 20460 | jency | | ~ | Registra Amenda Other | | OPP Identifier Number |
| | | Application for | Pestici | de - Sec | tion | | | |
| 1. Company/Product Number 53883 - 160 | | | 2. EPA Product Manager George LaRocca | | | 3. Proposed Classification None Restricted | | |
| 4. Company/Product (Name) Control XX-X-X Lawn Food with 0.69% Bifenthrin Ins | | | PM# | PM# 13 | | | | |
| Control Solutions, Inc. 5903 Genoa-Red Bluff Pasadena, TX 77507-1041 | | | 6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3 (b)(i), my product is similar or identical in composition and labelin to: EPA Reg. No. | | | | emposition and labeling | |
| Check if this | is a new address | | - 1 | ct Name | | | | |
| | | Se | ction - l | <u> </u> | | | | |
| Amendment - Explain Resubmission in resp Notification - Explain | onse to Agency letter | dated | _ [] | Final printed Agency lett "Me Too" A Other - Exp | ter dat Applica | ation. | e to | NOTIFICATION MAR 1 7 2005 |
| | | | لــا | | | | | |
| Notification of typographical of attached labeling. This notific been made to the labeling or false statement to EPA. I fur be in violation of FIFRA and | ation is consistent with the confidential statem ther understand that if t | the provisions of PR N ent of formula of this pr his notification is not co | otice 98-10 a oduct. I und onsistent with | and EPA regulerstand that in the terms of | ilations it is a v FPR No | s at 40 CFR 1 viotation of 18 otice 98-10 a | 52.46, and USC Sec | d no other changes have . 1001 to willfully make any |
| | | Se | ction - I | <u> </u> | | | | |
| 1. Material This Product Will | Be Packaged In: | | | | | | | |
| Child-Resistant Packaging Yes No If "Yes" No. per | | | Water Soluble Packaging Yes No If "Yes" No. per | | | 2. Type of Contains Metal Plastic Glass Paper | | • |
| Certification must be submitted | Unit Packaging wgt. | | age wgt | containe | r | | → ' | Specify) |
| B. Location of Net Contents Lebel C | Information ontainer | 4. Size(s) Retail Cont | ainer gallon | | 5. Lo | cation of Lat | oel Direction | ons |
| 3. Manner in Which Label is | Affixed to Product | Lithograph Paper glued Stenciled | | Other | r | | | |
| | | Sec | ction - l' | V | | , | | |
| 1. Contact Point Complete | items directly below f | or identification of ind | ividual to b | contacted, | if nec | essary, to pr | ocess this | application.) |
| lame Joe Blake | | Title Directe | or, Regulat | ory Affairs | • | | Telephon 8/10-242- | e No. (Include Area Code) 5562 |
| i certify that the stater I acknowledge that an both under applicable i | y knowlinglly false or i | | | | | | | 6: Data Application Coccived (Stamped) |
| 2. Signature | \ | 3. Title Directo | r, Regulator | y Affairs | | | | |
| . Typed Name | | 5. Date | | 25.05 | | | | |
| Joe Blake | | | 02-2 | 25-05 | | | | |

NOTIFICATION MAR 1 7 2005

Control XX-X-X Lawn Food with .069% Bifenthrin Insecticide

This is a Double Action product with Lawn Food and Bifenthrin Insecticide Feeds the Lawn and controls common lawn insects such as: Ants (including Imported Fire Ants), Mole Crickets, Sod Webworms, Chinch Bugs and other Pests as listed. For Lawns, in Landscape areas, around Residential, Commercial, Institutional, Public, and Industrial Buildings, Parks, Recreational Lawns, and Athletic Fields.

| Bifenthrin* CAS [83322-82657] | 0.069% | | | | |
|---|-----------------------|--|--|--|--|
| OTHER INGREDIENTS: | <u>99.931%</u> • • • | | | | |
| TOTAL: | 100.0% | | | | |
| *Cis isomers 97% minimum; trans. isomers 3% maximum. | 927331 9 9 9 9 0 0 | | | | |
| KEEP OUT OF REACH OF CHIL | DREN "" | | | | |
| CAUTION | | | | | |
| See other panels for Additional Precautionary S | itatements. | | | | |
| | **** | | | | |
| NET CONTENTS: 17 lbs | • • • • | | | | |
| 34 lbs 50 lbs | •••• | | | | |
| FIRST AID | | | | | |
| Have the product container or label with you when calling a poison control center may also contact the Poison Control Center 800- | | | | | |
| If in eyes • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove lenses if present, after the first 5 minutes, then continue rinsing eye. | | | | | |
| Call a poison control center or doctor for treatment ad | vice. | | | | |

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eyesimitation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

ENVIRONMENTAL HAZARDS

**This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash waters or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow children and pets to enter the area until dry.

ACTIVE INGREDIENT:

Do not apply more than 580 bs, per acre (43.3 lbs. per 1,000 square feet), of this product per year. Not for use on turf being grown for sale or other commercial use as sod, or for commercial greenhouses, nurseries, commercial seed production or research purposes.

Treat when insects firstappear Applythis productive nly over the tungrass area at a rate of 3.33 to 6.66 pounds per 1,000 square feet; using a properly callbrated drop or rotary spreader Amore uniform application may be achieved by spreading half of the required amount of products over the area and then applying the remaining half of swaths at a right angle to the first. Best results will occur little treated area is thoroughly irrigated with water immediately after application.

**Restrictions concerning use near waters.

Do not apply this product within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes, or natural ponds, natural estuaries, and commercial fish ponds.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store product in its original container in a cool, dry, locked place out of the reach of children and animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

COMMERCIAL CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty-bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

HOMEOWNER CONTAINER DISPOSAL: <u>IF EMPTY</u>; Fold bag and discard in trash. <u>IF PARTLY FILLED:</u> Use as directed or call your local waste agency or 1-800-CLEANUP for disposal instructions. Never place in instructions any drain.

The contents of this 17 lb. bag feeds up to 5,000 sq.ft. The contents of this 34 lb. bag feeds up to 10,000 sq.ft. The contents of this 50 lb. bag feeds up to 15,000 sq.ft.

LAWN AND PERIMETER APPLICATIONS

To prevent and reduce insect entry to homes and businesses apply a <u>6 to 10 feet wide band</u> to the lawn areas around and adjacent to the structure. Observe and apply the following application rates.

| | LAWN APPLICATION | |
|----------------------------------|----------------------------------|---|
| Apply 3.33 lbs. per 1,000 sq.ft. | Apply 6.66 lbs. per 1,000 sq.ft. | |
| *Annual Bluegrass, | **Ants, | |
| Weevils (Hyperodes Adult) | **Centipedes, | - |
| Armyworms, | *Fire Ants, | |
| Billbugs (Adult), | **Fleas, | |
| Black Turfgrass | Leafhoppers, | |
| Ataenuis (Adult), | **Millipedes, | |
| Cutworms, | **Mole Crickets, | |
| Mealybugs, | **Chinch Bugs, | |
| Sod Webworms, | Ticks and Chiggers | |

*Imported Fire Ants control will be optimize by combining broadcast application that will control foraging workers and newly mated (fly-in) queens with mound treatments that will minimize existing colonies. **The highest rate may be required for control of Ants, Centipedes, Chiggers, Chinch Bugs, Fleas, Imported Fire Ants, Millipedes and Mole Crickets.

OPTIONAL TEXT WHEN MARKETED IN NEW YORK STATE

In New York State this product may not be applied to any grass or turfgrass within 100 ft of a water body (lake, pond, nver; stream wetland, drainage ditch). In New York State do not make a single repeat application if there are signs of renewed insect activity, but not sooner than 2 weeks after the first application.

Spreader Setting Suggestions

The spreader settings below are approximate. Age and conditions of spreader and walking speed can cause variation in application rate. Calibrate your spreader with each application. Close spreader hopper and adjust the setting using the suggested settings chart below. Fill spreader on a hard surface to eliminate the chance of spillage on the lawn. Close spreader hopper when stopping or turning.

| DROP SPREADERS: | | | | |
|-------------------|-------------------|--|--|--|
| Yard Star 75350XX | Precision FH22XX | | | |
| Republic EZ 7XX | Scotts AcugreenXX | | | |

| BROADCAST SPREADERS: | | | | |
|-------------------------|---------------------------|--|--|--|
| Yard Star 75450XX | Precision SB50PXX | | | |
| Republic EZGROW 75450XX | | | | |
| Scotts Easygreen 745 XX | Scotts Speedygreen 740 XX | | | |

GUARANTEED FERTILIZER ANALYSIS

Total Nitrogen (N) - - - - - Variable XX% variable XX% Ammonical Nitrogen variable XX% Water Soluble Nitrogen variable XX% Water Insoluble Nitrogen Available Phosphate (P₂O₅) Variable XX% Available Potash (K₂O) Variable XX%

Plant Nutrients derived from Diammonium Phosphate, Urea formaldehyde, Urea, Sulfate of Ammonia, Sulfur coated Urea, Sulfate of Potash, Magnesium, Statement of Secondary Plant Nutrients.

| Statement of Secondary Plant Nutrients. | | |
|--|--|------|
| | | **** |
| NOTICE: Buyer and user assume all risk and liability of use, storage and/or handling with the terms of this label. | nd user assume all risk and liability of use, storage and/or handling of this product not in accordance with the terms of this label. Control Solutions, Inc. 5903 Genoa-Red Bluff Road Pasadena, TX 77507-1041 | |
| 5903 Genoa-Red Bluff Road | •••• | •••• |



February 25, 2005

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504C)
U.S. Environmental Protection Agency
Ariel Rios Building
1200 Pennsylvania Ave., N.W.
Washington, DC 20460

Re: Notification per (PR) Notice 98-10, typographical error in NY statement EPA Reg. No. 53883-160, Control XX-X-X Lawn Food with 0.69% Bifenthrin Insecticide

Dear Sir or Madam:

Enclosed is a Notification to correct the typographical error in statement "Optional text when marketed in New York State" per PR Notice 98-10. See highlighted text on page 2 of attached labeling.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 USC Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If you have any questions or need additional information, please feel free to contact me.

Sincerely,

NOTIFICATION MAR 1 7 2005

Joe Blake

Director, Regulatory Affairs

