

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

SEP 1 1 2007

Ms. Carroll Draper Registration Specialist Control Solutions, Incorporated 5903 Genoa-Red Bluff Pasadena, TX 7507-1041

RE: Notification of Addition of required New York Language

EPA Registration Number: 53883-160 Date of Submission: August 8, 2007

Dear Ms. Draper:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated August 8, 2007 for the product Control XX-X-X Lawn Food with .069% Bifenthrin Insecticide. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely,

Theresa I tome for Linda Arrington

Notifications & Minor Formulations Team Leader

Registration Division (7505P)

Office of Pesticide Programs

Please read instructions	on reverse before comple	ting form.	· · · · · · · · · · · · · · · · · · ·	Form Apr	proved	. OMB No.	2070-006	O. Approval expires 2-28-95
United States Environmental Protection Agenc Washington, DC 20460		Agency		✓	Registra Amend Other		OPP Identifier Number	
		Application	for Pestici	de - Seci	tion	1		
1. Company/Product Nun 53883 - 160	nber		l l	Product Man je LaRocca	_		3. P	roposed Classification
4. Company/Product (Na Control XX-X-X Law	me) n Food with .069% B	ifenthrin Insection	PM#	13				, none
Control Solutions, 5903 Genoa-Red I Pasadena, TX 77	Bluff		(b)(i), r to: EPA Produ	my product i Reg. No uct Name	is sim	ilar or iden	tical in co	n FIFRA Section 3(c)(3) pmposition and labeling
			Section -	<u> </u>				
Amendment - Exp	esponse to Agency lette	r dated		Final printed Agency lett "Me Too" / Other - Exp	tør dat Applica	ed ation.	se to	
Notification to correct Op regulations at 40 CFR 15 it is a violation of 18 USC	itional page(s) if necessar tional Text When Marketed 2.46, and no other change Sec. 1001 to willfully mak CFR 152.46, this product r	d in New York State. es have been made t e any false stateme	. This notificatio to the labeling o nt to EPA. I fun	r the confiden ther understan	tial stat	tement of fo	rmula of thi ation is not	s product. I understand that consistent with the terms of
			Section - I	11				
1. Material This Product	Will Be Packaged In:							
Child-Resistant Packagin Yes No * Certification must	No No	No. per	Vater Soluble F Yes No Tyes"	Packaging No. per containe		2. Type o	Metal Plastic Glass Paper Other (Specify)
be submitted							· _ ·	
3. Location of Net Conte	nts Information Container	4. Size(s) Retail (Container		5. Lo	on labe		ons
6. Manner in Which Labe	is Affixed to Product	Lithograph Paper glue Stenciled	h ed	Othe	·		· · · · · · · · · · · · · · · · · · ·	
			Section - I	V				
1. Contact Point (Compl	lete items directly below	for identification of	f individual to b	e contacted,	if nec	essary, to p	rocess this	s application.)
Name Carroll Draper			Title Registration Specialist				Telephone No. (Include Area Code) 800-342-5562	
=	atements have made or t any knowlinglly false or ble law.		attachments th				-	6. Date Application Received (Starr.ped)
2. Signature	Diggs	3. T Re	Fitte egistration Spec	ialist				
4. Typed Name Carroll Draper		5. 0	Date 08-	-08-07				



August 8, 2007

Document Processing Desk (NOTIF)
Office of Pesticide Programs
U.S. Environmental Protection Agency
One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202

Re: Notification per (PR) Notice 98-10, Correction of required New York Language EPA Reg. No. 53883-160 Control XX-X-X Lawn Food with .069% Bifenthrin Insecticide

Dear Sir or Madam:

Enclosed is a Notification for the correction of required New York language per (PR) Notice 98-10. See highlighted text on attached labeling.

The word <u>not</u> was removed from the last sentence of the highlighted text.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 USC Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If you have any questions or need additional information, please feel free to contact me.

Sincerely,
August Grope

Carroll Draper Registration Specialist

Control XX-X-X Lawn Food with .069% Bifenthrin Insecticide

This is a Double Action product with Lawn Food and Bifenthrin Insecticide Feeds the Lawn and controls common lawn insects such as: Ants (including Imported Fire Ants), Mole Crickets, Sod Webworms, Chinch Bugs and other Pests as listed. For Lawns, in Landscape areas, around Residential, Commercial, Institutional, Public, and Industrial Buildings, Parks, Recreational Lawns, and Athletic Fields.

ACTIVE INGREDIENT:		
Bifenthrin* CAS [83322-82657]	•••••••••	0.069%
OTHER INGREDIENTS:	• • • • • • • • • • • • • • • • • • • •	99.931%
	TOTAL:	100.000%

^{*}Cis isomers 97% minimum; trans. isomers 3% maximum.

KEEP OUT OF REACH OF CHILDREN CAUTION

See other panels for Additional Precautionary Statements.

	FIRST AID
Have the pro	duct container or label with you when calling a poison control center or doctor, or going for treatment. You may also
•	contact SafetyCall® at (866) 897-8050 for emergency medical treatment information.
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	Call a poison control center or doctor for treatment advice.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift and runoff from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash waters or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow children and pets to enter the area until dry.

Do not apply more than 580 lbs. per acre (13.3 lbs. per 1,000 square feet), of this product per year. Not for use on turf being grown for sale or other commercial use as sod, or for commercial greenhouses, nurseries, commercial seed production or research purposes.

Control xx-x-x Lawn Food with .69% Bifenthrin Insecticide should be applied when insects first appear. Application of this product should be applied evenly with a properly calibrated drop or rotary spreader over the entire turfgrass area at a rate of 3.33 to 6.66 pounds per 1,000 square feet. A uniform application is most desirable and is best achieved by spreading half of the required amount of products over the area and then applying the remaining half with swaths at a right angle to the first. A thorough irrigation of the treated area, immediately after application will provide best results.

Restrictions concerning use near waters.

Do not apply this product within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes, or natural ponds, natural estuaries, and commercial fish ponds.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store product in its original container in a cool, dry, locked place out of the reach of children and animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

COMMERCIAL CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

HOMEOWNER CONTAINER DISPOSAL: <u>IF EMPTY</u>: Fold bag and discard in trash. <u>IF PARTLY FILLED</u>: Use as directed or call your local waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any drain.

The contents of this 17 lb. bag feeds up to 5,000 sq.ft. The contents of this 34 lb. bag feeds up to 10,000 sq.ft. The contents of this 50 lb. bag feeds up to 15,000 sq.ft.

LAWN AND PERIMETER APPLICATIONS

Control xx-x-x Lawn Food with .69% Bifenthrin Insecticide is intended to prevent and reduce insect entry to homes and businesses. When using this product as directed, apply a 6 to 10 feet wide band to the lawn areas around and adjacent to the structure. Observe and apply the following application rates.

LAWN APPLICATION		
Apply 3.33 lbs. per 1,000 sq.ft.	Apply 6.66 lbs. per 1,000 sq.ft.	
*Annual Bluegrass,	**Ants,	
Weevils (Hyperodes Adult)	**Centipedes,	
Armyworms,	*Fire Ants,	
Billbugs (Adult),	**Fleas,	
Black Turfgrass	Leafhoppers,	
Ataenuis (Adult),	**Millipedes,	
Cutworms,	**Mole Crickets,	
Mealybugs,	**Chinch Bugs,	
Sod Webworms,	Ticks and Chiggers	

*Control xx-x-x Lawn Food with .69% Bifenthrin Insecticide will provide optimum control of Imported Fire Ants if combined with a mound treatment. A broadcast application of the area to be treated will control foraging worker ants and newly mated queens. In addition a mound treatment at the same time will aid in the destruction of the existing colony. For controlling mounds use a registered pesticide labeled for treatment of fire ant mounds. **The highest rate noted on the application table may be required to control Imported Fire Ants as well as Chiggers, Centipedes, Chinch Bugs, Fleas, Millipedes and other foraging ants.

OPTIONAL TEXT WHEN MARKETED IN NEW YORK STATE

In New York State this product may not be applied to any grass or turfgrass within 100 ft. of a water body (lake, pond, river, stream, wetland, drainage ditch). In New York State do net make a single repeat application if there are signs of renewed insect activity, but not sooner than 2 weeks after the first application.

Suggested Spreader Settings

Varied conditions will affect the application rates of spreaders; therefore the settings listed below are approximate. Age and conditions of spreader and walking speed can cause variation in application rate. Calibrate your spreader with each application. Close spreader hopper and adjust the setting using the suggested settings chart below. Fill spreader on a hard surface to eliminate the chance of spillage on the lawn. Close spreader hopper when stopping or turning.

DROP SPREADERS:			
Yard Star 75350XX	Precision FH22XX		
Republic EZ 7XX	Scotts AcugreenXX		

BROAD	CAST SPREADERS:	
Yard Star 75450XX Precision SB50PXX		
Republic Ez	ZGROW 75450XX	
Scotts Easygreen 745 XX	Scotts Speedygreen 740 XX	

GUARANTEED FERTILIZER ANALYSIS

Total Nitrogen (N) - - - - - Variable XX% variable XX% Ammonical Nitrogen variable XX% Water Soluble Nitrogen variable XX% Water Insoluble Nitrogen Available Phosphate (P₂O₅) Variable XX% Available Potash (K₂O) Variable XX%

> Plant Nutrients derived from Diammonium Phosphate, Urea formaldehyde, Urea, Sulfate of Ammonia, Sulfur coated Urea, Sulfate of Potash, Magnesium, Statement of Secondary Plant Nutrients.

NOTICE: Buyer and user assume all risk and liability of use, storage and/or handling of this product not in accordance with the terms of this label.

> Control Solutions, Inc. 5903 Genoa-Red Bluff Road Pasadena, TX 77507-1041

EPA Reg.No.:53883-160 EPA Est.No.: 53883-TX-002

Net Weight 17 pounds 34 pounds

50 pounds