PLEASE NOTE

This image contains more than one label approved for this product on this date.

53883-163 Please read instructions on reverse before completing form. 64/04/2005

Form Approved. OMB No. 2070-0060, Approvel expires 2-28-9

OPP Identifier Number

SEPA	Environmental Protect Washington, DC 20			Amenda		
· · · · · · · · · · · · · · · · · · ·	Washington, DC 20			Other		
	Applicat	on for Pestici	de - Section	[
1. Company/Product Number 53883 - 163			2. EPA Product Manager George LaRocca		3. Pro	None Restricted
4. Company/Product (Name) Control XX-X-X Turf Fe	ertilizer w/ .083% Bifenthrin In:	secticide 13				
Control Solutions, Inc 5903 Genoa-Red Blu Pasadena, TX 77507	i. Name and Address of Applicant (Include ZIP Code) Control Solutions, Inc. 5903 Genoa-Red Bluff Pasadena, TX 77507-1041 Check if this is a new address NOTIFICATION 6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name					
	ADG 4	angection -	11			
Amendment - Explein Resubmission in resp Notification - Explain	below.		Final printed label Agency letter det "Me Too" Applica Other - Explain be	ed ation.	to	
Explanation: Use additional page(s) if necessary. (For section I and Section II.) Notification to correct a typo per PR Notice 98-10. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 USC Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.					a violation of 18 USC Sec. Notice 98-10 and 40 CFR	
		Section - I	ll			
1. Material This Product Will	Be Peckaged In:					
Child-Resistant Packaging Yes No	Unit Packaging Yes No If "Yes" No. per	Water Soluble P Yes No If "Yes"	ackaging No. per	2. Type of	Metal Plastic Glass Paper	
* Certification must be submitted	Unit Packaging wgt. container	Package wgt	container		Other (S	pecify)
3. Location of Net Contents Information 4. Size(s) Re		etail Container		cation of Lab	el Directio	ns
6. Manner in Which Label is Affixed to Product Lithograph Other Paper glued Stenciled						
		Section - I	V			
1. Contact Point (Complete	items directly below for identificati	on of individual to be	contacted, if nece	essary, to pro	cess this	application.)
Name Kristen Van Etten Regulatory Assistant			Telephone 800-242-5	No. (Include Area Code) 562		
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complets. I acknowledge that any knowlingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. 6. Date Application Received (Stamped)						
2. Signature XV a C		3. Title Regulatory Assista	nt			

4. Typed Name Kristen Van Etten

EPA Form 8570-1 (Rev. 3-94) Previous editions are obsolete.

03-18-05

White - EPA File Copy (original)

5. Date

Yellow - Applicant Copy

RESTRICTED USE PESTICIDE

Toxic to Fish and Aquatic Organisms

For retail sale to and use only by certified applicators, or persons under direct supervision and only for those uses covered by the certified applicator's certification.

Control XX-X-X Turf Fertilizer with .083% Bifenthrin Insecticide

For control of Ants (including Imported Fire Ants), mole crickets and insect pest on lawns as here listed in Landscaped Areas and perimeters around Residential, Institutional, Public, Commercial and Industrial buildings, Parks, Recreational areas, Athletic Fields and Golf Courses.

Golf Course Turfgrass Fertilizer and Insect Control

EPA Reg. No. 53883-163
U.S. Patent No. 4,238-505

APR 4 2005

ACTIVE INGREDIENT:

Bifenthrin* CAS [83322-82657]

OTHER INGREDIENTS:

TOTAL:

TOTAL:

BPA Est. No. 53883-TX-002

EPA Est. No. 53883-TX-002

0.083%

100.000%

*Cis. isomers 97% minimum; trans. isomers 3% maximum.

CAUTION

See other panels for Additional Precautionary Statements.

Have the produ	FIRST AID ct container or label with you when calling a poison control center or doctor, or going for treatment. You
	may also contact the Poison Control Center 800-222-1222.
If swallowed	 Call a Poison Control Center or doctor immediately for treatment advice.
	 Have person sip a glass of water if able to swallow.
1	 Do not induce vomiting unless told to by a poison control center or doctor.
†	Do not give anything by mouth to an unconscious person.
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
	For Emergency Assistance call 1-800-858-7378

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

ENVIRONMENTAL HAZARDS

**This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift and runoff from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash waters or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply by air.

Do not apply more than 484 lbs. of this product per acre, per year.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial greenhouses, nurseries, commercial seed production or research purposes.

For control of Ants (including Imported Fire Ants), mole crickets and insect pest on lawns as here listed in Landscaped Areas and perimeters around Residential, Institutional, Public, Commercial and Industrial buildings, Parks, Recreational areas. Athletic Fields and Golf Courses.

**Restrictions concerning use near waters.

***Do not apply this product within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes, or natural ponds, estuaries, and commercial fish ponds.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store product in its original container in a cool, dry, locked place out of the reach of children.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

The contents of this 14 lb. bag will feed & treat up to 5,000 sq.ft. The contents of this 28 lb. bag will feed & treat up to 10,000 sq.ft. The contents of this 50 lb. bag will feed & treat up to 18,000 sq.ft.

LAWN or TURFGRASS and PERIMETER APPLICATIONS including GOLF COURSE AREAS

To prevent and reduce insect entry to homes and businesses apply a 6 to 10 feet wide band to the lawn areas around and adjacent to the structure. Observe and apply the following application rates.

Use these rates to control the following insects.		
Apply 2.77 lbs. per 1,000 sq.ft.	Apply 5.55 lbs. per 1,000 sq.ft.	
Annual Bluegrass	**Ants,	
Weevils (Hyperodes Adult),	**Centipedes,	
Armyworms,	*Fire Ants,	
Billbugs (Adult),	**Fleas,	
Black Turfgrass	Leafhoppers,	
Ataenuis (Adult),	**Millipedes,	
Cutworms,	**Mole Crickets,	
Mealybugs,	**Chinch Bugs,	
Sod Webworms	Ticks and Chiggers	

Apply this product at a rate of 2.77 to 5.55 lbs. per thousand square feet evenly over the turfgrass area using a properly calibrated drop or rotary spreader. Best results will occur if treated area is thoroughly irrigated with water immediately after application.

*Imported Fire Ant control will be optimized by combining broadcast application that will control foraging workers and newly mated (fly-in) queens with mound treatments using a product approved for that use that will minimize existing colonies.

**The highest rate may be required for control of Ants, Centipedes, Chinch Bugs, Fleas, Imported l'ire Ants, Millipeues and Mole Crickets.

OPTIONAL TEXT WHEN MARKETED IN NEW YORK STATE

In New York State this product may NOT be applied to any grass or turf within 100 feet of a water body: (lake, pond, river, stream, wetlands, or drainage ditch). In New York State do make a single repeat application of this product if there are signs of renewed insect activity, but not sooner than 2 weeks after the first application.

Spreader Setting Suggestions

The spreader settings below are approximate. Age and conditions of spreader and walking speed can cause variation in application rate. Calibrate your spreader with each application. Close spreader hopper and adjust the setting using the suggested settings chart below. Fill spreader on a hard surface to eliminate the chance of spillage on the lawn. Close spreader hopper when stopping or turning.

DROP TYPE SPREADERS:				
Yard Star 75350XX Precision FH22XX				
Republic EZ 7XX Scotts AcugreenXX				

BROADCAST TYPE SPREADERS:			
Yard Star 75450XX Precision SB50PXX			
Republic EZGROW 75450XX			
Scotts Easygreen 745 XX Scotts Speedygreen 740 XX			

GUARANTEED FERTILIZER ANALYSIS Total Nitrogen (N) - - - - - Variable XX% variable XX% Ammonical Nitrogen variable XX% Water Soluble Nitrogen variable XX% Water Insoluble Nitrogen Available Phosphate (P2O5) Variable XX% Variable XX%

Available Potash (K2O)

Plant Nutrients derived from Diammonium Phosphate, Urea formaldehyde, Urea, Sulfate of Ammonia, Sulfur coated Urea, Sulfate of Potash, Magnesium, Statement of Secondary Plant Nutrients.

NOTICE: Buyer and user assume all risk and liability of use, storage and/or handling of this product not in accordance with the terms of this label.

> Control Solutions, Inc. 5903 Genoa-Red Bluff Road Pasadena, TX 77507-1041

Net Weight 14 pounds 28 pounds 50 pounds

[NOTIF 03-18-05]



March 18, 2005

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504C)
U.S. Environmental Protection Agency
Room 266A, Crystal Mall 2
1801 South Bell Street
Arlington, VA 22202-4501

NOTIFICATION

APR 4 2005

Re: Notification per (PR) Notice 98-10

EPA Reg. No. 53883-163, Control XX-X-X Turf Fertilizer with .083% Bifenthrin Insecticide

Dear Sir or Madam:

Enclosed is a Notification to correct a typo per (PR) Notice 98-10. See highlighted text on attached labeling.

Please also let this labeling serve as our Final Printed Labeling for this product.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 USC Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If you have any questions or need additional information, please feel free to contact me.

Sincerely,

Kristen Van Etten Regulatory Assistant

1) on 9th

NEXT

LABEL

53883- 63



Messe read instructions of	n reverse before comple	ting form.	Form Ar	proved,_OMB	No. 2070-006	Q. Approval expires 2-28-95
≎EPA	Environmental	United States I Protection Age Ington, DC 20460		Regi	stration indment	OPP Identifier Number
		Application for	Pesticide - Sec	tion I		
1. Company/Product Numb 53883 - 163	161		2. EPA Product Mar George LaRocca	•	3. Pi	roposed Classification
4. Company/Product (Nam Control XX-X-X Turf F		ifenthrin Insecticide	PM# 13			
5. Name and Address of A Control Solutions, Ir 5903 Genoa-Red Bl Pasadena, TX 7750	nc. luff	de)	· ·	is similar or i	identical in co	r FIFRA Section 3(c)(3) pmposition and labeling
		IOTICIALEIA	ction - II			
Amendment - Explain Resubmission in results Amendment - Explain Results - Explain Results - Explain Results - Expl	nin below. sponse to Agency letter	IOTIFICATION	Agency let	ed labels in rep tter dated Application. plain below.	sonse to	
Explanation: Use addition Notification to include a Poi and EPA regulations at 40 understand that it is a violation with the terms of PR Notice under sections 12 and 14 or 12 and 14 or 15 and 14 or 15 and 15 and 16 or 16 and 17 or 17 and 18 or 18	ison Control Center teleph CFR 152.46, and no othe tion of 18 USC Sec. 1001 98-10 and 40 CFR 152.4	hone number per PR No or changes have been m to willfully make any fa 46, this product may be	otice 98-10. This notificanade to the labeling or the lase statement to EPA. I	e confidential st further understa	tatement of forn and that if this n	nula of this product. I notification is not consistent
1. Material This Product W	fill Be Peckaged In:			· · · · · · · · · · · · · · · · · · ·	·	
Child-Resistant Packaging Yes No * Certification must be submitted	Unit Packaging Yes No If "Yes" Unit Packaging wgt.	No. per If "Ye	or Soluble Packaging Yes No es" No. per age wgt		Metal Plastic Glass Paper Other (S	Specify)
3. Location of Net Contents	s Information	4. Size(s) Retail Contr	ainer	5. Location o	f Label Direction	ons
Label	Container			on la	abel	
6. Manner in Which Label is Affixed to Product Lithogra		Lithograph Paper glued Stenciled	Othe	ır		***************************************
		Sec	tion - IV			
1. Contact Point (Complete	e items directly below fo	or identification of indi	ividual to be contacted,	if necessary,	to process this	application)
Name Ti		Title Regula	·		Telephon 800-242-	e No. (Include Area Code) 5562
Certification I certify that the statements I have made on this form and all attact I acknowledge that any knowlingly false or misleading statement in both under applicable law.			hments thereto are true may be punishable by f	e, accurate end ine or imprison	d complete. Iment or	6. Date Application Feed red (Stamped)
		3. Title Regulat	tory Assistant			
1. Typed Name		5. Date				
Kristen Van Etten			03-17-05			

RESTRICTED USE PESTICIDE

Toxic to Fish and Aquatic Organisms

For retail sale to and use only by certified applicators, or persons under direct supervision and only for those uses covered by the certified applicator's certification.

Control XX-X-X Turf Fertilizer with .083% Bifenthrin Insecticide

For control of Ants (including Imported Fire Ants), mole crickets and insect pest on lawns as here listed in Landscaped Areas and perimeters around Residential, Institutional, Public, Commercial and Industrial buildings, Parks, Recreational areas, Athletic Fields and Golf Courses.

Golf Course Turfgrass Fertilizer and Insect Control

KEEP OUT OF REACH OF CHILDREN CAUTION

See other panels for Additional Precautionary Statements.

Have the produ	act container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the Poison Control Center 200-222 (222)
If swallowed	Call a Poison Control Center or doctor immediately for treatment advice.
į	 Have person sip a glass of water if able to swallow.
ĺ	 Do not induce vomiting unless told to by a poison control center or doctor.
	 Do not give anything by mouth to an unconscious person.
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	 Call a poison control center or doctor for treatment advice.
	 For Emergency Assistance call 1-800-858-7378

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gurn, or using tobacco.

ENVIRONMENTAL HAZARDS

**This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift and runoff from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash waters or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply by air.

^{*}Cis. isomers 97% minimum; trans. isomers 3% maximum.

Do not apply more than 484 lbs. of this product per acre, per year.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial greenhouses, nurseries, commercial seed production or research purposes.

For control of Ants (including Imported Fire Ants), mole crickets and insect pest on lawns as here listed in Landscaped Areas and perimeters around Residential, Institutional, Public, Commercial and Industrial buildings, Parks, Recreational areas, Athletic Fields and Golf Courses.

**Restrictions concerning use near waters.

***Do not apply this product within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes, or natural ponds, estuaries, and commercial fish ponds.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store product in its original container in a cool, dry, locked place out of the reach of children.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

The contents of this 14 lb. bag will feed & treat up to 5,000 sq.ft. The contents of this 28 lb. bag will feed & treat up to 10,000 sq.ft. The contents of this 50 lb. bag will feed & treat up to 15,000 sq.ft.

LAWN or TURFGRASS and PERIMETER APPLICATIONS including GOLF COURSE AREAS
To prevent and reduce insect entry to homes and businesses apply a 6 to 10 feet wide band to the lawn areas around and adjacent to the structure. Observe and apply the following application rates.

Use these rates to control the following insects.			
Apply 2.77 lbs. per 1,000 sq.ft.	Apply 5.55 lbs. per 1,000 sq.ft.		
Annual Bluegrass	**Ants,		
Weevils (Hyperodes Adult),	**Centipedes,		
Armyworms,	*Fire Ants,		
Billbugs (Adult),	**Fleas,		
Black Turfgrass	Leafhoppers,		
Ataenuis (Adult),	**Millipedes,		
Cutworms,	**Mole Crickets,		
Mealybugs,	**Chinch Bugs,		
Sod Webworms Ticks and Chiggers			

Apply this product at a rate of 2.77 to 5.55 lbs. per thousand square feet evenly over the turfgrass area using a properly calibrated drop or rotary spreader. Best results will occur if treated area is thoroughly irrigated with water immediately after application.

*Imported Fire Ant control will be optimized by combining broadcast application that will control foraging workers and newly mated (fly-in) queens with mound treatments using a product approved for that use that will minimize existing colonies.

**The highest rate may be required for control of Ants, Centipedes, Chinch Bugs, Fleas, Imported Fire Ants, Millipedes and Mole Crickets.

OPTIONAL TEXT WHEN MARKETED IN NEW YORK STATE

In New York State this product may NOT be applied to any grass or turf within 100 feet of a water body; (lake, pond, river, stream, wetlands, or drainage ditch). In New York State do make a single repeat application of this product if there are signs of renewed insect activity, but not sooner than 2 weeks after the first application.

Spreader Setting Suggestions

The spreader settings below are approximate. Age and conditions of spreader and walking speed can cause variation in application rate. Calibrate your spreader with each application. Close spreader hopper and adjust the setting using the suggested settings chart below. Fill spreader on a hard surface to eliminate the chance of spillage on the lawn. Close spreader hopper when stopping or turning.

DROP TYPE SPREADERS:		
Yard Star 75350XX	Precision FH22XX	
Republic EZ 7XX	Scotts AcugreenXX	

BROADCAST TYPE SPREADERS:			
Yard Star 75450XX Precision SB50PXX			
Republic EZGROW 75450XX			
Scotts Easygreen 745 XX Scotts Speedygreen 740 XX			

GUARANTEED FERTILIZER ANALYSIS

Total Nitrogen (N) - - - - - Variable XX% variable XX% Ammonical Nitrogen variable XX% Water Soluble Nitrogen variable XX% Water Insoluble Nitrogen Available Phosphate (P₂O₅) Variable XX% Available Potash (K₂O) Variable XX%

Plant Nutrients derived from Diammonium Phosphate, Urea formaldehyde, Urea, Sulfate of Ammonia, Sulfur coated Urea, Sulfate of Potash, Magnesium, Statement of Secondary Plant Nutrients.

NOTICE: Buyer and user assume all risk and liability of use, storage and/or handling of this product not in accordance with the terms of this label.

Control Solutions, Inc. 5903 Genoa-Red Bluff Road Pasadena, TX 77507-1041

Net Weight 14 pounds 28 pounds 50 pounds

[NOTIF PC # 03-17-05]



March 17, 2005

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504C)
U.S. Environmental Protection Agency
Room 266A, Crystal Mall 2
1801 South Bell Street
Arlington, VA 22202-4501

Re: Notification per (PR) Notice 98-10, Poison Control Center Telephone Number EPA Reg. No. 53883-163, Control XX-X-X Turf Fertilizer with .083% Bifenthrin Insecticide

Dear Sir or Madam:

Enclosed is a Notification to include a Poison Control Center telephone number per (PR) Notice 98-10. See highlighted text on attached labeling.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 USC Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If you have any questions or need additional information, please feel free to contact me.

Sincerely,

Kristen Van Etten Regulatory Assistant