

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Ms Amy Warren Control Solutions, Inc 5903 Genoa-Red Bluff Pasadena, TX 77507-1041

MAR 6 2009

Subject: Label Notification(s) for Pesticide Registration Notice 2007-4

Dear Registrant:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated January 29, 2009 for:

EPA Registration 53883-173

Prodiamine 0.20 Plus

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Banza Djapao of my staff at 703-305-7269.

Sincerely,

T. 1 . . .

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

≎EPA	United State Environmental Prote Washington, DO	ction Agen	cy ·	A	legistratio Imendme Other		OPP Identifier Number
	Applic	ation for Pe	sticide - Sec	tion I			
1. Company/Product Numl 53883 - 173	 		. EPA Product Man Ioanne Miller	ager		l	posed Classification None Restricte
 Company/Product (Nam Prodiamine 0.20 Plus 		P	M# 23				
5. Name and Address of A Control Solutions, Ir	applicant (Include ZIP Code)	(o)(i), my product i				FIFRA Section 3(c)(3) nposition and labeling
5903 Genoa-Red B Pasadena, TX 775		1 -	o: EPA Reg. No		N	otif	CATION
Check if ti	his is a new address		Product Name			MAR	6 2009
		Section	on - II				
Notification of label change regulations at 40 CFR §§ 1 Formula for this product. I amended label is not consi	onel page(s) if necessary. (For see per PR Notice 2007-4. This notific 56.10, 156.140, 156.144, 156.146, understand that it is a violation of 1 istent with the requirements of 40 Ct to enforcement action and penaltic	ation is consistent and 156.156. No 8 U.S.C. Sec. 100 FR §§ 156.10, 156	with the guidance in other changes have 1 to willfully make an 3.140, 156.144, 156.	n PR Notic been ma ny false st 146, and	ce 2007-4 and de to the labeli atement to EP	ng or th	e Confidential Statement her understand that if the
		Section	n - III	·			
1. Material This Product V Child-Resistant Packaging Yes No Certification must be submitted	Vill Be Packaged In: Unit Packaging Yes ✓ No If "Yes" No. pel Unit Packaging wgt. contain	r If "Yes"	No. per		✓ PI G ✓ Pi	ntainer letal lastic lass aper ther (Sp	pecify)
3. Location of Nat Content ✓ Label ✓	s Information 4. Size(s	Retail Containe 1 pt - 50		5. Local	tion of Label C on label	Direction	าร
6. Manner in Which Label	is Affixed to Product \[\frac{1}{3} \] \[\frac{1}{5} \] S	ithograph aper glued tenciled	Othe	r			C C C C
		Sectio					;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;
1. Contact Point (Complete	te items directly below for identifi	cation of individu	el to be contacted,	if necess	sary, to proces	s _{Sc} this e	application.)
Name Amy Warren		Title Regulatory	Affairs Specialist			ephone 0-242-5	No. (Include Area Code) 562 ເຂົ້າ
I certify that the sta	Certi	ification	ents thereto are true	e, accura	te and comple	٠ ١	6. Cate Application Recoived

I acknowledge that any knowlingly false or misleading statement may be punishable by fine or imprisonment or

3. Title

5. Date

Regulatory Affairs Specialist

1-29-09

both under applicable law.

2. Signature

4. Typed Name

Amy Warren

(Stamped)



January 29, 2009

Document Processing Desk (NOTIF)
Office of Pesticide Programs
U.S. Environmental Protection Agency
One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202

Re: Notification per (PR) Notice 2007-4, Labeling Revisions required by the Final Rule "Pesticide Management and Disposal" Prodiamine .20 Plus (EPA Reg. No. 53883-173)

Dear Sir or Madam:

Enclosed is a Notification for (PR) 2007-4; See highlighted text on attached labeling.

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If you have any questions or need additional information, please feel free to contact me.

Sincerely,

Amy Warren

Regulatory Affairs Specialist

Control Solutions, Inc.

PRODIAMINE 0.20 PLUS

FOR PRE-EMERGENCE CONTROL OF GRASS AND BROADLEAF WEEDS IN LAWNS AND ORNAMENTAL TURF

(excluding golf course putting greens)

LANDSCAPE ORNAMENTALS, ESTABLISHED PERENNIALS AND WILDFLOWER PLANTINGS

NOTIFICATION

STOPS MANY WEED GRASSES BEFORE THEY GROW PREVENTS CRABGRASS, ANNUAL BLUEGRASS, FOXTAIL

MAR	6	2009	

ACTIVE INGREDIENT:	
Prodiamine (CAS # 29091-21-2)	0.20%
INERT INGREDIENTS:	
TOTAL:	100.00

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for further precautions and First Aid information

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Causes moderate eye injury (irritation). Harmful if inhaled or absorbed through the skin. Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Prolonged or repeated skin contact with product may cause allergic reactions in some individuals.

EPA REG NO. 53883-173 EPA EST. NO

Control Solutions, Inc. 5903 Genoa-Red Bluff Rd. Pasadena, TX 77507-1041 281-892-2500

		` ((((
		(((((((((((((((((((
	C(((C (
	(()(()	
	(((((((((((((((((((``````````````````````````````````````
NET CONTENT:		,,,,
		((7

	FIRST AID
IF IN EYES:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	 Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	Take off contaminated clothing.
	Rinse skin immediately with plenty of water for 15-20 minutes.
	Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	Call a poison control center or physician immediately for treatment advice.
	 Have person sip a glass of water if able to swallow.
	Do not induce vomiting unless told to do so by the poison control center or physician.
	Do not give anything by mouth to an unconscious person.
IF INHALED:	Move person to fresh air.
·	 If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, is possible.
	 Call a poison control center or doctor for further treatment advice.
	,

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact SafetyCall[®] International (866) 897-8050 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This product has low solubility in water. At the limits of solubility, this product is not toxic to fish. However, at concentrations above the level of water solubility, it may be toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment washwaters.

DIRECTION FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on plants being grown for sale or other commercial use, for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns and grounds.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.


This product is a pre-emergence herbicide that provides residual control of many grass and broadleaf weeds in established lawns and ornamental turf (excluding golf course putting greens), landscape ornamentals and established perennials and wildflower plantings. It controls susceptible weeds by inhibiting weed seeds, germination and root development. When used according to directions, it will control; barnyardgrass; bluegrass; annual (*Poa annua*); carpetweed; chickweed, common; chickweed, mouseear (from seed); crabgrass (large, smooth); crowfootgrass; cupgrass, woolly; foxtails, annual; goosegrass¹; henbit; itchgrass; johnsongrass (from seed); junglerice; knotweed; kochia; lambsquarter, common; lovegrass; panicum (Texas, fall, browntop); pigweed; purslane, common; pusley, Florida; rescuegrass³, shepherd's purse², signalgrass, broadleaf; speedwell, Persian; sprangletop; spurge, prostrate; witchgrass; woodsorrel, yellow (from seed).

¹In many areas a single application of 7.6 to 17.2 pounds/1,000 square feet (330 to 750 pounds/acre) will control goosegrass. However, under heavy goosegrass pressure and/or an extended growing season, most effective weed control may be obtained with an initial application of 7.6 to 11.5 pounds/1,000 square feet (330 to 500 pounds/acre), followed after 60 to 90 days by a second application at doses that would not exceed the maximum annual rate (see "Minimum and Maximum Application Rate by Turfgrass Species" table in the Rates of Application section of this label).

²For this weed, apply in late summer, fall or winter prior to germination.

WHEN TO APPLY TO ESTABLISHED TURF: This product must be applied prior to germination of weed seeds, as it will not control established weeds.

THIS MAP SHOWS APPROXIMATE CRABGRASS GERMINATION DATES



APPLICATION DIRECTIONS: Apply this product uniformly, using a suitable spreader that has been properly calibrated. Most effective weed control will be obtained when this product is activated by at least 0.5 inch of rainfall or irrigation, or with shallow (1-2 inches) irrigation, prior to weed seed germination and within 14 days application.

USE PRECAUTIONS: The following precautions apply to the use of this product in turf grasses and lawns. Application of this product may thin emerged annual bluegrass and newly coverseeded grasses. Do not apply to overseeded turf within 60 days after seeding or until after the second mowing, whichever is longer. Injury to desirable seedlings is likely if this product is applied before seedling secondary roots are in the second inch of soil (not thatch plus soil). Do not apply to newly set sod until the following year. Application to turf stressed by drought, lower fertility, or pest damage may result in turf injury. Disturbing the herbicide barrier with cultural

³Suppression only.

practices (such as core aeration) may result in reduced weed control. Do not apply to putting greens, or areas where dichondra, colonial bentgrass, velvet bentgrass or annual bluegrass (*Poa annua*) are desirable species. Do not apply through any type of irrigation system. Do not apply aerially. Do not graze or feed livestock forage cut from treated areas.

RATES OF APPLICATION: This product is recommended for use on the turf grass species listed in the following table. The maximum amount of this product that may be applied per year is given for each turf grass species. Do not exceed the maximum yearly rate listed:

MINIMUM AND MAXIMUM APPLICATION RATES (by Turf Grass Species)					
Turf Species	Minimum Rate	Maximum Annual Rate ¹			
Bahiagrass, Bermudagrass ² Centipedegrass, Zoysiagrass,	4 lbs/1,000 sq. ft. (174 lbs/acre)	17.2 lbs/1,000 sq. ft. per year (750 lbs/acre per year)			
Seashore Paspalum, St. Augustinegrass Tall Fescue (including turf-					
Type)	•				
Buffalograss	4 lbs/1,000 sq. ft.	11.5 lbs/1,000 sq. ft. per year			
Kentucky Bluegrass Perennial Ryegrass	(174 lbs/acre)	(500 lbs/acre per year)			
Creeping Red Fescue	4 lbs/1,000 sq. ft. (174 lbs/acre)	8.5 lbs/1,000 sq. ft. per year (370 lbs/acre per year)			
Creeping Bentgrass	4 lbs/1,000 sq. ft. (174 lbs/acre)	7.6 lbs/1,000 sq. ft. per year (330 lbs/acre per year)			

¹These are the maximum rates per calendar year.

This product may be applied as a single application or in sequential applications to control weeds germinating throughout the year. Sequential applications may be made so long as the total amount of product applied does not exceed the maximum annual application rates recommended for each turf species. The length of time of residual weed control provided by this product is related to the rate applied. Use the higher rates listed for longer periods of weed control.

WHEN TO OVERSEED AFTER APPLICATION: This product will inhibit germination of turf seed if overseeded too soon after application. Follow rates and intervals in table for best overseedling/reseeding results. (See map above.)

USE RATE	MONTHS BEFORE OVERSEEDING				
	North ·	Transition	South .ce		
4 pounds/1,000 sq. ft. (174 pounds/acre)	4	4	4.c c		
7.6 pounds/1,000 sq. ft. (330 pounds/acre)	5	4	40 60		
8.5 pounds/1,000 sq. ft. (370 pounds/acre)	6	5 δεεξε	; 5 °		
9.2 pounds/1.000 sq. ft. (400 pounds/acre)	-	6 [']	6,,,,		
11.5 pounds/1,000 sq. ft. (500 pounds/acre)	-	7 (%((£ 7 · · · ·		
13 pounds/1,000 sq. ft. (570 pounds/acre)	-	-	9		
14.9 pounds/1,000 sq. ft. (650 pounds/acre)	-	- , , ,	< 10 ,		
17.2 pounds/1,000 sq. ft. (750 pounds/acre)		-	12		

LANDSCAPE ORNAMENTALS: (including established perennials and wildflower plantings): This product may be applied for residual pre-emergence weed control in ornamentals. Apply at the rate of 7.6 to 17.2 pounds/1,000 square feet (330 to 750 pounds/acre) in fall and/or spring.

²May be used on newly sprigged or plugged Bermudagrass at rates not to exceed 6 pounds/1,000 square feet (260 pounds/acre). Newly sprigged or plugged Bermudagrass stolon rooting may be temporarily retarded. Suppression only of foxtail, goosegrass and rescuegrass due to reduced rates used in sprigging situations.

Use higher rates of application for longer control periods. Sequential applications may be made so long as the total amount of product applied does not exceed the maximum annual application rate of 17.2 pounds/1,000 square feet (750 pounds/acre) per year.

SPREADER SETTINGS to apply at the listed pounds per 1,000 square feet						
	4 lbs.	6 lbs.	7.6 lbs.	8.5 lbs.	11.5 lbs.	17.2 lbs.
Spreader A	Х	Х	Х	X	Х	Х
(May contain add	ditional spread	ler brands/mo	odels, spreade	r settings and	spreader use	instructions
as appropriate fo	r the product)			_	•	

APPLICATION TIMING AND INFORMATION: This product may be applied to newly transplanted and established ornamentals a broadcast, over the top or directed application. Around new transplants, delay application to allow soil to settle and water thoroughly before applying. Apply after cuttings form roots and become established. Apply before budding/grafting or after buds/grafts have taken to avoid any inhibition of the tissue union. This product is a preemergence herbicide and will not control emerged weeds. Most effective weed control in ornamentals will be obtained when this product is activated by at least 0.5 inch of rainfall or irrigation, or with shallow (1 to 2 inch) mechanical incorporation, prior to weed seed germination and within 14 days following application. Best weed control is obtained when applied to soil free of clods, weeds and debris such as leaves. Prior to application, control existing vegetation by hand weeding, cultivation or the use of an appropriate post-emergence herbicide.

TOLERANT ORNAMENTAL SPECIES: This product will not harm most trees, shrubs, vines and flowers. The species listed below are tolerant to this product. Best results will be obtained when product is uniformly applied to the soil surface; avoid applying to ornamental shoots which may defeat the effort to get uniform distribution on the soil surface. This product may be applied over the top of these species. When plants are under stress (such as heat, drought or frost damage) some cultivars of listed plants may be sensitive to this product.

SCIENTIFIC NAME

Abies spp.
Abelia grandflora
Acer palmatum
A. Platanoides
Achillea spp.
Actindia chinensis
Agapanthus africanus
Agapanthus orientalis
Akebiaq quintata
Allium cemuum
Anemone hybrida
Aquillegia spp.
Arctostaphylos densiflora
Arctotheca calendula

Artemesia spp. Aster spp. Aster X Frikartii Athrium Filiz-femina

Aucuba japonica Begonia spp.

Berberis gladwynensis

B. Julianae B. mentorensis B. Thunbergil B. Verruculosa

COMMON NAME

Fir species** (Balsam, Frasier, Noble, etc.)
Abelia: Sherwood
Japanese Maple
Norway Maple
Yarrow: King Edward
Kiwi*
Lily-of-the-Nile (African Lily)

Five-leaf or Chocolate Vine
Lady's Leek, Nodding Onion
Japanese Anenome
Aquilegia: Red and Gold
Vine Hill Manzanita
Cape Weed
Wormwood; Silver Mound, Castle
Aster: Bonnie Blue, Purple Doine

Japanese Aucuba
Fibrous Begonia: Hardy Grandice
Barberry
Wintergreen Barberry
Mentor Barberry
Japanese Barberry
Warty Barberry

Bergenia cordifolia Boltonia asteroides Snowbank Butterfly-Bush (Dwarf Blue); Royal Red Buddleia davidii Buxus microphylla Japanese Boxwood Callistemon viminalis . Weeping Bottlebrush Calluna vulgaris Scotch Heather Campanula carpatica Tussock Bellflower, (White Clips) Campis X Tagliabuana Trumpet Flower, Madame Galen Carpobrotus edulis Hottentot Fig (Ice Plant) Feathery Cassia Cassia artemisoides Ceanothus rigidus Wild Lilac Ceratostigma plumbagonoides Chamaecyparis pisifera False Cypress Clevera iaponica Clevera Citrus spp. Citrus species* Coreopsis spp. Coreopsis (Calliopsis) Early Sunrise, Moonbeam Cornus florida Flowering Dogwood American Dogwood C. Stolonifera Cortaderia selloana Pampas Grass Cotoneaster apiculatus Cranberry Cotoneaster C. buxifolius Cotoneaster C. dammeri Bearberry Cotoneaster C. Microphyllus Rockspray Cotoneaster Cretaegus spp. Hawthorne Lucifer Crocosmia spp. Italian Cypress Cupressus sempervirens White Trailing Ice Plant Delosperma alba Cooperi Pink Delosperma spp. Delphinium spp. Larkspur: Blue Elf Dianthus deltoids Dianthus: Maiden Pinks "Zing" D. gratianopolitanus Cheddar Pink Dodonea viscosa Hop Bush Echinacea purpurea Coneflower, Purple; Magnus Elaeagnus pungens Silverberry Euonymus fortunei Wintercreeper E. japonica Evergreen Euonymus E. kiautschovica Spreading Euonymus Fatsia japonica Japanese Aralia Forsythia intermedia Border Forsythia Forsythia suspensa Weeping Forsythia F. viridissima Greenstem Forsythia Gaillardia, Blanket Flower: "Goblin" Gaillardia spp. Gardenia jasminoides Gardenia, Cape-Jasmine Gaura spp. Gentiana dahurica Gentian Geranium cinereum Cranesbill Gladiolus spp. Gladiolus species** Gypsophilia repens Baby's Breath Hedera helix English Ivy Hellanthemum spp. Sunrose Daylily: Aztec Gold, Stella de Oro, Ténder Love Hemerocallis spp. Rose of Sharon** Hibiscus Mallow: Disco Belle White Hibiscus spp. -Hibiscus rosa-sinensis Chinese Hibiscus Hosta plantaginea Hosta, Plantain Lily (Fragrant)

Hosta, "Seersucker"

H. Sieboldiana

Houttuynia cordata var. variegata Hydrangea macrophylla Bigleaf Hydrangea Ilex Bernvi Holly llex cornuta Chinese Holly I. crenata Japanese Holly I. opaca American Holly Yaupon Holly, Schillings I. vomitoria Inula ensifolia Iris ensata Sword-Leaved Iris; Jodlesong Iris siberica Siberian Iris; Cabernet Iris spp. Iris species** Jasminium nudiflorum Winter Jasmine Chinese Juniper; Nick's Compact, Parsonnii Juniperus chinensis Shore Juniper, Blue Pacific J. conferta Parsoni J. davurica J. horizontalis Creeping Juniper Walnut* Juglans spp. Justicia brandegeana Shrimp Plant Lagerstromia indica Crape Myrtle Lagerstromia indica X Fauriei Crape Myrtle; Tuscarora Lantana montevidensis Weeping Lantana Lavender spp. Lavender: Munstead Leonopodium alpinum Edelweiss Liqustrum amurense Amur Privet Ligustrum sinense Chinese Privet; Variegata L. japonicum Japanese Privet L. lucidum Glossy Privet (Waxleaf) Lilium spp. Llly; Jazz Liriope muscari Big Blue Lily, Silver Mound, Evergreen Giant Liriope muscari var. variegata Liriope, Variegated Liriope spicata Liriope, Creeping Lobelia Cardinalis Cardinal Flower, Indian Pink Lonicera japonica Japanese Honeysuckle Tatarian Honeysuckle L. tatarica Lorapetalum chinense Burgundy Loosestrife; Modern Pink Lythrum spp. Magnolia species** Magnolia spp. Maleophora luteola Ice Plant Malus spp. Crabapple* Miscanthus sinensis Yaku Jima, Silberfeder Nandina domestica Heavenly Bamboo Narcissus spp. Narcissus species** Nerium oleander Oleander Olea europaea Olive* Ophiopogon japonicus Mondo Grass Omanthus heterphyllus Osmanthus (False Holly); Gulf Tide Osteospermum fruticosum Trailing African Daisy Oxydendrum arboreum Sourwood Paeonia suffruticosa Tree Peony Pennisetum setaceumi Fountain Grass (Dwarf) Perovskia atriplicifolia Persea americana Avocado* Photinia Fraseri Frasier's Photinia (Redtip) Physotegia Virginiana Dragonhead, False; Vivid Spruce species** (Colorado Blue, Norway, etc.) Picea spp.

Pieris japonica Lily-of-the-Valley Bush Pinus brutia Calabrian Pine P. canariensis Canary Island Pine P. Elliottii Slash Pine P. halepensis Aleppo Pine P. nigra Austrian Pine Longleaf Pine P. palustrus P. radiata Monterey Pine P. strobus Eastern White Pine P. sylvestris Scotch Pine P. taeda Loblolly Pine P. Thunbergiana Japanese Black Pine P. Virginiana Virginia Pine Pistachio* Pistachio spp. Pittosporum rhombifolium Queensland Pittosporum P. tobira. Japanese Pittosporum Podocarpus macrophyllus Japanese Yew Prunus laurocerasus English Laurel Prunus spp. Almond, Apricot, Nectarine, Peach, Plum and Prune* Douglas Fir** Pseudotsuga menziesii Pyracantha coccinea Firethorn (Scarlet) P. fortuneana Firethorn P. koidzumii Firethorn. Bradford Pear spp. Pyrus spp. Quercus Shumardii Oak, Shumard's Red Oak species Quercus spp. Indian Hawthorne Raphiolepsis indica Raphiolepsis umbellata Yedda Hawthorne Rhododendron 'Coral Bells,' 'Formosa,' 'Hino-crimson,' 'PJM' 'Delaware Valley White', 'Roseum Elegans,' (including Azalea) 'Flame Creeper', 'Girard Crimson', 'Wakeiebisu 'White Gumbo', 'George L. Tabor' Rosa banksiae Lady Bank's Rose Rosmarinus officinalis Rosemary* Rudbeckia spp. Black-Eyed Susan; Goldsturm Santolina virens Santolina Saxifraga spp. Saxifrage; Purple Dome Scabiosa spp. Pincushion Flower Sedum album Stonecrop Stonecrop; Lidakense Sedum cauticola Sedum dasvphyllum Stonecrop Sedum spurium Stonecrop; Dragon's Blood Spirea; Anthony Waterer Spiraea bumalda Syzygium paniculatum Australian Brushcherry Taxus cuspidata Japanese Yew T. media Yew Teucrium spp. Germander Thalictrum diptercarpum Meadow Rue Thuja occidentalis American Arborvitae Trachelospermum asiatum Star Jasmine Tsuga canadensis Canada Hemlock Tulipa spp. Tulip species ... Veronica, Speedwell, Sunny Border Veronica spp. Viburnum japonicum Japanese Viburnum

Sweet Viburnum

V. odoratissimum

V. plicatum
V. rigidum
V. suspensum
V. tinus
V. trilobium
V. wrightii
Vinca major
Vinca Minor

Vitis spp.
Weigela florida
Yucca aloifolia
Y. filametosa

Japanese Snowball Canary Island Viburnum Arrowood Viburnum

Laurustinus
Cranberry Bush
Leatherleaf Viburnum
Greater Periwinkle, Vinca
Common Periwinkle, Vinca

Grape*

Old Fashioned Weigela Spanish Bayonet, Yucca Adam's Needle, Yucca

*Do not use on food producing trees, vines or plants.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in original container in a dry place. Store in locked area out of reach of children and domestic animals:

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spilled bait, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for Guidance.

Container Disposal: Non-refillable container. Do not reuse or refill this container. Empty container through use according to label instructions. Do not rinse unless required for recycling. Offer for recycling, if available. If recycling is not available; then dispose of container in a sanitary landfill or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

CONDITIONS OF SALE AND WARRANTY

The DIRECTIONS FOR USE of this product are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop, injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of Control Solutions, Inc. or the Seller. All such risks shall be assumed by the Buyer.

Control Solutions, Inc. warrants that this product conforms to the chemical description on the label, and is reasonably fit for the purposes set forth in the DIRECTIONS FOR USE, when it is used in accordance with such directions, subject to the inherent risks mentioned above.

CONTROL SOLUTIONS, INC. NEITHER MAKES NOR INTENDS, NOR DOES! TAUTHORIZE, ANY AGENT OR REPRESENTATIVE TO MAKE ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, AND IT EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES. OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THIS WARRANTY SEXTENDS TO, AND THE BUYER SHALL BE SOLELY RESPONSIBLE FOR ANY AND ALL LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNING, OR CAUTIONS. WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNING, OR CAUTIONS. WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNING, OR CAUTIONS. WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNING, OR CAUTIONS. WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNING, OR CAUTIONS. WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNING, OR CAUTIONS. WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNING, OR CAUTIONS. WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNING, OR CAUTIONS. WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNING, OR CAUTIONS. WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNING, OR CAUTIONS. WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNING, OR CAUTIONS. WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNING, OR CAUTIONS. WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNING, OR CAUTIONS. WHICH IS INCONSISTENT WHICH IS IN

^{**}Not for use on container grown plants.

CONTRACT, NEGLIGENCE, STRICT LIABILITY IN TORT OR OTHERWISE, SHALL BE LIMITED, AT THE MANUFACTURER'S OPTION TO REPLACEMENT OF, OR THE REPAYMENT OF THE PURCHASE PRICE FOR, THE QUANTITY OF PRODUCT WITH RESPECT TO WHICH DAMAGES ARE CLAIMED. IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. CONTROL SOLUTIONS, INC. and the seller offer this product, and the Buyer and User accept it, subject to the foregoing CONDITIONS OF SALE AND WARRANTY.

NOTIFICATION MAR 0 6 2009

CCCC

C

.

((((