

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

FEB 5 - 2013

Anne Turnbough
Director, Regulatory Affairs
Control Solutions, Inc.
5903 Genoa Red Bluff
Pasadena, TX 77507-1041

Subject:

Addition of logo to label

**Product Name:** 

PPZ 1.55 Fungicide

EPA Reg. No.:

53883-184

Your submission:

Notification dated January 14, 2013

OPP Decision Number:

474530

Dear Dr. Turnbough:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10.

The Agency acknowledges your request to add the logo "Martin's" to the first page of the label. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please contact Robert Westin by phone at (703) 305-5721 or via email at westin.robert@epa.gov.

Sincerely,

William Cutchin

Acting Product Manager (20)

Fungicide Branch

Registration Division (7504P)

· · · · · · · · · · · · · · · · · · ·				ţ			•
Please read instructions on reverse before completing	<del></del>				Form /		MB No. 2070-0060.
OFDA	ted States			Regis	tration	OPP Ide	ntifier Number
Environmental	Protection Ac	iencv		_	dment		
	vania Avenue, N.V					1	
	DC 20460-0001	٧.	X	Other			
×	<u> </u>		Coo	tion I			
	lication for Pe				· -		
Company/Product Number	101	2. EPA Proc		_	3.	Proposed C	lassification
Control Solutions, Inc. / 53883	·184		naja J	oyner			_
4. Company/ Product (Name)		PM#				None	☐ Restricted
Control Solutions, Inc. / PPZ 1.55 F			20				
5. Name and Address of Applicant (Include ZIP Code	<del>?</del> )						h FIFRA Section
Control Solutions, Inc.				roduct is	similar or	identical in	composition and
5903 Genoa-Red Bluff		labeling to:					
Pasadena, TX 77507-1041							
		EPA Reg. i	No.				
☐ Check if this is a new address							
Officer if this is a new address.		Product Na	me				
	Section	on – II					
Amendment – Explain below.		Final pr	inted la	bels in resp	onse to Ag	ency letter d	ated
Resubmission in response to Agency letter dated	d	☐ "Me Too	o" Appli	cation.			
Notification – Explain below.		Other -	Explai	n below.			
Explanation: Use additional page(s) if nece	ssary. (For section	and Section	II.)	-			
Revised notification submitted 1/3/13 to include altern	ate brand name						
Revised Hotilication subtritted 173/13 to include altern	ate Diano name.						
·						,	
	Section	n – III		<del></del>			
1. Material This Product Will Be Packaged In:							
Child Resistant Packaging Unit Packaging	Wate	Soluble Pack	aging		2. Type of	f Container	
☐ Yes* ☐ Yes		'es			Meta	ıl	
l					x Plast	tic	
□ No □ No		lo			☐ Glas	S	
*Certification must   If "Yes"	No. Per If "Yes			Per ntainer	☐ Pape	er	
be submitted Unit Packaging Wt.	Container Packa	ging Wt.	1	italliei	☐ Other	(Specify): _	
Location of Net Contents Information 4.	Size(s) Retail Contai	ner		5. L		abel Directio	ns
	, ,				On Label		
☐ Label ☐ Container							
Eaber Somainer				<u> </u>	On Labelino	Accompany	ing Product
6. Manner in Which Label is Affixed to Product	Lithograpi	١		Stenciled			
	Paper glu	ed		Other			
	Section	n – IV				. c c.c c c	Carre
1. Contact Point (Complete items directly below	for identification of	ndividual to b	e con	tacted, if n	ecessary, t		nis application).
	tle						Code) ccccc
						<b>281.892.2</b> 9	.32 °
Anne Turnbough	Director, Regu	ılatory Affai	rs	atu	rnbough@	Dcontrois o	olutionsinc.com
C	ertification					6. Date	Application c
I certify that the statements I have made		d all attach	ment	s thereto	are true	_ Rece	eived
accurate and complete. I acknowledge that						-,   `	Stamped) (
punishable by fine or imprisonment or both			Jaunit	,	Art may b	~	6 6
parastrable by fine of imprisorment of putil	ander applicable	₩ ¥¥.					( 6 )

Director, Regulatory Affairs

1-14-13

5. Date

Anne Turnbough
EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete.



## CONTROL SOLUTIONS

incorporated

January 14, 2013

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202-4501

Re: Revise Notification to include alternate brand name (ABN) EPA Reg. No. 53883-184 / PPZ 1.55 Fungicide

Dear Sir or Madam:

Control Solutions, Inc. (CSI) is requesting a revision of the notification submitted 1/3/13 to include the alternate brand name (ABN) "Systemic Fungicide RTS" to EPA registration label #53883-184.

"This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

The following documents are enclosed in support of this application

- 8570-1
- Label highlighted and un-highlighted

Please contact me directly should you need any additional information,

Sincerely,

Anne m. Turnbougt

Anne Turnbough

Director, Regulatory Affairs

5903 Genoa Red Bluff • Pasadena, TX 77507-1041

• www.controlsolutionsinc.com

281-892-2500 • Fax 281-892-2501

800-242-5562

## .,OTIFICATION

FEB 5 - 2013



## **PPZ 1.55**

## **Fungicide**

(Alternate Brand Name: Systemic Fungicide RTS)

### [] denotes optional marketing language

- [Broad spectrum and systemic disease control on roses, flowers, home lawns, trees, and shrubs]
- [Water- Based]
- [Controls black spot, blights, brown patch, powdery mildew, rust, scab, and more.]
- [Prevents and controls major diseases on roses, flowers, lawns, trees, and shrubs]
- [Concentrate- Just mix with water and spray]
- [For use in pressure type or hose-end sprayers]
- [Enough to treat a 1,333 sq. ft. lawn]
- Absorbed into the plant-After spray has dried, cannot be washed off by sprinklers or rain.]
- [Not affected by rain after spray has dried]
- [Systemic disease control]
- [Systemic Action- Can't be washed off by rain after spray has dried]
- [Prevents a large variety of diseases on home lawns and ornamentals]
- [Prevents lawn diseases before they happen]
- [Broad spectrum disease control on home lawns and ornamentals]
- [Works up to 4 weeks for certain diseases]
- [Encourages increased turf footing]
- [Prevents and controls...
  - Black Spot

• Brown Patch

... and more!!

- Dollar Spot
- Powdery Mildew

Rust

• Leaf Spot]

## KEEP OUT OF REACH OF CHILDREN WARNING

See additional precautionary statements on back panel.

Active Ingredient:	e c
Propiconazole (CAS No. 60207-90-1)	
Other Ingredients:	98.45%
Total:	

#### NET CONTENTS

	FIRST AID		
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.			
IF IN EYES			
IF IN EYES	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> </ul>		
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye		
	<ul> <li>Call a poison control center or doctor for treatment advice</li> </ul>		
IF	Call a poison control center or doctor immediately for treatment		
<b>SWALLOWED</b>	advice.		
	Have person sip a glass of water if able to swallow.		
	Do not induce vomiting unless told to do so by a poison control		
•	center or doctor.		
	Do not give anything by mouth to an unconscious person.		
IF INHALED	Move person to fresh air.		
	• If person is not breathing, call 911 or an ambulance, then give		
	artificial respiration, preferably mouth-to-mouth if possible.		
	<ul> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>		
IF ON SKIN OR	Take off contaminated clothing.		
CLOTHING	<ul> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> </ul>		
	<ul> <li>Call a poison control center or doctor for treatment advice.</li> </ul>		
Note to Physician:	If ingested, induce emesis or lavage stomach. Treat symptomatically.		

## PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

Warning- Causes substantial, but temporary eye injury. Do not get in eyes. Wear goggles or safety glasses. Harmful if swallowed, inhaled, or absorbed through skin. Avoid contact with skin or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Do not allow people or pets to contact treated areas until spray is dry.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish and shrimp. Do not apply directly to water. Do not apply directly direc

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling:

This product must not be used in the production of agricultural commodities grown for resale.

#### READ ALL INSTRUCTIONS INSIDE BEFORE USE.

FOLLOW ALL DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL. POOR DISEASE CONTROL OR INJURY TO DESIRABLE PLANTS MAY RESULT FROM IMPROPER USE OF THIS PRODUCT.

DO NOT APPLY THIS PRODUCT IN A WAY THAT WILL CONTACT ADULTS, CHILDREN, OR PETS, EITHER DIRECTLY OR THROUGH DRIFT.

DO NOT ALLOW ADULTS, CHILDREN, OR PETS TO ENTER THE TREATED AREA UNTIL SPRAYS HAVE DRIED.

#### GENERAL INFORMATION

PPZ 1.55 is a water-based systemic fungicide which effectively prevents and controls major diseases on roses, flowers, lawns, trees, and shrubs.

PPZ 1.55 is very effective when used for disease prevention or applied at the first sign of disease. Best results occur when treating early in the season. If disease is already present, PPZ 1.55 will not eliminate it.

PPZ 1.55, when used as directed, is safe to plants and controls the diseases listed on this label. The use on plants or diseases not listed on the label may result in plant injury and poor disease control.

Do not apply this product to African violets, begonias, Boston ferns, or geraniums.

Contact your local County Extension Service if you need additional information about lawn and ornamental diseases.

#### MIXING INSTRUCTIONS

- Shake well before using.
- Use a concentrate plus water-style sprayer, a pump-up pressure sprayer, or a dial-style hose-end sprayer for application. It is not recommended to use with hose-end sprayers that only have an on/off switch or those which are continuously filled with water during application.

Food utensils, such as measuring cups and spoons, must not be used for food purposes after use in measuring pesticides.

**NOTE:** ½ fl. oz. = 1 Tablespoon 1 fl. oz. = 2 Tablespoons

### Concentrate Plus Water Style Sprayer

- -Determine the amount of concentrate needed from the chart below.
- -Pour concentrate into the sprayer jar to the specified "fl. oz." level.
- -Next add the necessary amount of water to the "gals." level.

-Put the sprayer top back on the jar and shake well before spraying.

#### Pump-Up Sprayer

- -Fill the sprayer with the appropriate amount of water.
- -Add the amount of concentrate stated in the chart below.
- -Shake well before application.

### Dial-Style Hose-End Sprayer

- -Put the sprayer on the "fl. oz./gallon" level stated in the chart below.
- -Use only enough product necessary for the area that is to be treated.
- -Close the sprayer.
- -Attach the sprayer to the hose and apply the product to the lawn.

(For example: To treat a 1,000 sq. ft. lawn for Powdery Mildew pour 12 fl. oz. into sprayer jar, and set sprayer dial at 3 fl. oz. per gallon)

## READY-TO-SPRAY DIRECTIONS FOR USE OUTDOORS ON ROSES, FLOWERS, HOME LAWNS, TREES AND SHRUBS

#### HOW TO USE THE READY-TO-SPRAY SYSTEM

#### Connect

- 1. Shake well before using.
- 2. Connect sprayer to hose.
- 3. Turn on water.

#### Spray

- 1. To begin spraying, point nozzle in the direction you want to spray.
- 2. [Bend small plastic tab back and] Turn knob [clockwise] to ON position.
- 3. Spray evenly to the area to be treated. Refer to the [sight gauge] clear view strip (graduated scale) on the side of the container to determine the amount of product sprayed.

#### **Finish**

- 1. To stop spraying, [turn knob counter clockwise] to OFF position.
- 2. Turn off water.
- 3. Relieve water pressure slowly by [bending plastic tab back and] turning knob to ON position until water slows to a drip. Then turn knob back to OFF position.
- 4. Disconnect sprayer from hose.

## **APPLICATION RATES:** ROSES AND FLOWERS

-Apply product to the point of run off.
-Before watering, allow spray to fully dry.

Plant	Disease	How Much Product To Apply	Comments
Roses	Powdery Mildew	1 Tablespoon (½ fl. oz.) per gal. of water	For best results, thorough coverage is needed. Begin application at bud break. Treat every 10 days.
	Black Spot, Rust	2 tablespoons (1 fl. oz.) per gal. of water	Treat every 10 days.  Note: Under severe conditions, 100% control of black spot may not be achieved.
Calendula	Powdery Mildew	1 Tablespoon (½ fl. oz.) per gal. of water	Apply every 30 days.
Chrysanthemums	Ray Blight	2 Tablespoons (1 fl. oz.) per gal. of water	Apply every 7 days.
Delphinium	Powdery Mildew	1 Tablespoon (½ fl. oz.) per gal. of water	Apply every 14 days.
Snap Dragons	Rust	2 Tablespoons (1 fl. oz.) per gal. of water	Apply every 10 days.
Sweet William	Leaf Spot	1 Tablespoon (½ fl. oz.) per gal. of water	Apply every 14 days.

#### **LAWNS**

- -Apply the product to the lawn after mowing or allow the area sprayed to dry completely prior to mowing.
- -Prior to application, measure the length and width of area to be treated. Length x width = square feet. (For example, an area 30 ft. long and 20 ft. wide is 600 sq. ft.)

### **Established Lawns**

Disease	How Much Product	Comments
	to Apply	
Brown Patch	5 fl. oz. in 1 gal. of water per 250 sq. ft. of lawn	Repeat treatment every 10 days if necessary. First application should take place in May or June before disease is present. For southern lawns, make
		For southern lawns, make applications at first sign of disease in spring or fall.
Dollar Spot, Powdery Mildew, Rust, Anthracnose	3 fl. oz. in 1 gal. of water per 250 sq. ft. of lawn	Apply every 14 days.
Red Thread, Dichondra Rust on Dichondra Lawns	5 fl. oz. in 1 gal. of water per 250 sq. ft. of lawn	Repeat every 21 days, if needed, when conditions are favorable for disease to occur.
Stripe Smut	3 fl. oz. in 1 gal. of water per 250 sq. ft. of lawn	Apply in early Spring before grass starts to grow or in Fall after grass is dormant.

**New Seedings** 

How Much Product to	Comments
Apply	ccccc (
5 fl. oz. in 2 gals. of water per 500 sq ft. of	For faster root development and top growth, apply at the 2 to 3-leaf stage of growth.
lawn	

## TREES AND SHRUBS

-Apply product to the point of run off.
-Before watering plants, allow spray to fully dry.

Plant	Disease	How Much Product	Comments
		to Apply	
Crab Apple	Scab, Rust	½ Tablespoon (¼ fl.	Apply when buds just begin to
		oz.) per gal. of water	break open. Scab-apply every
Note: Do not	·		14 days. Rust-make 3
use fruit from			applications, beginning when
treated crab			buds just begin to break open.
apples for			Apply at 7-day intervals.
food	Powdery Mildew	1 ½ Tablespoons (¾ fl.	Apply every 14 days
purposes.		oz.) per gal. of water	
Crape Myrtle	Powdery Mildew	3 tablespoons (1½ fl.	Apply every 21 days.
		oz.) per gal. of water	
Dogwood	Anthracnose	1 Tablespoon (½ fl.	Apply every 14-28 days.
		oz.) per gal. of water	
Douglas Fir,	Needle Rust	3 Tablespoons (1 ½ fl.	Douglas Fir-apply every 21
Shasta Fir		oz.) per gal. of water	days. Shasta Fir-apply in May-
			June before disease occurs.
Jeffrey Pine	Tip Blight	3 Tablespoons (1½ fl.	Make the first application in
		oz.) per gal. of water	mid-late winter (NovJan.)
			Apply every 2 months up to 3
·			times
Oak, Red Tip	Leaf Spot	3 Tablespoons (1½ fl.	Apply every 14 days.
Photinia		oz.) per gal. of water	

## NONBEARING FRUIT AND NUT TREE

-Nonbearing fruit and nut trees are those trees that will not produce fruit for at least one year after application of this product.

-Apply product to the point of run off.

Plant	Disease	How Much Product to Apply	Comments
Apple	Scab	½ Tablespoon (¼ fl. oz.) per gal. of water	Begin applications when leaves start growing in the Spring and spray every 14 days.
·	Rust	½ Tablespoon (1/4 fl. oz.) per gal. of water	Make 3 applications beginning when buds just begin to break open. Apply at 7-day intervals
	Powdery Mildew	1 tablespoon (½ fl. oz.) per gal. of water	Begin applications in early Spring and spray every 14 days.
Cherry	Powdery Mildew, Leaf Spot	1 Tablespoon (½ fl. oz) per gal. of water	Begin applications in early Spring and spray every 21 days.
Citrus	Greasy Spot	4 Tablespoons (2 fl. oz.) per gal. of water	Apply June- August every 21 days.
Pecan	Scab, Powdery Mildew, Downy Spot, Zonate Leaf Spot, Fungal Leaf Scorch, Brown Spot	2 Tablespoons (1 fl. oz.) per gal. of water	Begin applications at bud break and make 3 applications at 14-day intervals.
Walnut	Anthracnose	2 Tablespoons (1 fl. oz) per gal. of water	Apply every 14 days.

#### Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in cool, dry area away from children and domestic animals.

Pesticide Disposal: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility.

Container Disposal: For containers equal to or less than 5 gallons: Non-refillable container. Do not reuse or refill this container. Clean container promptly. Triple rinse (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill or by other procedures approved by state or local authorities.

For containers greater than 5 gallons: Non-refillable container. Do not reuse or refill this container. Clean container promptly. Triple rinse (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill or by other procedures approved by state or local authorities.

For Bulk Containers: (Refillable Container): Refill this container with pesticides only. Do not reuse this container for any other purpose. Cleaning the container before final disposal; is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the re-filler. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or re-circulate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this procedure two more times.

#### WARRANTY STATEMENT

Control Solutions, Inc. warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with the Directions For Use. It is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness, or other unintended consequences may result to because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Control Solutions, Inc. To the extent of allowed by law, Control Solutions, Inc. shall in no event be liable for consequential, special, or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the Buyer. In addition to the foregoing, no purchaser of this product (other than an

end user) shall be entitled to any reimbursement for any loss suffered as a result of any suspension or cancellation of the registration for this product by the U.S. Environmental Protection Agency. Except, as expressly provided herein, Control Solutions, Inc. makes no warranties, guarantees, or representations of any kind, either expressed or implied, or by usage of trade, statutory or otherwise, with regard to the product sold, including, but not limited to merchantability, fitness for a particular purpose, use or eligibility of the product for any particular trade usage. The exclusive remedy of any buyer or user of this product for any and all losses, injuries, or damage resulting from or in any way arising from the use, handling, or application of this product, whether in contract, warranty, tort, negligence, strict liability, or otherwise, shall be damages not exceeding the purchase price paid for this product or, at Control Solutions, Inc. election, the replacement of this product. *[optional warranty statement]* 

Note: Buyer assumes all responsibilities for safety and use not in strict accordance with directions. [optional warranty statement]

Control Solutions, Inc. 5903 Genoa-Red Bluff Pasadena, TX 77507-1041 EPA Reg. No. 53883-184 EPA Est. No.