
 <p style="text-align: center;"><b>U.S. ENVIRONMENTAL PROTECTION AGENCY</b> Office of Pesticide Programs Antimicrobials Division (7510C) 120C Pennsylvania Avenue NW Washington, D.C. 20460</p> <p style="text-align: center;"><b>NOTICE OF PESTICIDE:</b> <u>  x  </u> Registration <u>      </u> Reregistration</p> <p style="text-align: center;">(under FIFRA, as amended)</p>	EPA Reg. Number: 53883-192	Date of Issuance: JUL 11 2006
	Term of Issuance: <b>Conditional</b>	
	Name of Pesticide Product: Concord P-40M	
Name and Address of Registrant (include ZIP Code):  <p style="text-align: center;"><b>Control Solutions, Inc.</b> 5903 Genoa-Red Bluff Pasadena, TX 77507-1041</p>		
<p>Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</p>		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally registered in accordance with FIFRA sec 3(c)(7)(A) provided that you:</p> <ol style="list-style-type: none"> <li>1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for re-registration of your product under FIFRA section 4.</li> <li>2. Make the labeling changes listed below before you release the product for shipment:             <ol style="list-style-type: none"> <li>a. Revise the "EPA Registration Number to read, "EPA Reg. No. 53883-192".</li> </ol> </li> </ol>		
Signature of Approving Official:   Marshall Swindell Product Manager Team-33 Regulatory Management Branch I Antimicrobials Division (7510P)	Date:  JUL 11 2006	

Page 2

EPA Registration No. 53883-192

3. Submit three (3) copies of your final printed labeling before distributing or selling the product bearing the revised labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,



Marshall Swindell  
Product Manager 33  
Regulatory Management Branch I  
Antimicrobials Division (7510P)

Enclosure: (Stamped Label)

3 7 10

# Concord P-40M FUNGICIDE

**For Mold and Mildew on Wood, Wallboard, Concrete, and Masonry (Cinder) Block Construction Materials in Buildings**

**ACTIVE INGREDIENT:**

Chlorothalonil (tetrachloroisophthalonitrile).....40.4%  
**OTHER INGREDIENTS:**.....59.6%  
**TOTAL:**.....100.0%

Contains 4.17 pounds chlorothalonil active ingredient per gallon.

## KEEP OUT OF REACH OF CHILDREN WARNING – AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail).

FIRST AID	
<b>IF INHALED</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
<b>IF ON SKIN OR CLOTHING</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF IN EYES</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF SWALLOWED</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have affected person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told by a poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<p>In case of medical emergency call Safetycall® International 1-866-8050. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.</p>	
<b>EMERGENCY PHONE NUMBER</b>	<ul style="list-style-type: none"> <li>• (800) 424-9300 CHEMTREC (transportation and spills)</li> </ul>
<p><b>NOTES TO PHYSICIAN:</b> Probable mucosal damage may contraindicate the use of gastric Lavage. Persons having a temporary allergic reaction respond to treatment with antihistamines or steroid creams and/or systemic steroids.</p>	

**ACCEPTED  
with COMMENTS  
EPA Letter Dated:**

**JUL 11 2006**

Under the Federal Insecticide  
Fungicide, and Rodenticide Act as  
amended, for the pesticide,  
registered under EPA Reg. No.

53883-192

4 7 10

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**WARNING – AVISO**

May be harmful if inhaled. Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Do not breathe spray mist. Prolonged frequently repeated skin contact may cause allergic reaction in some individuals.

**ACCEPTED  
with COMMENTS**

**EPA Letter Dated:**

**JUL 11 2006**

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.

**53883-192**

**Personal Protective Equipment (PPE):**

Handlers must wear:

- Long-sleeved shirt and long pants;
- Shoes plus socks;
- Protective eye wear;
- Waterproof gloves (some of the materials that are chemical-resistant to this product are barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyethylene, polyvinyl chloride, or viton; If you want more options, follow the instructions for category A on an EPA chemical-resistance category selection chart)..

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. DO NOT reuse them.

**USER SAFETY RECOMMENDATIONS**

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination (NPDES) permit and the permitting authority has been notified in writing prior to discharge. DO NOT discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**Concord P-40M** is used to safeguard wood and products containing wood from mildew, mold, and decay.

**Concord P-40M** is not intended for; and must not be sold directly to retail customers as a paint additive for the prevention of mildew and must not be used as a preservative for in-container packaging.

**Concord P-40M** is an aqueous dispersion containing 40.4% (wt/wt) of active ingredient and is to be used **only** in water based or water compatible products. To insure uniformity in mixing or blending, the contents should be mixed or stirred gradually into the mixture.

#### FRESHLY CUT WOOD & WOOD PRODUCTS

**CONCORD P-40M** can be used as preventive for sap stain and surface mold growth when mixed into a water based dip treatment. For optimum control the suspension should be mixed at the rate of 5 to 10 lbs (1/2 to 1 gal.) per 100 gal. of water.

If the freshly cut wood or wood products are expected to remain in a un-dried state or condition for an undetermined period of time, the high rate of mixture should be used. Dipping these wood products for a sufficient time will insure thorough coating of the wood products.

**Continued mixing or agitation of the suspension should be conducted while the wood products are being treated.**

After treatment, all treated wood products should be stored in areas that are sufficient with runoff and intermingling with surface waters.

ACCEPTED  
with COMMENTS  
EPA Letter Dated:

**When disposing of un-used treatment suspensions, do so in a manner that protects and prohibits intermingling with soil and water.**

JUL 11 2006

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended, for the pesticide,  
registered under EPA Reg. No.

#### COMPOSITE WOOD PRODUCTS

**CONCORD P-40M** can be used to provide decay protection in composite wood products scheduled to be used in the construction trades, while in the manufacturing stages. Particle board or flake board used in the manufacture of siding, sheathing, decking, planking and construction timbers would be industry examples of these products. If these wood products are to be treated, use 1.25 lbs to 12.5 lbs of Concord P-40M per cubic foot volume of final wood composites.

53883-192

Wood products that are manufactured with the intent of being exposed to or in contact with soil or concrete or where instillation would be in areas with continually high levels of moisture, the high load rate of 12.5 lbs per cubic foot volume should be used. **CONCORD P-40M** should be thoroughly combined into the composite material as it is being blended with adhesives or binding materials prior to final formulation of the wood composite product.

#### MOLD AND MILDEW CONTROL IN WOOD, WALLBOARD, CONCRETE, AND MASONRY (CINDER) BLOCK CONSTRUCTION MATERIALS IN BUILDINGS

**CONCORD P-40M** is building materials treatment designed to prevent or inhibit the growth of mold organisms when these materials are used or subjected to moist or wet environments. Before applying **CONCORD P-40M** to these materials (e.g. wood, wallboard, concrete, masonry blocks or cinder blocks) visible mold growth must be removed and any conditions that aid or favor decay, mold, or mildew must be identified and corrective measures put in place.

If **CONCORD P-40M** is to be used in the interior surfaces of living spaces, then these surfaces must be eventually covered or shielded with other products such as paint or wallpaper and or other similar material.

**CONCORD P-40M** cannot be used in building materials that are to be installed on the interior of buildings that will be used in the processing or handling of food.

6 7 10

**CONCORD P-40M** is a compatible product and may be mixed with other wood treatment products (e.g. BORA-CARE® and CELL-TREAT®)

### PREVENTATIVE TREATMENT

**CONCORD P-40M** can be used to prevent or inhibit surface mold and mildew growth on new or renovated (remolded) buildings. If this product is to be applied to surfaces (e.g. wood, wallboard, concrete, and or cinder blocks) it should be applied evenly by paintbrush, airless sprayer, low pressure hand wand or backpack at the rate of 2 gal. (21 lb.) per 100 gal. of water. To assure uniform coverage of surfaces to be protected apply approximately one gallon (1gal) for every 500 square foot of surface area. All treated surfaces should be evenly wet, but avoid runoff or pooling. All treated surfaces should be allowed to thoroughly dry before applying finish products such as paint and before installing overlayment material such as siding, wallboard or flooring.

Mold re-growth may occur in areas with persistently high humidity levels or where standing water occurs or where hidden water leaks occur. If this condition occurs, determine the cause and correct the problem prior to reapplication of **CONCORD P-40M**. Directions for repeat applications of this product are covered in the **REMEDIAL TREATMENT** section of this label.

### REMEDIAL TREATMENT

**CONCORD P-40M** is intended for and must be used as part of a comprehensive mold remediation or water damage restoration program, including:

- Keeping informed with follow up inspections of conditions favorable to mold growth such as moisture intrusions and high relative humidity.
- Scheduling and completing necessary to eliminate conditions favorable to mold growth.
- Providing conditions which favor drying of affected areas to below 20% moisture content.

If **CONCORD P-40M** is to be applied to surfaces (e.g. wood, wallboard, concrete, and or cinder blocks) it should be applied evenly by paintbrush, airless sprayer, low pressure hand wand or backpack at the rate of 2 gal. (21 lb.) per 100 gal. of water. To assure uniform coverage of surfaces to be protected apply approximately one gallon (1gal) for every 500 square foot of surface area. All treated surfaces should be evenly wet, but avoid runoff or pooling. All treated surfaces should be allowed to thoroughly dry before applying finish products such as paint and before installing overlayment material such as siding, wallboard or flooring.

ACCEPTED  
with COMMENTS  
EPA Letter Dated:  
JUL 11 2006

If remedial treatment becomes necessary the following internet sites should be consulted for information on standards and guidelines for remedial treatment of mold and mildew:

- 1..... IAQA-Indoor Air Quality Association ([www.iaqa.org](http://www.iaqa.org))
- 2..... EPA-Environmental Protection Agency ([www.epa.gov](http://www.epa.gov))
- 3..... DOH-New York City Department of Health  
([www.ci.nyc.ny.us/html/doh/html/epi/moldpt1.html](http://www.ci.nyc.ny.us/html/doh/html/epi/moldpt1.html))
- 4..... IICRC-Institute of Inspection, Cleaning and Restoration Certification (<http://iicrc.org/>)

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.

53883-192

#### Small Areas-Total Surface Area Affected less Than 10 Square Feet

##### Cleanup Methods\*

##### Wood Surfaces

Prior to applying **CONCORD P-40M**, clean the affected area using one of the following or another industry approved or preferred professional method.

7 8 10

**Method 1:** Wet Vacuum (in case of porous materials, some mold spores/fragments will remain in the material but will not grow if the material is completely dried).

**Method 2:** Damp-wipe surfaces with plain water or use a wood floor cleaner; scrub as needed.

**Method 3:** High-efficiency particulate air (HEPA) vacuum after the material has been thoroughly dried. Dispose of the contents of the HEPA vacuum in well-sealed plastic bags.

**\*Minimum personal protective equipment to be worn during clean-up includes gloves, 95 respirator and goggles/eye protection.**

**ACCEPTED  
with COMMENTS  
EPA Letter Dated:**

**Wallboard (drywall and gypsum board)**

**JUL 11 2008**

Before to applying **CONCORD P-40M**, clean the affected area using high-efficiency particulate air (HEPA) vacuum after the material has been thoroughly dried. Dispose of the contents of the HEPA vacuum in well-sealed plastic bags.

**Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.**

**\*Minimum personal protective equipment to be worn during clean-up includes gloves, 95 respirator and goggles/eye protection.**

**53883-192**

**Other Construction Materials**

Concrete or Cinder Block

**Method 1:** Wet vacuum (in the case of porous materials, some mold spores/fragments will remain in the material but will not grow if the material is completely dried).

**Method 2:** High-efficiency air (HEPA) vacuum after the material has been thoroughly dried. Dispose of the contents of the HEPA vacuum in well-sealed plastic bags.

Special procedures and training are required for remediation of moldy areas larger than 10 square feet. Consult guidelines for remediation of large areas established by the Indoor Air Quality Association ([www.iaqa.org](http://www.iaqa.org)) and the US Environmental Protection Agency ([www.epa.gov](http://www.epa.gov)). An excellent reference is the New York Department of Health Publication, "Guidelines on Assessment and Remediation of Fungi in Indoor Environments." An excellent guide for professional mold remediation is available from the Institute of Inspection, Cleaning And Restoration Certification (IICRC). Standard S520 is based upon reliable remediation and restoration techniques, and combines academic principles with practical elements of water damage restoration. Where structural members and/or contents have been exposed to water in excess of 24 hours, there is a possibility of extensive microbial growth that may be hidden. In such a case a complete assessment and remediation plan must be prepared that provides for user and occupant safety and documentation and monitoring of the remediation process. IICRC S520 contains excellent guidance for such a plan. In the context of such a plan, CONCORD P-40M can be used on materials to be removed and disposed of and in other applications where mold inhibition is indicated. The standard must be followed exactly and all growth and contaminated organic material removed prior to using CONCORD P-40M. Before using CONCORD P-40M in mitigation of large projects, you should be knowledgeable of these guidelines and follow their recommendations.

When access to guidance from a standard identifier cannot be used, the user should refer to the following information taken from U.S. EPA's guide: Mold Remediation in Schools and Commercial Buildings (March 2001). These guidelines are based on the area and type of material affected by water damage and/or mold growth. Please note that these are guidelines and some professionals may prefer other cleaning methods. Use the appropriate remediation steps prior to application of **CONCORD P-40M**.

**Medium-Total Surface Area Affected Between 10 and 100 Square Feet**

**Wood Surfaces**

**Cleanup Methods\***

**Method 1:** Wet vacuum (in case of porous materials, some mold spores/fragments will remain in the material but will not grow if the material is completely dried).

**Method 2:** Damp-wipe surfaces with plain water or with wood floor cleaner; scrub as needed.  
**Method 3:** High-efficiency particulate (HEPA) vacuum after the material has been thoroughly dried.  
Dispose of the contents of the HEPA vacuum in well-sealed plastic bags.

**Wallboard (drywall and gypsum board)**

**Method 1:** High-efficiency particulate (HEPA) vacuum after the material has been thoroughly dried.  
Dispose of the contents of the HEPA vacuum in well-sealed plastic bags.  
**Method 2:** Discard/remove water-damaged materials and seal in plastic bags while inside of containment, if present. Dispose of as normal waste. HEPA vacuum areas after it is dried.

**Other Construction Materials**

**Concrete or cinder block**

**Method 1:** Wet Vacuum (in the case of porous materials, some mold spores/fragments will remain in the material but will not grow if the material is completely dried).  
**Method 2:** High-efficiency particulate (HEPA) vacuum after the material has been thoroughly dried. Dispose of the contents of the HEPA vacuum in well-sealed plastic bags.

\*Limited or Full personal protective equipment is recommended during cleanup. Limited personal protective equipment includes gloves, N-95 respirator or half-face respirator with HEPA filter, disposable overalls, goggles/eye protection. Full personal protective equipment includes, gloves, disposable full body clothing, head gear, foot coverings, full-face respirator with HEPA filter.

Use professional judgment when applying CONCORD P-40M, consider potential for remediator exposure and size of contaminated area.

**Large-Total Surface Area Affected Greater Than 100 Square Feet or Potential for Increase Occupant or Remediator Exposure During Remediation Estimated to be Significant.**

**Wood Surfaces**

**Cleanup Methods\***

**Method 1:** Wet vacuum (in the case of porous materials, some mold spores/fragments will remain in the material but will not grow if the material is completely dried).  
**Method 2:** Damp-wipe surfaces with plain water or with a wood floor cleaner; scrub as needed.  
**Method 3:** High-efficiency particulate (HEPA) vacuum after the material has been thoroughly dried.  
Dispose of the contents of the HEPA vacuum in well-sealed plastic bags.  
**Method 4:** Discard/remove water-damaged materials and seal in plastic bags while inside of containment, if present. Dispose of as normal waste. HEPA vacuum area after it is dried.

**Wallboard (drywall and gypsum board)**

**Cleanup Methods\***

**Method 1:** High-efficiency particulate (HEPA) vacuum after the material has been thoroughly dried. Dispose of the contents of the HEPA vacuum in well-sealed plastic bags.  
**Method 2:** Discard/remove water-damaged materials and seal in plastic bags while inside of containment, if present. Dispose of as normal waste. HEPA vacuum area after it is dried.

**Other Construction Materials**

**Concrete or cinder block**

**Cleanup Methods\***

**Method 1:** Wet vacuum (in the case of porous materials, some mold spores/fragments will remain in the material but will not grow if the material is completely dried).  
**Method 2:** High-efficiency particulate (HEPA) vacuum after the material has been thoroughly dried. Dispose of the contents of the HEPA vacuum in well-sealed plastic bags.

ACCEPTED  
with COMMENTS  
EPA Letter Dated:  
JUL 11 2006

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended, for the pesticide,  
registered under EPA Reg. No.  
53883-192



\*Gloves disposable full body clothing, head gear, foot coverings, full-face respirator with HEPA filter are the recommended personal protective equipment.

\*Select method most appropriate to situation. Since molds gradually destroy the things they grow on, if mold growth is not addressed promptly, some items may be damaged such that cleaning will not restore their original appearance. If mold growth is heavy and items are valuable or important, you may wish to consult a restoration/water damage/remediation expert. Please note that these are guidelines; other cleaning methods may be preferred by some professionals.

\*Use professional judgment to determine prudent levels of Personal Protective Equipment and containment for each situation, particularly as the remediation site size increases and the potential for exposure and health effects rises. Assess the need for increased Personal Protective Equipment if, during the remediation, more extensive contamination is encountered than was expected. These guidelines are for damage caused by clean water. If you know or suspect that the water source is contaminated with sewage, or chemical or biological pollutants, then the Occupational Safety and Health Administration (OSHA) requires PPE and containment. An experienced professional should be consulted if you and/or your remediators do not have expertise in remediating contaminated water situations.

ACCEPTED  
with COMMENTS  
EPA Letter Dated:

**Containment of Affect Materials**

**Total Surface Area Affected Between 10 and 100 Square Feet (All Surfaces)**

Use polyethylene sheeting ceiling to floor around affected area with a slit entry and maintain area under negative pressure with HEPA filtered fan unit. Block supply and return air vents within containment area.

JUL 17 2006

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.

**Total Surface Area Affected Greater Than 100 Square Feet or Potential for Increased Occupant or Remediator Exposure During Remediation Estimated to be Significant.**

53883-192

Use two layers of fire-retardant polyethylene sheeting with one airlock chamber. Maintain area under negative pressure with HEPA filtered fan exhausted outside of building. Block supply and return air vents within containment area.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

**PESTICIDE STORAGE:** Store in a cool place. Protect from excessive heat.

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, pesticide formulation or rinsate is a violation of Federal law. If these wastes cannot be disposed of by using according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Do not reuse empty container. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or buy incineration, or, if allowed by state and local authorities, by burning. If burned stay out of smoke.

**WARRANTY STATEMENT**

Control Solutions, Inc. warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with directions under normal use conditions. It is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Control Solutions, Inc. To the extent allowed by law, Control Solutions, Inc. shall not event be liable for consequential, special, or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the Buyer. In addition to the foregoing, no purchaser of this product (other than an end user) shall be entitled to any reimbursement for any loss suffered as a result of any suspension or cancellation of the registration for this product by the U.S. Environmental Protection Agency. Except, as expressly provided herein, Control Solutions, Inc.

10 8 10

makes no warranties, guarantees, or representations of any kind, either expressed or implied, or by usage of trade, statutory or otherwise, with regard to the product sold, including, but not limited to merchantability, fitness for a particular purpose, use or eligibility of the product for any particular trade usage. The exclusive remedy of any buyer or user of this product for any and all losses, injuries, or damage resulting from or in any way arising from the use, handling, or application of this product, whether in contract, warranty, tort, negligence, strict liability, or otherwise, shall be damages not exceeding the purchase price paid for this product or, at Control Solutions, Inc. election, the replacement of this product.

**ACCEPTED  
with COMMENTS  
EPA Letter Dated:**

**JUL 11 2006**

**Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended, for the pesticide,  
registered under EPA Reg. No.**

**53883-192**