UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

MAR 30 2010

Ms. Amy Warren Control Solutions, Inc. 5903 Genoa-Red Bluff Pasadena, TX 77507-1041

Subject: Label Notification(s) for Pesticide Registration Notice 98-10

Dear Ms. Warren:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice PRN 98-10 dated March 12, 2010 for the following product(s):

Bifenthrin .115 G (EPA Reg. No. 53883-194)

The Registration Division (RD) has conducted a review of this request for applicability under PRN 98-10 and finds that the label change(s) requested falls within the scope of PRN-98-10. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact Regina Foushee'-Smith at 703-605-0780.

Sincerely,

Richard J. Gebken Product Manager

Insecticide Branch

Registration Division (7505P)

Land & Cert

Please read instructions o	n reverse before comple	ting form.			Form App	roved	. OMB No.	2070-006	O. Approval expires 2-28-95
\$EPA	Environmenta	United States Environmental Protection Agency Washington, DC 20460			:	✓	Registra Amend Other		OPP Identifier Number
		Application	n for l	Pesticid	e - Sect	ion	1		
1. Company/Product Num 53883 - 194	ber				oduct Mana Gebken	ager		3. Pr	oposed Classification
4. Company/Product (Nan Bifenthrin .115 G	ne)			PM#	13				
5. Name and Address of A Control Solutions, I 5903 Genoa-Red B Pasadena, TX 775	nc. luff	ode)		(b)(i), my to: EPA Re	product i	s sim		ATION	FIFRA Section 3(c)(3) mposition and labeling
			Sec	tion - II					
Amendment - Expl	esponse to Agency letter		n I and Se	- ;	Final printed Agency lett 'Me Too" A Other - Expl	er dat Applica	ation.	se to	
Notification of label chang letter and the requirement	e per June 4, 2009, letter s of EPA's regulations at 4 I understand that it is a vic istent with the requiremer	from Environme 40 CFR part 15 plation of 18 U.S ats of 40 CFR p	ental Prote 6. No othe 6.C. Sec. 1	ction Agenc er changes h 001 to willfu	ave been m Ily make an	nade to y false	the labeling statement t	or the Con o EPA. I fu	rther understand that if the
			Sect	ion - III					
1. Material This Product \	Will Be Packaged In:				-				
Child-Resistant Packaging Yes No	Yes		Water Soluble Packaging Yes ✓ No			Metal Plastic Glass			
* Certification must be submitted	If "Yes" Unit Packaging wgt	No. per . container	if "Yes Packar	;" ge wgt	No. per container	•		Paper Other (S	Specify)
3. Location of Net Conten	ts Information	4. Size(s) Re	tail Contai			5. Lo	cation of La		ons
6. Manner in Which Label		Lithog Paper Stenc	raph glued iled		Other	·			
				ion - IV					
1. Contact Point Comple	te items directly below	for identification	n of indiv	idual to be	contacted,	if nec	essary, to p	rocess this	application.)
Name Amy Warren			Title Regulatory Affairs Specialist			Telephone No. (Include Area Code) 800-242-5562			
I certify that the sta I acknowledge that both under applicab	itements I have made or any knowlinglly false or le law.	Certificant this form and misleading sta	all attach	ments there ay be punis	eto are true hable by fi	s, accu ne or i	urate and co imprisonme	omplete.	6. Date Application Received
2. Signature	Jamen			ry Affairs Sp	pecialist				(
4. Typed Name U Amy Warren			5. Date	3-12	-10			((C 0 C C C C C C C C C C C C C C C C C C



March 12, 2010

Document Processing Desk (NOTIF-PYRETHROID)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202-4501

Re: Notification per June 4, 2009, letter from Environmental Protection Agency Bifenthrin .115 G (EPA Reg. No. 53883-194)

Dear Sir or Madam:

Enclosed is a Notification per June 4, 2009, letter from Environmental Protection Agency; See highlighted text on attached labeling.

Notification of label change per June 4, 2009, letter from Environmental Protection Agency. This notification is consistent with the guidance in the June 4, 2009 letter and the requirements of EPA's regulations at 40 CFR part 156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR part 156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If you have any questions or need additional information, please feel free to contact me.

Sincerely,

Amy Warren

Regulatory Affairs Specialist

Control Solutions, Inc.

NOTIFICATION MAR 3 0 2010

Bifenthrin .115 G

For outdoor use around residential sites only

[Optional Marketing Claims:


- Easy-to-Use
- Works Fast
- Protects lawns against damaging insects
- Kills Insects, Fleas & Ticks
- Fast Acting against [Fire Ants][insects],[spiders][mole crickets] and [ticks]
- Kills fleas and ticks
- Kills ticks that may transmit Lyme Disease
- Kills and controls most pests in lawns and around homes
- Controls [chinch bug], [sod webworms] [lawn moth], [cutworms] [billbugs], [European crane fly] [mole cricket], [fleas], [ticks (including ticks that may transmit Lyme's Disease)], and other lawn pests listed [on contact]
- Treats up to 5,000 Square Feet
- [A 10 lb. bag] Treats up to 10,000 sq. ft.
- [A 20 lb. bag] Treats up to 20,000 sq. ft.
- [A 4 lb. bag] Treats up to 4,000 sq. ft.
- Use on lawns, ornamental and flower gardens, and vegetables
- Use around the outside of homes, foundations, porches and patios
- Kills insects on contact after watering in
- Control lasts for up to 3 months
- One application controls insects for the entire season]
- Effective home barrier treatment
- Kills bugs outdoors-before they come inside
- Treats 156 mounds [4 lb size]
- Guaranteed to Work or Your Money Back
- Use on lawn and around home foundation as a barrier treatment]

Active Ingredient	
Bifenthrin	0.115%
Other Ingredients	99.885%
•	100.000%

Cis isomers 96=7% minimum, trans isomers 3% maximum.

KEEP OUT OF REACH OF CHILDREN CAUTION

See additional precautionary statements on back of bag. [See [back panel] [booklet] for additional precautionary statements]



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Apply this product directly to the lawn or garden area. Water treated area as directed on this label. Do not water to the point of run-off.

Do not make applications during the rain.

Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

General Instructions

Bifenthrin .115 G is for use on lawns, around home foundations (perimeter treatment), ornamental and flower gardens, and vegetable gardens for the control of the insect pests listed in the table below.

Lawns

Apply **Bifenthrin** .115 G when insect activity or damage is first observed (lawn thins, brown spots appear, or moths fly up from the grass when mowed).

Spread **Bifenthrin** .115 G uniformly over lawn using the suggested spreader settings. For best results, use a mechanical spreader.

Water-in product after application.

Do not use any other weed, disease, or insect control products for at least one week after application.

For best results and to prevent further damage, treat the entire lawn, not just the browned areas.

Repeat application if there are signs of renewed insect activity.

NOTE: Food utensils such as tablespoons/teaspoons must not be used for food purposes after use in measuring pesticides.

Pest	Application Rate
Ants (including Carpenter, Red Harvester,	Uniformly apply 1 to 2 pounds over a 1,000 sq. ft.
Odorous, Pyramid, Argentina, Pharoah,	area of lawn using a spreader.
Black Turf, Fire Ants and Foraging Fire	
Ants),	For 3 month/season long control, apply 4 lbs of
Armyworms (including Lawn Armyworm,	product for every 1,000 sq. ft.
Fall Armyworm),	00000 (C)
Billbugs (including Bluegrass Billbug,	For best results, thoroughly water the treated area
Hunting Billbug),	after application.
Black Turfgrass Ataenius (adults),	(((

Bristletail,	For Fire Ant Mounds: Uniformly apply 1
Chiggers,	tablespoon or 3 teaspoons of granules to the
Chinch Bugs,	surface of each mound. For best results apply in
Crickets,	cool weather, 65 to 80 F, in early morning or late
Cutworms (including Black Cutworm,	evening hours. Avoid disturbing ants. Treat new
Bronzed Cutworm, Granulate Cutworm,	mounds as they appear. Thoroughly water the
Variegated Cutworm),	treated area after application.
Dichondra Flea Beetle,	a control and a site approximation
Earwigs,	
European Crane Fly,	
Fiery Skipper,	
Fire Brat,	
1	
Fleas,	
Fruit Fly,	
Grasshoppers,	
Greenbug,	
Ground Beetles,	
Ground Pearl,	
Leaf Hoppers,	
Lucerne Moth,	
Mealybugs,	
Mole Crickets (including Tawny Mole	
Cricket, Southern Mole Cricket, Short-	
Winged Mole Cricket),	
Pillbugs,	
Seed Maggots,	
Spiders,	
Springtails,	
Striped Grassworm,	
Ticks (including ticks that may transmit	
Lyme Disease),	
Two-lined Spittle Bugs,	
Webworms (including Sod Webworm,	
,	
Grass Webworm, Tropical Sod	
Webworm),	
Weevils (including Hyperodes, Bluegrass),	
Wireworms	
Centipedes,	Uniformly apply 4 pounds over a 1,000 sq. ft.
Millipedes,	area of lawn. For best results, thoroughly water
Pavement Ants	the treated area after application.
Mole Crickets	Uniformly apply 2 to 4 pounds over a 1,000 sq. ft.
	area of lawn. For best results, treat in late spring
	and water thoroughly after application.
In New York State, this product may NOT b	e applied to any grass or turf area (lawns) within
100 feet of a water body (lake, pond, river, s	tream, wetland, or drainage ditch).
In New York State, do make a single repeat	application of this product if there are signs of
	00((0
	ر کی در
	3
	ر ده ده د د د د د

renewed insect activity, but not sooner than two weeks after the first application.

Ornamentals & Flowers

Bifenthrin .115 G can be applied just before planting or after plants emerge.

Apply 0.5* to 1 lb. evenly over each 500 sq. ft. area. Repeat if there are signs of renewed insect activity.

Home Foundation/Barrier Treatment

Evenly apply a 2 foot wide band next to the house/home foundation. Use 0.5* to 1.0 lb for each 500 sq. ft. (2 ft. x 250 ft.).

*0.5 lb/500 sq. ft. is equivalent to 1 lb/1000 sq. ft.

Vegetable Gardens

Bifenthrin .115 G can be applied to the vegetables listed below.

Apply a single application before planting or after plants emerge and work into the top 4 to 6 inches of soil. Use 1.0 lb of product for a 500 sq. ft. area.

Стор	Days to Wait till Harvest
Tomatoes, Sweet Corn	1
Green Peas, Sugar Snap Peas, Snow Peas, Green Beans (Wax Beans, Snap Beans), Dry Beans (Black Eyed Peas, Cow Pea), Cucumber, Gourds, Muskmelon, Pumpkin, Squash, and Watermelon	3
Artichoke	5
Broccoli, Chinese Broccoli, Cabbage, Cauliflower, Kohlrabi, Chinese Mustard, Eggplant, Head Lettuce, Peppers (Bell and Non-Bell)	7

Spreading Instructions

Follow Application Directions in the table below. Calibrate the spreader settings based on the manufacturer's recommendations.

Spreader Settings

	Spreader Settings covers 5,000 sq. ft.	
Spreader	Pounds of product per	Application Directions
	1,000 sq. ft. 1 lb. 2 lb. 4 lb.	
Scott Drop	(Spreader settings	Mow lawn first if grass is tall enough to touch
Spreader	provided at printing)	the bottom of the spreader. First apply two
EZ Drop,		header strips. Operate spreader the longest way
Republic (#530)		of the lawn. Overlap wheel marks to ensure

		uniform feeding. Shut off spreader when you
		have reached the header strips or stopped.
Scotts Easy	(Spreader settings	Application automatically starts and stops when
Green® Rotary	provided at printing)	you do. For complete coverage make each pass
EZ Broadcast,		about 30 inches from the previous one, or some
Republic (#540)		overlapping occurs.
Scotts	(Spreader settings	Shut off spreader anytime you stop. For
SpeedyGreen®	provided at printing)	complete coverage make each pass about five
EdgeGuard®		feet from the previous one, so some overlapping
Rotary		occurs.

STORAGE AND DISPOSAL

Prohibitions: Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Keep out of reach of children and domestic animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. For rigid containers after partial use replace lids and close tightly.

For bags after partial use, reseal opened bag by folding top down and securing.

Container Disposal:

If empty: Nonrefillable container. Do not reuse or refill this container. Empty container though use according to label instructions. Offer for recycling if available. Do not rinse unless required for recycling. If recycling is not available: then dispose of container in a sanitary landfill or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS Hazard to Humans (and Domestic Animals) CAUTION

Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse.

	FIRST AID	
If on skin or clothing	• Take off contaminated clothing.	٦
	• Rinse skin immediately with plenty of water for 15-20 minutes.	
	• Call a poison control center or doctor for treatment advice.	
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. 	
	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.	į t
	• Call a poison control center or doctor for treatment advice.	C
Have the product contain	er or label with you when calling a poison control center or	c c c c
	ment. You may also contact SafetyCall® (866) 897-8050 for	د ز ز

Note to Physician:

This product is a pyrethroid. If large amounts have been ingested, milk, cream or other digestible fats and oils may increase absorption and so should be avoided.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

Notice: Buyer assumes all responsibility for safety and use not in accordance with directions.

EPA Reg. No. 53883-194 EPA Est. No. XXXXXX-XX Control Solutions, Inc. 5903 Genoa-Red Bluff Pasadena, TX 77507-1041

