

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Υη

SEP 2 7 2007

Ms. Carroll Draper Registration Specialist Control Solutions, Incorporated 5903 Genoa-Red Bluff Pasadena, TX 7507-1041

RE: Notification - Optional Marketing Language EPA Registration Number: 53883-195 Date of Submission: August 23, 2007

Dear Ms. Draper:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated August 23, 2007 for the product Lambda LP Soil & Turf Insect Killer Granules. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely,

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

\$epa	Environmenta	United States	• •			Registra Amendr Other	tion	D. Approval expires 2-28-5 OPP Identifier Number
		Application	on for Pestici	de - Sect	tion	1		
1. Company/Product Nur 53883 -195 4. Company/Product (Na				Product Man e LaRocca	-		3. Pro	oposed Classification
	urf Insect Killer Gran	ules		13				
5. Name and Address of	Applicant (Include ZIP C	ode)						FIFRA Section 3(c)(3)
Control Solutions, 5903 Genoa-Red I Pasadena, TX 779	3luff 507-1041		to: EPA F	Reg. No		ilar or ident		mposition and labeling
Check if	this is a new address			ct Name	<u> </u>			
			Section -	1				· · · · · ·
Amendment - Exp	response to Agency lette	er dated		Final printed Agency lett "Me Too" A Other - Exp	er dat Applic	ation,	• to 	
with the terms of PR Noti under sections 12 and 14	ce 98-10 and 40 CFR 152 I of FIFRA.			of FIFRA and				otification is not consistent ant action and penalties
1. Material This Product Child-Resistant Packaoin	<u> </u>		Water Soluble P	eckeding		2. Type of	Container	
Yes	Yes		Yes	accolling			Metal	
Νο	No		No				Plastic Glass	
* Certification must be submitted	If "Yes" Unit Packaging wg	No. per t. container	H"Yes" Package wgt	No. per container	r		Paper Other (S	pecify)
3. Location of Net Conte	nts Information	4. Size(s) Re	tail Container	1	5. 10	eation of Lat	el Directio	INS
Label	Container				E	on label		<u></u>
6. Manner in Which Labe	I is Affixed to Product	Lithog Paper Stenc	graph glued siled	Other	'			
		· · · · ·	Section - I	V				
1. Contact Point (Comp.	lete items directly below	for identification	1	e contacted,	if nec	essary, to pr	ocess this	application.)
Name Carroll Draper	•		Title Registration Spe	cialist			Telephon 800-242-	e No. (Include Area Code) 5562
-	tatements I have made o t any knowlinglly false o ble law.		i all attachments th				•	6. Deta Application Receivad (Stamped)
2. Signature	lep-		3. Title Registration Speci	alist				
4. Typed Name	1		5. Date					1

lη

Lambda LP Soil & Turf Insect Killer Granules

[alt. name: Cyonara LP Lawn & Perimeter Insect Control Granules] For outdoor use around the home only.

[Optional Marketing Statements -

- 10 pounds treats up to 5,000 sq. ft.
- Kills in 24 hours
- Kills [Controls] many types of insects, including ants, fleas, chinch bugs & grubs
- Broadcast with spreader
- Resealable Bag
- For Perimeter Treatment Around Your House Foundation
- Kills Ants, Cockroaches, Fleas, Ticks and other listed insects
- Convenient Shaker Bag
- No Spreader
- Controls Chinch Bugs, Ticks, and Fleas
- Controls 30+ insects
- Use on lawns and as a perimeter treatment around your house foundation]

Net Weight

KEEP OUT OF REACH OF CHILDREN CAUTION

	FIRST AID
If swallowed:	 Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor/
	 Do not give anything by mouth to an unconscious person.
If in eyes:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	 Call a Poison Control Center or doctor for treatment advice.
Have the produc	t container or label with you when calling a Poison Control Center or doctor, or
going for treatme	ent. You may also call Poison Control Center 1-800-222-1222.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION - Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly after handling and before eating or smoking. Food utensils such as spoons or measuring cups must not be used for food purposes after use in measuring pesticides.

ENVIRONMENTAL HAZARDS

This product is highly toxic to fish and aquatic vertebrates. Do not apply directly to water.

READ ENTIRE LABEL BEFORE USE

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Keep children and pets off treated area until product has been watered in and lawn is dry.

In New York State, this product may not be applied to lawns within 100 feet of a coastal marsh, or stream that drains directly into a coastal marsh.

GENERAL INFORMATION

For use outdoors, on lawns and as a barrier band treatment around house foundation. Kills ants (including Fire Ants), armyworms (Fall and Yellow-striped), billbugs, chinch bugs, crickets, cutworms, earwigs, European crane flies, fleas, grubs, roaches (German and American), sod webworms, ticks and other insect pests listed in the tables below.

To use this product follow these 3 easy steps – (1) Determine the size of the job and measure the area to be treated. (2) Determine the proper setting for your spreader using the spreader setting chart. (3) Treat as directed in rate chart. Complete coverage is important. Water in granules immediately following application.

[Optional: If using Shaker bag, use the following rather than the paragraph above]

To use this product follow these 2 easy steps- (1) Determine the size of the job and measure the area to be treated. (2) Treat as directed in rate chart. Complete coverage is important. Water in granules immediately following application.

NOTE:

- Make no more than 6 applications per year.
- · Do not apply within 24 hours of rain.
- Do not allow product to run off from target area.
- Do not mow for 24 hours following treatment.

Band Treatment

Around house foundation to control pests normally found around or near foundations of houses, as well as in lawns, and certain of these pests that may enter houses.

Pests	Use Rate	Use Instructions
Ants (Argentine, Southern,	Apply at the rate of	Apply a 3 to 5 foot band of granules next to the
Field, Allegheny Mound,	2 lb per 1,000 sq. ft.	house foundation and completely distribute the
Florida Carpenter, Black	(an area 5' x 200') oz. or	granules. Water lightly immediately following
Carpenter, Cornfield, Honey,	3.2 oz. per 100 sq. ft.	application.
Pavement, Red Imported Fire	(10' x 10').	
Ant, Nuisance), Fleas,		Treat when insects first appear or when you notice
Roaches (German and		lawn damage.
American), Palmetto bugs,		
Waterbugs, Millipedes, Mites,		
Silverfish, Sowbugs		
(Pillbugs), Crickets, Earwigs		

Overall Lawn Application

Pests	Use Rate	Use Instructions
Ants (Argentine, Southern,	For application with other types	Apply with a fertilizer spreader (see spreader
Field, Allegheny Mound,	of equipment, apply at the rate of	setting chart). Apply when grass is dry and
Florida Carpenter, Black	2 lb per 1,000 sq. ft.	water the lawn lightly immediately following
Carpenter, Cornfield,	(an area 20' x 50') or	application.
Honey, Pavement, Red	3.2 oz. per 100 sq. ft.	
Imported Fire Ant,	(10' x 10').	Treat when insects first appear or when you

Nuisance), Armyworms (Fall & Yellow-striped), Centipedes, European Crane Flies, Crickets, Cutworms, Earwigs, Fleas, Lawn moths (sod webworms), Grasshoppers, Japanese beetle (adults), Pillbugs, Spittle bugs, Mites, Green June Beetles, Leafhoppers, Millipedes, Springtails and Ticks (including Ticks which may transmit Lyme Disease)		notice lawn damage.
Billbugs, Grubs (Japanese beetle grubs, Green June Beetle Grubs), <i>Ataenuis</i> <i>spretulus</i> (dung beetles), Hyperodes Weevils, Mole Crickets, Chinch bugs	Apply 3 lb. per 1,000 sq. ft. of lawn.	 Water grass completely immediately following application. Treat when insects first appear or when you notice lawn damage. For hyperodes weevils, apply in April-May. For billbug control, apply in May when activity is first observed or when chewed or brown grass indicates damage from these insects. For grub control, except on dung beetle, treat any time between late July and early October. For dung beetle grub control, apply in early spring or early summer (March-July) when damage is first noticed. Immediately following application, completely water grass with ¼ to ¼ inch of water. If a second generation occurs, treat again in late summer or early fall.

Spot Treatment

Pests	Use Rate	Use Instructions
Ants (Argentine, Southern, Field, Allegheny Mound, Florida Carpenter, Błack Carpenter, Cornfield, Honey, Pavement, Red Imported Fire Ant, Nuisance)	Mound Treatment: Apply 1 ½ teaspoons over and around each ant hill.	Water lightly immediately following application.
Fire Ants	Mound Treatment: Apply ½ cup over, and 2 ft. around, each fire ant mound.	Immediately following application, water in completely. Apply a minimum of 1 gallon of water to each mound area. To prevent the disturbance of ants, water gently. Use of high pressure watering equipment may disturb the ants and cause migration, reducing product effectiveness. NOTE: For best results, apply in cool weather, 65°-80° F, or in eacly morning or late evening hours. Treat new mounds as they appear. Fast acting. Works within 24 hours.

Spreader Settings for Lawn Application

[INSERT SPREADER SETTING CHART]

NOTE: The spreader settings stated are approximate. Precisely weigh a few pounds into your spreader and apply to a measured area. To assure correct rate of application, adjust spreader settings if needed.

STORAGE AND DISPOSAL

Storage: Reclose container tightly after each use. Store in a cool, dry area which is inaccessible to children and pets.

Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain

Note: Buyer assumes all responsibilities for safety and use not in strict accordance with directions.

Control Solutions, Inc. 5903 Genoa-Red Bluff Pasadena, TX 77507-1041

EPA Reg. No. 53883-195

EPA Est. No. xxxxxx-xx-xxx

Notification: Alt. Brand Name Alt. MKT Lang. Clarification of Use Directions Resubmit for appr 06-12-07

CONTROL SOLUTIONS incorporated

August 23, 2007

Document Processing Desk (NOTIF) Office of Pesticide Programs U.S. Environmental Protection Agency One Potomac Yard 2777 S. Crystal Drive Arlington, VA 22202

Re: Notification per (PR) Notice 98-10, Optional Marketing Language EPA Reg. No. 53883-195 Lambda LP Soil & Turf Insect Killer Granules

Dear Sir or Madam:

Enclosed is a Notification for Optional Marketing Language per (PR) Notice 98-10. See highlighted text on attached labeling.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 USC Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If you have any questions or need additional information, please feel free to contact me.

Sincerely,

Carvall Deoper

Carroll Draper Registration Specialist