

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES.

Amy Warren Registration Specialist Control Solutions, Inc. 5903 Genoa-Red Bluff Pasadena, TX 77507-1041

JUL 24 2008

Subject: Label Notification(s) for Pesticide Registration Notice 2007-4

Dear Ms. Warren:

The Agency is in receipt of your Applications for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated June 11, 2008 for:

EPA Registration 53883-195

Lambda LP Soil & Turf Insect Killer Granules

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Nicole Williams of my staff at 703-308-5551.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

Please read instructions on	United States Environmental Protection Agency Washington, DC 20460		Approved	Registration Amendment Other		OPP Identifier Number		
	. ,	Application	for Pesticide - S	ection	<u> </u>		1	<u> </u>
1. Company/Product Numbe 53883 - 195		· · · · · · · · · · · · · · · · · · ·	2. EPA Product I George LaRo	Manager		3. Pre	oposed Class	sification Restricted
4. Company/Product (Name) Lambda LP Soil & Turf		es	PM# 13					nosures
5. Name and Address of App Control Solutions, Inc 5903 Genoa-Red Blu Pasadena, TX 77507 Check if this	o. off	'e)	6. Expedited I (b)(i), my produ to: EPA Reg. No	luct is sim	ilar or id	TIFIE	ATION 6	
			Section - II					
Resubmission in resp Notification - Explain Explanation: Use addition Notification of label change p regulations at 40 CFR §§ 156 Formula for this product. I ur amended label is not consiste FIFRA and I may be subject	below. nel page(s) if necessary per PR Notice 2007-4. The 10, 156,140, 156,144, and and a violate that it is a violatent with the requirements	r. (For section I his notification is 156.146, and 156 ation of 18 U.S.C. s of 40 CFR §§ 1	Agency "Me To Other - and Section II.) consistent with the guidance of the following of th	y letter date oo" Applica - Explain be nce in PR No have been n ke any false 156.146, an	elow. otice 2007-4 an made to the labe	nd the req eling or th	ne Confidentia ther understa	al Statement of and that if the
The second second second second	·		Section - III					
1. Material This Product Will Child-Resistant Packaging Yes No * Certification must be submitted	Unit Packaging Yes No If "Yes" Unit Packaging wgt.	No. per	Water Soluble Packaging Yes No If "Yes" No. p Package wgt No. p	per		Container Metal Plastic Glass Paper Other (S	pecify)	
3. Location of Net Contents Label C 6. Manner in Which Label is	Container	4. Size(s) Retail	P.B.	5. Loc	cation of Labe	l Directio	ns	
b. Manner in which Lader is	Affixed to Product	Lithograp Paper glu Stenciled		Jiner				
			Section - IV					
1. Contact Point Complete	items directly below fo	r identification c	of individual to be contact	ted, if nece	essary, to proc	ess this	application.)	
Name Carroll Draper		Tit Re	itle Registration Specialist		,	elephone 800-242-5		e Area Code)
							U	<u> </u>
•	y knowlinglly false or m	Certificatio	DN I attachments thereto are ment may be punishable b		rate and comp		6. Date App Received (Star	

06-11-08

Carroll Draper



June 11, 2008

Document Processing Desk (NOTIF)
Office of Pesticide Programs
U.S. Environmental Protection Agency
One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202

Re: Notification per (PR) Notice 2007-4, Labeling Revisions required by the Final Rule "Pesticide Management and Disposal"
Lambda LP Soil & Turf Insect Killer Granules (EPA Reg. No. 53883-195)

Dear Sir or Madam:

Enclosed is a Notification for (PR) 2007-4; See highlighted text on attached labeling.

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If you have any questions or need additional information, please feel free to contact me.

Sincerely,

Carroll Draper

Registration Specialist

Control Solutions, Inc.

NOTIFICATION

JUL 24 2008

Lambda LP Soil & Turf Insect Killer Granules

[alt. name: Cyonara LP Lawn & Perimeter Insect Control Granules]

For outdoor use around the home only.

[Optional Marketing Statements -

- 10 pounds treats up to 5,000 sq. ft.
- Kills in 24 hours
- Kills many types of insects, including ants, fleas, chinch bugs & grubs
- Broadcast with spreader
- Resealable Bag
- For Perimeter Treatment Around Your House Foundation
- Kills Ants, Cockroaches, Fleas, Ticks and other listed insects
- Convenient Shaker Bag
- No Spreader
- Controls Chinch Bugs, Ticks, and Fleas]

Active Ingredient: Lambda-cyhalothrin 0.04% Net Weight

KEEP OUT OF REACH OF CHILDREN CAUTION

	FIRST AID
If swallowed:	 Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor/
	 Do not give anything by mouth to an unconscious person.
If in eyes:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	 Call a Poison Control Center or doctor for treatment advice.
Have the produc	t container or label with you when calling a Poison Control Center or doctor, or
	ent. You may also call Poison Control Center 1-800-222-1222.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION - Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly after handling and before eating or smoking. Food utensils such as spoons or measuring cups must not be used for food purposes after use in measuring pesticides.

ENVIRONMENTAL HAZARDS

This product is highly toxic to fish and aquatic vertebrates. Do not apply directly to water 🗦 🖫

READ ENTIRE LABEL BEFORE USE

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Keep children and pets off treated area until product has been watered in and lawn is dry.

In New York State, this product may not be applied to lawns within 100 feet of a coastal marsh, or stream that drains directly into a coastal marsh.

GENERAL INFORMATION

For use outdoors, on lawns and as a barrier band treatment around house foundation. Kills ants (including Fire Ants), armyworms (Fall and Yellow-striped), billbugs, chinch bugs, crickets, cutworms, earwigs, European crane flies, fleas, grubs, roaches (German and American), sod webworms, ticks and other insect pests listed in the tables below.

To use this product follow these 3 easy steps – (1) Determine the size of the job and measure the area to be treated. (2) Determine the proper setting for your spreader using the spreader setting chart. (3) Treat as directed in rate chart. Complete coverage is important. Water in granules immediately following application.

[Optional: If using Shaker bag, use the following rather than the paragraph above]

To use this product follow these 2 easy steps- (1) Determine the size of the job and measure the area to be treated. (2) Treat as directed in rate chart. Complete coverage is important. Water in granules immediately following application.

NOTE:

- Make no more than 6 applications per year.
- Do not apply within 24 hours of rain.
- · Do not allow product to run off from target area.
- Do not mow for 24 hours following treatment.

Band Treatment

Around house foundation to control pests normally found around or near foundations of houses, as well as in lawns, and certain of these pests that may enter houses.

Pests	Use Rate	Use Instructions
Ants (Argentine, Southern,	Apply at the rate of	Apply a 3 to 5 foot band of granules next to the
Field, Allegheny Mound,	2 lb per 1,000 sq. ft.	house foundation and completely distribute the
Florida Carpenter, Black	(an area 5' x 200') oz. or	granules. Water lightly immediately following
Carpenter, Cornfield, Honey,	3.2 oz. per 100 sq. ft.	application.
Pavement, Red Imported Fire	(10' x 10').	
Ant, Nuisance), Fleas,	,	Treat when insects first appear or when you notice
Roaches (German and		lawn damage.
American), Palmetto bugs,		
Waterbugs, Millipedes, Mites,		
Silverfish, Sowbugs		
(Pillbugs), Crickets, Earwigs	•	

Overall Lawn Application

Pests	Use Rate	Use Instructions
Ants (Argentine, Southern, Field, Allegheny Mound, Florida Carpenter, Black Carpenter, Cornfield, Honey, Pavement, Red Imported Fire Ant, Nuisance), Armyworms (Fall & Yellow-striped),	For application with other types of equipment, apply at the rate of 2 lb per 1,000 sq. ft. (an area 20' x 50') or 3.2 oz. per 100 sq. ft. (10' x 10').	Apply with a fertilizer spreader (see spreader setting chart). Apply when grass is dry and water the lawn lightly immediately collowing application. Treat when insects first appear or when you notice lawn damage.
Centipedes, European Crane Flies, Crickets;		, , , , , , , , , , , , , , , , , , ,

Cutworms, Earwigs, Fleas, Lawn moths (sod webworms), Grasshoppers, Japanese beetle (adults), Pillbugs, Spittle bugs, Mites, Green June Beetles, Leafhoppers, Millipedes, Springtails and Ticks (including Ticks which may transmit Lyme Disease) Billbugs, Grubs (Japanese beetle grubs, Green June Beetle Grubs), Ataenuis spretulus (dung beetles), Hyperodes Weevils, Mole Crickets, Chinch bugs Apply 3 lb. per 1,000 sq. ft. of lawn. Water grass completely immediately following application. Treat when insects first appear or when you notice lawn damage. For hyperodes weevils, apply in April-May. For billbug control, apply in May when activity	
webworms), Grasshoppers, Japanese beetle (adults), Pillbugs, Spittle bugs, Mites, Green June Beetles, Leafhoppers, Millipedes, Springtails and Ticks (including Ticks which may transmit Lyme Disease) Billbugs, Grubs (Japanese beetle grubs, Green June Beetle Grubs), Ataenuis spretulus (dung beetles), Hyperodes Weevils, Mole Crickets, Chinch bugs Apply 3 lb. per 1,000 sq. ft. of lawn. Water grass completely immediately following application. Treat when insects first appear or when you notice lawn damage. For hyperodes weevils, apply in April-May.	
Japanese beetle (adults), Pillbugs, Spittle bugs, Mites, Green June Beetles, Leafhoppers, Millipedes, Springtails and Ticks (including Ticks which may transmit Lyme Disease) Billbugs, Grubs (Japanese beetle grubs, Green June Beetle Grubs), Ataenuis spretulus (dung beetles), Hyperodes Weevils, Mole Crickets, Chinch bugs Apply 3 lb. per 1,000 sq. ft. of lawn. Water grass completely immediately following application. Treat when insects first appear or when you notice lawn damage. For hyperodes weevils, apply in April-May.	
Pillbugs, Spittle bugs, Mites, Green June Beetles, Leafhoppers, Millipedes, Springtails and Ticks (including Ticks which may transmit Lyme Disease) Billbugs, Grubs (Japanese beetle grubs, Green June Beetle Grubs), Ataenuis spretulus (dung beetles), Hyperodes Weevils, Mole Crickets, Chinch bugs Apply 3 lb. per 1,000 sq. ft. of lawn. Iawn. Water grass completely immediately following application. Treat when insects first appear or when you notice lawn damage. For hyperodes weevils, apply in April-May.	- 1
Mites, Green June Beetles, Leafhoppers, Millipedes, Springtails and Ticks (including Ticks which may transmit Lyme Disease) Billbugs, Grubs (Japanese beetle grubs, Green June Beetle Grubs), Ataenuis spretulus (dung beetles), Hyperodes Weevils, Mole Crickets, Chinch bugs Apply 3 lb. per 1,000 sq. ft. of lawn. Water grass completely immediately following application. Treat when insects first appear or when you notice lawn damage. For hyperodes weevils, apply in April-May.	- 1
Leafhoppers, Millipedes, Springtails and Ticks (including Ticks which may transmit Lyme Disease) Billbugs, Grubs (Japanese beetle grubs, Green June Beetle Grubs), Ataenuis spretulus (dung beetles), Hyperodes Weevils, Mole Crickets, Chinch bugs Apply 3 lb. per 1,000 sq. ft. of lawn. Iawn. Water grass completely immediately following application. Treat when insects first appear or when you notice lawn damage. For hyperodes weevils, apply in April-May.	ł
Springtails and Ticks (including Ticks which may transmit Lyme Disease) Billbugs, Grubs (Japanese beetle grubs, Green June Beetle Grubs), Ataenuis spretulus (dung beetles), Hyperodes Weevils, Mole Crickets, Chinch bugs Apply 3 lb. per 1,000 sq. ft. of lawn. Iawn. Water grass completely immediately following application. Treat when insects first appear or when you notice lawn damage. For hyperodes weevils, apply in April-May.	
(including Ticks which may transmit Lyme Disease) Billbugs, Grubs (Japanese beetle grubs, Green June Beetle Grubs), Ataenuis spretulus (dung beetles), Hyperodes Weevils, Mole Crickets, Chinch bugs Apply 3 lb. per 1,000 sq. ft. of lawn. Water grass completely immediately following application. Treat when insects first appear or when you notice lawn damage. For hyperodes weevils, apply in April-May.	
transmit Lyme Disease) Billbugs, Grubs (Japanese beetle grubs, Green June Beetle Grubs), Ataenuis spretulus (dung beetles), Hyperodes Weevils, Mole Crickets, Chinch bugs Apply 3 lb. per 1,000 sq. ft. of lawn. Bawn. Water grass completely immediately following application. Treat when insects first appear or when you notice lawn damage. For hyperodes weevils, apply in April-May.	
Billbugs, Grubs (Japanese beetle grubs, Green June Beetle Grubs), Ataenuis spretulus (dung beetles), Hyperodes Weevils, Mole Crickets, Chinch bugs Apply 3 lb. per 1,000 sq. ft. of lawn. Water grass completely immediately following application. Treat when insects first appear or when you notice lawn damage. For hyperodes weevils, apply in April-May.	
beetle grubs, Green June Beetle Grubs), Ataenuis spretulus (dung beetles), Hyperodes Weevils, Mole Crickets, Chinch bugs Iawn. Treat when insects first appear or when you notice lawn damage. For hyperodes weevils, apply in April-May.	_
Beetle Grubs), Ataenuis spretulus (dung beetles), Hyperodes Weevils, Mole Crickets, Chinch bugs Treat when insects first appear or when you notice lawn damage. For hyperodes weevils, apply in April-May.	
spretulus (dung beetles), Hyperodes Weevils, Mole Crickets, Chinch bugs Treat when insects first appear or when you notice lawn damage. For hyperodes weevils, apply in April-May.	J
Hyperodes Weevils, Mole Crickets, Chinch bugs For hyperodes weevils, apply in April-May.	
Crickets, Chinch bugs For hyperodes weevils, apply in April-May.	
For hyperodes weevils , apply in April-May.	
	- 1
For billbug control , apply in May when activity	
For billbug control , apply in May when activity	-
is first observed or when chewed or brown grass	:
indicates damage from these insects.	-
•	
For grub control , except on dung beetle, treat	
any time between late July and early October.	
	- 1
For dung beetle grub control, apply in early	
spring or early summer (March-July) when	-
damage is first noticed. Immediately following	
application, completely water grass with ¼ to ½	
inch of water. If a second generation occurs,	
treat again in late summer or early fall.	

Spot Treatment

Pests	Use Rate	Use Instructions
Ants (Argentine, Southern, Field, Allegheny Mound, Florida Carpenter, Black Carpenter, Cornfield, Honey, Pavement, Red Imported Fire Ant, Nuisance)	Mound Treatment: Apply 1 ½ teaspoons over and around each ant hill.	Water lightly immediately following application.
Fire Ants	Mound Treatment: Apply ½ cup over, and 2 ft. around, each fire ant mound.	Immediately following application, water in completely. Apply a minimum of 1 gallon of water to each mound area. To prevent the disturbance of ants, water gently. Use of high pressure watering equipment may disturb the ants and cause migration, reducing product effectiveness. NOTE: For best results, apply in cool weather, 65°-80° F, or in early morning or late evening hours. Treat new mounds as they appear. Fast acting. Works within 24 hours.

Spreader Settings for Lawn Application

[INSERT SPREADER SETTING CHART]

NOTE: The spreader settings stated are approximate. Precisely weigh a few pounds into your spreader and apply to a measured area. To assure correct rate of application, adjust spreader settings if needed.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal

PESTICIDE STORAGE: Keep out of reach of children and animals. Store in original containers only Store in a cool dry place and avoid excess heat. Carefully open containers. After partial use close tightly

In case of spill: Avoid contact, isolate area and keep out animals and unprotected persons. Confine

To confine spill: Cover to prevent dispersal: Place damaged package in a holding container and identify contents.

Pesticide Disposal: Pesticide wastes are acutely hazardous improper disposal of excess pesticide, spilled bait, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions; contact your State Pesticide or Environmental Control Agency: or the Hazardous Waste representative at the nearest EPA Regional Office for Guidance

Container Disposal: Non-refiliable container. Do not reuse or refill this container. Empty container through use according to label instructions. Offer for recycling if available, if recycling is not available, then dispose of container in a sanitary landfill or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Note: Buyer assumes all responsibilities for safety and use not in strict accordance with directions.

Control Solutions, Inc. 5903 Genoa-Red Bluff Pasadena, TX 77507-1041

EPA Reg. No. 53883-195

EPA Est. No. xxxxxx-xx-xxx