



**OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION**

WASHINGTON, D.C. 20460

September 28, 2026

**SENT BY EMAIL**

Haley Wade  
haley@controlsolutionsinc.com  
CONTROL SOLUTIONS, INC.

Subject: Labeling Notification per Pesticide Registration Notice (PRN) 98-10 - Adding optional marketing claims, graphics, and correcting minor grammatical errors.  
Product Name: LAMBDA RTS  
Admin Number: 53883-196  
EPA Receipt Date: 09/28/2026  
Action Case Number: 00733335

Dear Haley Wade:

The U.S. Environmental Protection Agency is in receipt of your application for notification under Pesticide Registration Notice 98-10 for the above referenced product. The EPA has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The labeling submitted with this application has been stamped "Notification" and will be placed in our records.

Should you wish to add/retain a reference to your company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the EPA. If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements the EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the EPA find or if it is brought to our attention that a website contains statements or claims substantially differing from statements or claims made in connection with obtaining a FIFRA section 3 registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

If you have questions, please contact Laura Rademacher via email at [rademacher.laura@epa.gov](mailto:rademacher.laura@epa.gov).

Sincerely,

**For** Jacquelyn Herrick, Product Manager 03  
Invertebrate & Vertebrate Branch 1  
Registration Division, (7505T)  
Office of Pesticide Programs

# LAMBDA RTS

## PERIMETER & GARDEN INSECT KILLER

For use outdoors around the home only.

*{Optional Marketing Statements moved to end of label}*

### Active Ingredient:

Lambda-Cyhalothrin ..... 0.002%

Other Ingredients: ..... 99.998%

**TOTAL** ..... **100.000%**

Net Contents:

Contains 0.00017 lbs. lambda-cyhalothrin per gallon.

**KEEP OUT OF REACH OF CHILDREN**

## CAUTION

### PRECAUTIONARY STATEMENTS

#### Hazards to Humans and Domestic Animals

**CAUTION:** Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

| FIRST AID                                                                                                         |                                                                                                                                                                                                                                       |
|-------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>If on skin or clothing:</b>                                                                                    | <ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul> |
| Have the product container or label with you when calling a Poison Control Center or doctor for treatment advice. |                                                                                                                                                                                                                                       |

#### Environmental Hazards

This product is extremely toxic to fish and other aquatic organisms. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

This product is highly toxic to bees and other pollinating insects exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees or other pollinating insects are visiting the treatment area. Protect pollinating insects by following label directions intended to minimize drift and to reduce risk to these organisms.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STOP-READ ENTIRE LABEL BEFORE USE.**

**Do not allow children or pets into the treated area until dry.**

**In New York State, this product may not be applied to lawns within 100 ft of coastal marsh or stream that drains directly into a coastal marsh.**

**RESTRICTIONS:**

- Do not apply directly to residential lawns and turf in residential settings (e.g., homes, parks, schools, athletic fields or any other area frequented by the general public).
- Do not apply when the wind speed is greater than 15 mph.
- Do not make applications during rain. Avoid making applications when rainfall is expected before the product has sufficient time to dry (minimum 4 hours). Rainfall within 24 hours after application may cause unintended runoff of pesticide application
- All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:
  1. Application to pervious surfaces such as soil and vegetation;
  2. Perimeter band treatments of 7 feet wide or less from the base of a man-made structure to pervious surfaces (e.g., soil, mulch or groundcover that abuts the perimeter of the treated structure);
  3. Applications to underside of eaves, soffits, doors, or windows permanently protected from rainfall by a covering, overhand, awning, or other structure;
  4. Applications around potential exterior pest entry points into man-made structures such as doorways and windows, when limited to a band not to exceed one inch.
  5. Applications to vertical surfaces (such as the side of a man-made structure) directly above impervious surfaces (e.g. driveways, sidewalks, etc.) up to 2 feet above ground level;
  6. Applications to vertical surfaces directly above pervious surfaces, such as soil, mulch or vegetation) only if the pervious surface does not drain into ditches, storm drains, gutters, or surface waters.”
- For soil or foliar applications, do not apply by ground within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds.
- Do not apply the product into fish pools, ponds, streams, or lakes. Do not apply directly to sewers or storm drains, or to any area like a drain or gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur.
- Do not allow the product to enter any drain during or after application.
- Do not apply directly to impervious horizontal surfaces such as sidewalks, driveways, and patios except as a spot or crack-and-crevice treatment.
- Do not apply or irrigate to the point of runoff.


**APPLICATION INSTRUCTIONS**

- Shake well before each use.
- To avoid extreme wetting and waste of product, adjust nozzle to narrow fan spray. Hold sprayer about 1 foot from plant and spray just enough to cover the area that is to be treated.
- Spot treatments must not exceed two square feet in size (for example, 2 ft. by 1 ft. or 4 ft. by 0.5 ft.).
- Treat surfaces to ensure thorough coverage but avoid runoff.

- To treat insects harbored in voids and cracks-and-crevices, applications must be made in such a manner to limit dripping and avoid runoff onto untreated structural surfaces and plants.

**NOTE:** This product will not stain most home siding. However, before using, it is recommended to test on the siding (vinyl in particular) in an area that is not readily visible. Recheck after a few hours. If any staining is observed, DO NOT use.

**Optional Image for sticker applied to cap on packaging with included spray wand:**



(Image Text:

1. Shake Well
2. Open Top
3. Firmly Insert Hose Tip)

**Battery-Powered Sprayer:**

{NOTE: Representative images provided}  
Shake Well and Spray

1. Peel Sticker to Access Spray Wand
2. Detach sprayer from bottle [optional image]



3. Unwrap hose [optional image]



4. Firmly insert hose tip [optional image]



5. Select spray pattern [optional image]

## OUTDOOR PESTS

| INSECTS                                                                                                                                                            | APPLICATION INSTRUCTIONS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ants*<br>Centipedes<br>Cockroaches<br>Crickets<br>Fleas<br>Flies<br>Gnats<br>Millipedes<br>Mosquitoes<br>Pillbugs<br>Scorpions<br>Sowbugs<br>Spiders<br>Deer ticks | To significantly reduce the potential for entry by crawling pests, apply a constant band of insecticide around building foundation. Treatment around windows, doors, eaves, vents and other areas are limited to spot application only. For more effective treatments, remove debris, leaf litter and other matter that is adjacent to the foundation that could possibly harbor pests. Apply a 2 ft band around the structure and upwards along the foundation to 2 feet. Applications around windows, doors, and roof overhangs must be limited to spot or crack-and-crevice only. For the insecticide to reach the soil or thatch layer where pests may be active, apply as a coarse spray to completely wet the foundation and/or band area. 1 quart will treat 62.5 sq. ft of surface area. |
| * Allegheny mound, Argentine, Black carpenter, Cornfield, Field, Florida carpenter, Harvester, Honey, Pavement, Southern, Sugar, Nuisance.                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

## OUTDOOR SURFACES

| INSECT <sup>S</sup>                                                                                                                                                | APPLICATION INSTRUCTIONS                                                                                                                                                                                                                                     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ants*<br>Centipedes<br>Cockroaches<br>Crickets<br>Fleas<br>Flies<br>Gnats<br>Millipedes<br>Mosquitoes<br>Pillbugs<br>Scorpions<br>Sowbugs<br>Spiders<br>Deer ticks | Make a residual application to ornamental plants adjacent to foundations of buildings and spot applications only to porches, screens, window frames, eaves, patios and garages where these pests are active.<br><br>Works for up to 8 weeks on vinyl siding. |
| * Allegheny mound, Argentine, Black carpenter, Cornfield, Field, Florida carpenter, Harvester, Honey, Pavement, Southern, Sugar, Nuisance.                         |                                                                                                                                                                                                                                                              |

## ORNAMENTAL TREES, SHRUBS AND FLOWERS

**APPLICATION INSTRUCTIONS:** Apply thoroughly as a foliar spray to both sides of plant leaves and all plant surfaces where insects are present. For optimum results, apply early prior to high insect populations. Do not apply to point of runoff.

**NOTE:**

- For **Scale** control, treat the whole plant, including the stem, trunks, and twigs.
- For **Bagworm** control, apply when bagworm larvae start to hatch.

| USE SITES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | INSECTS CONTROLLED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| For use on the following ornamental trees, shrubs and flowers:<br><br>Ageratum, Ash, Aster, Arborvitae, Arizona Cypress, Azaleas, Begonia, Birch, Boxwood, Box Elder, Camellias, Cherry (ornamental), Non-bearing Citrus, Chrysanthemums, Carnations, Coleus, Common Ninebark, Conifers, Douglas Fir, Elm, English Ivy, Euonymus, Exacum, Weeping Fig, Fir, Gladioli, Gold Bells, Hawthorn, Holly, Honeysuckle, Hypoestes, Ivy, Juniper, Lilac, Locust, Maple, Marigold, Mimosa, Mock Orange, Nannyberry, Oak, Orchid, Palm, Pansy, Pea Shrub, Petunia, Philodendron, Pine, Ornamental Plum, Poinsettia, Poplar, Tulip Poplar, Rhododendron, Roses, Snapdragon, Snowberry, Spruce, Taxus, Willow, Zinnia. | Ants*, Armyworms, Aphids, Azalea caterpillar, Bagworms, Black vine weevil (Adult), Boxelder bugs, Broadmites, Brown softscale, Budworms, California oakworm, California redbelt (crawlers), Cankerworms, Clovermites, Cockroaches, Crickets, Cutworms, Eastern tent caterpillar, Elm leaf beetles, European sawfly, Fall webworm, Flea beetles, Forest tent caterpillar, Gypsy moth larvae, Japanese beetles (Adults), June beetles (Adults), Lace bugs, Leaf feeding caterpillars, Leafhoppers, Leafminers (Adults), Leaf rollers, Leaf skeletonizers, Mealybugs, Midges, Oleander moth larvae, Pillbug, Pineneedle scale (crawler), Pine sawfly, Pine shoot beetles, Pinetip moths, Plant bugs, Root weevil, Sawfly, Scale insects (crawlers), Spiders, Spider mites, Spittlebugs, Striped beetles, Striped oakworm, Thrips, Tip moth, Tussock moth larvae, Whiteflies |
| * Allegheny mound, Argentine, Black carpenter, Cornfield, Field, Florida carpenter, Harvester, Honey, Pavement, Southern, Sugar, Nuisance.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |

## HOME GROWN VEGETABLES

**APPLICATION INSTRUCTIONS:** Apply for complete coverage, trying to hit the underside of leaves.

| VEGETABLES                                                                                                                      | INSECTS CONTROLLED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | MAXIMUM RE-APPLICATIONS PER GROWING SEASON | PHI* |
|---------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|------|
| Broccoli, Brussels Sprouts, Cabbage, Cavalo Broccoli, Cauliflower, Chinese Broccoli, Chinese Cabbage, Chinese Mustard, Kohlrabi | Alfalfa Looper, Aphid, Armyworm, Beet Armyworm, Cabbage Looper, Cabbage Webworm, Corn Earworm, Cutworm, Diamondback Moth, Fall Armyworm, Flea Beetle, Grasshopper, Imported Cabbageworm, Japanese Beetle (Adult), Leafhopper, Lygus Bug, Meadow Spittlebug, Plant Bug, Southern Cabbageworm, Spider Mite, Stink Bug, Thrips, Yellow-striped Armyworm, Whitefly                                                                                                                                                                          | 9                                          | 1    |
| Corn (sweet and pop)                                                                                                            | Armyworm, Bean Leaf Beetle, Beet Armyworm, Cereal Leaf Beetle, Chinch Bug, Corn Earworm, Corn Leaf Aphid, Cutworm, English Grain Aphid, European Corn Borer, Grasshopper, Green Bug, Green Cloverworm, Hop Vine Borer, Japanese Beetle (Adult), Meadow Spittlebug, Mexican Corn Rootworm Beetle (Adult), Northern Corn Rootworm Beetle (Adult), Sap Beetle (Adult), Southern Corn Rootworm Beetle (Adult), Southwestern Corn Borer, Stalk Borer, Stink Bug, Tobacco Budworm, Western Bean Cutworm, Western Corn Rootworm Beetle (Adult) | 5                                          | 21   |
| Corn (sweet only)                                                                                                               | Aphid, Aster Leafhopper, Corn Silkfly (Adult), Southern Armyworm, Spider Mite, Tarnished Plant Bug, Western Bean Cutworm                                                                                                                                                                                                                                                                                                                                                                                                                | 5                                          | 21   |
| Lettuce (head and leaf)                                                                                                         | Aphid, Alfalfa Looper, Armyworm, Beet Armyworm, Cabbage Looper, Corn Earworm, Cutworm, Diamondback Moth, European Corn Borer, Fall Armyworm, Flea Beetle, Grasshopper, Green Cloverworm, Imported Cabbageworm, Japanese Beetle (Adult), Leafhopper, Meadow Spittlebug, Plant Bug, Saltmarsh Caterpillar, Southern Armyworm, Spider Mite, Stink Bug, Tobacco Budworm, Vegetable Beetle (Adult), Whitefly                                                                                                                                 | 9                                          | 1    |

| VEGETABLES                                                                                                                                                                                                                 | INSECTS CONTROLLED                                                                                                                                                                                                                                                                                                          | MAXIMUM RE-APPLICATIONS PER GROWING SEASON | PHI* |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|------|
| Onion (bulb) and Garlic                                                                                                                                                                                                    | Aphid, Armyworm, Cutworm, Flower Thrips, Leafminer (Adult), Onion Maggot (Adult), Onion Thrips, Plant Bug, Seedcorn Maggot (Adult), Stink Bug, Tobacco Thrips, Western Flower Thrips                                                                                                                                        | 9                                          | 14   |
| Eggplant, Groundcherry, Pepino (Melon Pear), Pepper (includes bell pepper, chili Pepper, cooking pepper, pimento, sweet pepper), Okra, Tomato and Tomatillo                                                                | Aphid, Beet Armyworm, Cabbage Looper, Colorado Potato Beetle, Cutworm spp., European Corn Borer, Fall Armyworm, Flea Beetle, Grasshopper, Hornworm, Leafhopper, Leafminer, Meadow Spittlebug, Plant Bug, Southern Armyworm, Stink Bug, Tobacco Budworm, Tomato Fruitworm, Tomato Pinworm, Yellow-striped Armyworm, Whitefly | 9                                          | 5    |
| Arracacha, Arrowroot, Chinese artichoke, Jerusalem artichoke, Edible canna, Cassava (bitter and sweet), Chayote (root), Chufa, Dasheen (Taro), Ginger, Leren, Potato, Sweet Potato, Tanier, Turmeric, Yam Bean, Yam (true) | Cutworm spp., Leafhopper spp., Saltmarsh Caterpillar, Sweet Potato Hornworm, Woollybear Caterpillar spp., Aphid spp., Armyworm spp., Blister Beetle spp., Colorado Potato Beetle, Corn Earworm, Cricket spp., Cucumber Beetle spp. (Adults), European Corn Borer, Flea Beetle spp. (Adults), Grasshopper spp., Looper spp.  | 5                                          | 7    |

| VEGETABLES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | INSECTS CONTROLLED                                                                                                                                                                                                                                                                                                                                                                                                                                       | MAXIMUM RE-APPLICATIONS PER GROWING SEASON | PHI* |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|------|
| <p>Balsam apple, Balsam pear, Bitter melon, Chayote (fruit), Chinese Waxgourd (Chinese Preserving Melon), Citron Melon, Cucumber, Gherkin, Gourd (edible) (includes hyotan, cucuzza, hechima, Chinese <del>orkra</del>okra), Chinese cucumber, Muskmelon (hybrids and/or cultivars of Cucumis melo) (includes true cantaloupe, cantaloupe, casaba, crenshaw melon, golden pershaw melon, honeydew melon, honey balls, mango melon, Persian melon, pineapple melon, Santa Claus melon, and snake melon), Pumpkin, Summer Squash (includes crookneck squash, scallop squash, straightneck squash, vegetable marrow,zucchini), Winter Squash (includes butternut squash, calabaza, hubbard squash, acorn squash, and spaghetti squash), Watermelon (includes hybrids and varieties)</p> | <p>Armyworm spp., Blister Beetle spp., Cabbage Looper, Corn Earworm, Cricket spp., Cucumber Beetle species (Adults), Cutworm spp., Flea Beetle spp., Grasshopper spp., June Beetle spp., Leaffooted Bug, Leafhopper spp., Lygus Bug spp., Melonworm, Pickleworm, Plant Bug spp., Rindworm species complex, Saltmarsh Caterpillar, Squash Beetle, Squash Bug spp., Squash Vine Borer spp., Stink Bug spp., Thrips spp., Tobacco Budworm, Webworm spp.</p> | 5                                          | 1    |

| VEGETABLES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | INSECTS CONTROLLED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | MAXIMUM RE-APPLICATIONS PER GROWING SEASON | PHI* |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|------|
| Bean (Phaseolus spp.) (includes field bean, kidney bean, lima bean, navy bean, pinto bean, runner bean, snap bean, tepary bean, wax bean), Bean (Vigna spp.) (includes adzuki bean, asparagus bean, blackeyed pea, catjang, Chinese longbean, cowpea, Crowder pea, moth bean, mung bean, rice bean, southern pea, urd bean, yardlong bean), Jackbean, Pea (Pisum spp.) (includes dwarf pea, edible-pod pea, En-glish pea, field pea, garden pea, green pea, snow pea, sugar snap pea), Pigeon pea, Sword bean | Cutworm spp., Green Cloverworm, Imported Cabbageworm, Mexican Bean Beetle, Saltmarsh Caterpillar, Velvetleaf Caterpillar, Alfalfa Caterpillar, Aphid spp., Armyworm, Bean Leaf Beetle, Bean Leaf Skeletonizer, Blister Beetle spp., Corn Earworm, Corn Rootworm Beetle spp. (Adult), Cucumber Beetle spp. (Adult), Curculio and Weevil spp., (foliage and pod feeding adults and larvae), European Corn Borer, Fall Armyworm, Flea Beetle spp. (Adult), Flea Hopper spp., Grasshopper spp., Japanese Beetle (Adult), Leafhopper spp., Leafier spp., Looper spp., Meadow Spittlebug, Painted Lady Butterfly (Larva), Plant Bug spp. Including, Lygus spp., Stalk Borer, Stink Bug spp., Threecornered Alfalfa Hopper, Thrips spp., Tobacco Budworm, Webworm spp., Western Bean Cutworm, Western Yellowstriped Armyworm, Yellowstriped Armyworm | 5                                          | 7    |
| Apple, Azarole, Crabapple, Loquat, Mayhaw, Medlar, Pear, Asian pear, Quince, Quince, Chinese, Quince, Japanese, Cultivars, varieties and/or hybrids of these.                                                                                                                                                                                                                                                                                                                                                 | Apple Aphid, Apple Maggot (Adult), Cherry Fruit Fly spp. (Adult), Coding Moth, Green Fruitworm, Japanese Beetle, Leafhopper spp., Leafroller spp., Lesser Appleworm, Omnivorous Leafroller, Orange Tortrix, Oriental Fruit Moth, Pear Psylla, Pear Sawfly, Periodical Cicada, Plant Bug spp., Plum Curculio, Rosy Apple Aphid, San Jose Scale (fruit infestations only), Spirea Aphid, Stink Bug spp., Tent Caterpillar spp., Tentiform Leaf Miner spp., Tree Borer spp., Tufted Apple Budworm, Webworm spp.                                                                                                                                                                                                                                                                                                                                  | 5                                          | 21   |
| Apricot, Cherry, sweet, Cherry, tart, Nectarine, Peach, Plum, Plum, Chickasaw, Plum, Damson, Plum, Japanese, Plumcot, Prune (fresh)                                                                                                                                                                                                                                                                                                                                                                           | American Plum Borer, Apple Maggot (Adult), Black Cherry Aphid, Cherry Fruit Fly spp. (Adult), Codling Moth, Green Fruitworm, Japanese Beetle, June Beetle, Leafhopper spp., Leafroller spp., Oriental Fruit Moth, Peachtree Borer spp., Peach Twig Borer, Pear Sawfly, Periodical Cicada, Plant Bug spp., Plum Curculio, Rose Chafer, Stink Bug spp., Tent Caterpillar spp., Thrips spp.                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 5                                          | 14   |

| VEGETABLES                                                                                                                                                                    | INSECTS CONTROLLED                                                                                                                                                                                                                                                                                                                                                       | MAXIMUM RE-APPLICATIONS PER GROWING SEASON | PHI* |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|------|
| Almond, Beech nut, Brazil nut, Butternut, Cashew, Chestnut, Chinquapin, Filbert (hazelnut), Hickory nut, Macadamia nut (bush nut), Pecan, Walnut, black and English (Persian) | Ants, Chinch Bug, Coddling Moth, Filbertworm, Leaffooted Bug, Leafroller spp., Navel Orangeworm, Peach Twig Borer, Plant Bug spp., Stink Bug spp., Walnut Aphid, Walnut Husk Fly spp. (Adult), Hickory Shuckworm, Pecan Aphid spp., Pecan Casebearer spp., Pecan Phylloxera spp., Pecan Spittlebug, Pecan Weevil, Stink Bug spp.                                         | 5                                          | 14   |
| Peanut                                                                                                                                                                        | Cutworm spp., Green Cloverworm, Potato Leafhopper, Red-necked Peanut Worm, Threecornered Alfalfa Leafhopper, Velvetbean Caterpillar, Bean Leaf Beetle, Corn Earworm, Fall Armyworm, Grasshopper spp., Southern Corn Rootworm (Adult), Stink Bug spp., Tobacco Thrips, Vegetable Weevil, Whitefringed Beetle (Adult)                                                      | 5                                          | 14   |
| Sunflowers                                                                                                                                                                    | Cutworm spp., Sunflower Beetle, Banded Sunflower Moth, Fall Armyworm, Grasshopper spp., Head-Clipper Weevil (Adult), Japanese Beetle (Adult), Leafhopper spp., Meadow Spittlebug, Painted Lady (Thistle) Caterpillar, Seed Weevil (Adult), Spotted Cabbage Looper, Stem Weevil (Adult), Stink Bug spp., Sunflower Maggot (Adult), Sunflower Moth, Woollybear Caterpillar | 3                                          | 45   |
| * PHI = Pre-Harvest Interval. Number of days to wait between the last application and harvest.                                                                                |                                                                                                                                                                                                                                                                                                                                                                          |                                            |      |

| STORAGE AND DISPOSAL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Do not contaminate water, food or feed by storage or disposal.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <p><b>Storage:</b> Store in cool, dry area away from children and domestic animals.</p> <p><b>Pesticide Disposal:</b> Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility.</p> <p><b>Container Handling: If empty:</b> Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Do not rinse unless required for recycling. If recycling is not available: then dispose of container in a sanitary landfill or, if allowed by State and local authorities, by burning. If burned, stay out of smoke. Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for local disposal options.</p> <p><b>If partly filled:</b> Call your local solid waste agency for disposal instructions. Unless otherwise instructed, place in trash. Never pour unused product down the drain or on the ground.</p> |

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Control Solutions, Inc.  
5903 Genoa-Red Bluff  
Pasadena, TX 77507-1041

EPA Reg. No. 53883-196

EPA Est. No. \_\_\_\_\_

[Optional Marketing Claims]

- Kills [over] [400] [500] [600] [-700]- listed insects/Pests [without harming plants\*! [\*As listed]
- [Ready to Use Formula]
- [Convenient to Use as a Spot Treatment]
- [Kills on contact]
- [For [use on] [Protection on] Vegetables, Fruits, Roses, Flowers, Shrubs, Trees and Other Outdoor Plants and Surfaces] [Gardens] [Home Perimeter]
- [Kills and Controls Insects on Vinyl [Siding][Surfaces] for up to 8 Weeks]
- ~~[Protects vegetables, roses, flowers, trees and shrubs]~~
- ~~[Protects vegetables, flowers, roses trees and shrubs]~~
- ~~[Protects roses & flowers][from listed damaging pests]~~
- ~~—~~
- [Kills over [400] [500] [600] [-700] Insect/Pests [without Harming Plants]]
- [Kills ants, fleas, chinch bugs, aphids, beetles, whiteflies, mites, deer ticks [which may transmit Lyme Disease], Japanese beetles, and other listed insects.]
- [Kills and Controls Deer Ticks which may transmit Lyme Disease]
- [Won't harm [your] [garden] ~~[or]~~ [plants] [blooms] [shrubs] [vegetables] [fruits]] [edibles] [flowers] [trees] [ornamentals][[home]][concrete surfaces] [brick] [patio][wood] [siding] [deck] [\*when used as directed]
- [Visible results in minutes]
- [People and pets may re-enter treated area after spray dries]
- [Protects [over] [125] [140]- [listed] [fruits] [and] [vegetables] [sites]\* —[\*As listed] {this comment will appear in close proximity to the claim}]
- [Trusted brand for over ~~[xx]]50][70] years]~~
- [Kills [insert listed pest]
- [Guaranteed [results] [to work] -[\*or your money back]
- [Satisfaction Guaranteed]
- [Water-based formula]
- [Fast Acting on non-public health pests]
- Pump and Spray
- Peel Sticker to Access Spray Wand
- Easy to apply
- Batteries Included
- Convenient Ready to use liquid spray
- Simply point & spray
- No Measuring, No Mixing, No Pumping. [And Best of all] No [More] Hand Fatigue.
- Re-usable Sprayer
- Refillable Container
- Refill Concentrate Included – Makes 1 gallon Ready-to-Use Solution.
- ~~Sprayer Applicator Claims:~~
- ~~Battery [Operated] [Powered] Sprayer~~
- ~~Power Sprayer~~
- ~~[Reusable][Power] Sprayer [sprays up to 15 ft]~~
- ~~Easy to apply with the [battery operated] [powered] sprayer~~
- ~~Continuous [Adjustable] Spray [Wand]~~
- ~~Non-aerosol [spray]~~
- ~~Spray[s] at any angle~~
- ~~Extended Reach~~
- ~~Less hand fatigue; continuous spray applicator~~
- Formula {insecticide} provides [same day] control
- Starts acting within Minutes

- Works in Minutes
- Kills [insert listed insect] fast! [Claim does not apply to fleas, ticks, and mosquitoes]
- [NOW] kills over-~~4~~ [400] [500] [600] [-700] insects!
- Fast Acting!-~~—~~[Claim does not apply to fleas, ticks, and mosquitoes]
- One application quickly kills listed [insects] [pests]
- Kills [categories]\*- \*As listed
- [Kills] Controls hard to kill [tough] [insects] [pests]\* ~~—~~\*As listed
- Kills [insert listed pests]
- Kills listed chewing and sucking [insects][bugs]
- Kills listed Leaf Eating [Insects][Bugs]
- Kills common [garden] [vegetable] [insects] [pests]
- Kills mosquitoes [including mosquitoes [that may transmit [West Nile Virus] and [Chikungunya Virus]]]
- Can be used as an [outdoor] [garden] barrier treatment\* \*except fleas, ticks, and mosquitoes
- Kills [insert listed insect] outside so they can't come inside!
- For outdoor use
- Kills [listed pests] outside, so they can't come inside
- Kills [damaging][harmful] [listed pests] [fast\*]. \*except fleas, ticks, and mosquitoes
- Kills [damaging][harmful] [listed pests]
- Protect your home from invading insects [pests]
- Kills home invading insects [pests]
- Creates a bug barrier in minutes
- Kill [annoying] [damaging] [insects] [pests] and reclaim your [garden] [home] [today!]
- -Reclaim your [outdoors] [garden] [today] from [annoying] [damaging] [insects] [bugs] [pests]
- Don't let [insects] {bugs} feed on your [garden] [flowers] [fruit] [another day]
- [15%] 25% [50%] more coverage [than standard] [quart]
- [X fl.oz.] Value Size!
- Value Size!
- [X]% More [Free]!
- [Retailer Name] Exclusive Value Size!
- Bonus Size [X]% More [Free]!
- Special Value! X% More\* (\*X% more than X lb/oz [bottle])
- Club Size!
- Club Pack!
- [No odor] [Odorless]
- [Non-staining]
- Over XX 5 Star Reviews [\*\*\*\*\* Reviews] (\* stars)
- Recycle when empty
- Made from recycle materials
- Made with recycled content
- XX% less plastic\* \*vs. previous packaging [bottle]
- Made with [~~12~~0-100]% recycled plastic
- For [use on]- [vegetables], [fruits]- [ornamentals], [flowers], [roses], [shrubs], [trees],~~5~~ [garden]
- For ornamental insects
- Home & Garden insecticide
- Ideal for [outdoor] container gardening
- Great for [veggie][vegetable][fruit][and][herb]gardens
- For Larger/Rural/Countryside Acres
- Home and Ranch [Value] Size [Protects [over] [TBD] [listed] [fruits] [and] [vegetables] [sites]\* [\*As listed] {this comment will appear in close proximity to the claim}]

- -Protect your container garden from [listed pests] [insert listed pest]
- Protect your [roses][flowers] [garden] [vegetables] [fruits]- from listed [damaging][harmful] pests.
- Not harmful to grasses\* \*when used as directed
- Dual action: Insect Control and Plant Protection
- 2 Way Control: -Controls [Kills] and Stops [Insect Damage]
- 2-in-1: Insect Control and Plant Protection
- 3 Way Control: -Controls [Kills]/Stops/Protects
- 3 Way Control: -Controls [Kills]/Stops Insect Damage and Protects Plants
- [Protect][Defend][Guard] your garden [& landscape] from listed invading bugs [pests]
- 2 in 1 [Dual] Action [Formula]: [1] Kills and [2] Controls
- 2 in 1 [Dual] Action: Controls [Kills] Insects and [Mites] [Listed Spiders]
- 3 in 1 [3 Way Control] [Triple Action]: Controls [Kills] listed Insects, Mites, and Spiders
- All-In-One Insect Control [Killer]\* - \*Controls Listed Insects [Pests][Bugs]
- For use outdoors around the home only.

#### **Optional Sprayer Applicator Claims:**

- Battery [Operated] [Powered] Sprayer
- Power Sprayer
- [Reusable][Power] Sprayer [sprays up to 15 ft]
- Easy to apply with the [battery operated] [powered] sprayer
- Continuous [Adjustable] Spray [Wand]
- Non-aerosol [spray]
- Spray[s] at any angle
- Extended Reach
- Less hand fatigue; continuous spray applicator

#### **Optional Sprayer Applicator Claims:**

- [Power sprayer] Continuous [fine] [mist] spray
- No [More] Hand Fatigue [with [Continuous] Power Sprayer]
- [Power sprayer] [Continuous sprayer] Provides excellent coverage
- [Power sprayer] [Continuous sprayer] Coats above and below the leaf

[{Optional customer-specific hotline information:}]

If you have a medical emergency, need consultation on diagnosis, therapy and analysis please call 1-(800) 420-9347. If you have questions relating to product use or application, please call 1-(866) 945-5033. If you have a product spill or transportation emergency call 1-(800) 424-9300.1


[For Consumer Refund: [Company name], [Company address].]

[{Optional websites}]

[www.gardentech.com](http://www.gardentech.com)

[www.sevin.com](http://www.sevin.com)

#### **Optional Label Icons**


|                           |                                                                                                                                                                                                                                            |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Pest icons on front label |  <p><b>Ants*</b><br/>* Kills ants except Pharoah and fire ants</p>  |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Vegetable and flower icon on front label |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Vegetable and flower icon on back label  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Pest icons on back label                 | <div data-bbox="402 772 868 1339"> <br/> <b>Ants*</b><br/> <small>* Kills ants except Pharoah and fire ants</small> <br/> <b>Fleas</b> <br/> <b>Chinch Bugs</b> <br/> <b>Sod Webworms</b> <br/> <b>Aphids</b> <br/> <b>Whiteflies</b> <br/> <b>Mites</b> <br/> <b>Deer Ticks</b> <br/> <b>Japanese Beetles</b> <br/> <b>European Crane Flies</b> </div> <div data-bbox="1036 1213 1166 1339">  </div> <div data-bbox="1190 1213 1336 1339">  </div> <div data-bbox="1385 1224 1498 1339">  </div> <div data-bbox="386 1339 1125 1690">  </div> |

|            |                                                                                                                |
|------------|----------------------------------------------------------------------------------------------------------------|
| Brand icon |                              |
| Claim icon |  <p>WHEN USED AS DIRECTED</p> |

#### OPTIONAL SUMMARY TABLE FOR BACK PANEL OF LABEL

|                                                     |                                                                                                                                                                                                                                                              |
|-----------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Facts<br>[insert icon from set below]       | [Insert Claim(s) from Section I – Optional Marketing Claims]<br>[Read the label before applying!]<br>This product is [ready] [to use] [and] [easy] to use<br>Simply shake [well] and spray                                                                   |
| Where to Use<br>[insert icon from set below]        | {Icons with text may be used for any of the below}<br>[Fruit and Vegetable Gardens, Ornamental Plants and Shrubs, Flowers and Ground Covers, Around Outdoor Surfaces]                                                                                        |
| Fruits & Vegetables<br>[insert icon from set below] | {Icons with text may be used for any of the below}<br>[Insert fruits & vegetables from below table]                                                                                                                                                          |
| Kills<br>[insert icon from set below]               | [insert listed pest from label]<br>[And other listed [lawn & garden] [pests] [insects] [bugs]]                                                                                                                                                               |
| How to Use<br>[insert icon from set below]          | [This product is a ready-to-use liquid that can be sprayed directly onto [pests] [insects] [and/or][.] on to surfaces.]<br>[Directly spot treat listed pests when they are seen.]<br>[Spray upper and lower leaves of plants.] [Not to the point of runoff.] |



[Complete] Pest List {All or a portion of this list may be printed on final label}

| Crickets: |                             |
|-----------|-----------------------------|
| 1.        | Arizona Cricket             |
| 2.        | blackhorned tree cricket    |
| 3.        | coulee cricket              |
| 4.        | fourspotted tree cricket    |
| 5.        | great tree cricket          |
| 6.        | greenhouse stone cricket    |
| 7.        | house cricket               |
| 8.        | Jerusalem cricket           |
| 9.        | Mormon cricket              |
| 10.       | oceanic field cricket       |
| 11.       | snowy tree cricket          |
| 12.       | two-spotted cricket         |
| 13.       | Common Short-tailed Cricket |
| 14.       | Tropical Cricket            |

|                 |                                |
|-----------------|--------------------------------|
| 15.             | Variable Field Cricket         |
| 16.             | Fall Field Cricket             |
| 17.             | Southeastern Field Cricket     |
| 18.             | Texas Field Cricket            |
| 19.             | Spring Field Cricket           |
| 20.             | Northern Wood Cricket          |
| 21.             | Western Striped Cricket        |
| 22.             | Eastern Striped Cricket        |
| 23.             | Sand Field Cricket             |
| 24.             | Vocal Field Cricket            |
| 25.             | Southern Wood Cricket          |
| <b>Spiders:</b> |                                |
| 26.             | Hawaiian happy face spider     |
| 27.             | pale leaf spider               |
| 28.             | pantropical huntsman spider    |
| 29.             | red-faced banana spider        |
| 30.             | red-legged banana spider       |
| 31.             | spinybacked spider             |
| 32.             | spotted-legged banana spider   |
| 33.             | striped lynx spider            |
| 34.             | whitebacked garden spider      |
| 35.             | yellow garden spider           |
| 36.             | Star-bellied orb-weaver        |
| 37.             | Twin-flagged jumping spider    |
| 38.             | Communal spider                |
| 39.             | Giant lichen orb-weaver        |
| 40.             | Silver garden spider           |
| 41.             | Black and yellow garden spider |
| 42.             | Banded garden spider           |
| 43.             | Sylvana jumping spider         |
| 44.             | White-banded fishing spider    |
| 45.             | Dark fishing spider            |
| 46.             | Six spotted fishing spider     |
| 47.             | Woodlouse spider               |
| 48.             | Tropical orb-weaver            |
| 49.             | Hump-backed orb-weaver         |
| 50.             | Spiny-backed orb-weaver        |
| 51.             | Hentz jumping spider           |
| 52.             | Eastern parson spider          |
| 53.             | Huntsman spider                |
| 54.             | Carolina Wolf spider           |
| 55.             | Southern house spider          |
| 56.             | Furrow orb-weaver              |
| 57.             | Mabel orchard orb-weaver       |
| 58.             | Orchard orb weaver             |

|                     |                                  |
|---------------------|----------------------------------|
| 59.                 | Magnolia green jumper            |
| 60.                 | Dimorphic jumper                 |
| 61.                 | Arrow-shaped micrathena          |
| 62.                 | Arabesque orb-weaver             |
| 63.                 | Western spotted orb-weaver       |
| 64.                 | Filmy dome spider                |
| 65.                 | Red house spider                 |
| 66.                 | Giant crab spider                |
| 67.                 | Common house spider              |
| 68.                 | Green Lynx spider                |
| 69.                 | Bold jumper cardinal spider      |
| 70.                 | Long-bodied cellar spider        |
| 71.                 | Nursery web spider               |
| 72.                 | Tan jumping spider               |
| 73.                 | Pantropical spider               |
| 74.                 | Dotted Wolf spider               |
| 75.                 | Rabid Wolf spider                |
| 76.                 | Triangulate cobweb spider        |
| 77.                 | Golden silk orb-weaver           |
| 78.                 | Pseudoscorpion                   |
| <b>Leafhoppers:</b> |                                  |
| 79.                 | angulate leafhopper              |
| 80.                 | apple leafhopper                 |
| 81.                 | aster leafhopper                 |
| 82.                 | Beardsley leafhopper             |
| 83.                 | beet leafhopper                  |
| 84.                 | blackfaced leafhopper            |
| 85.                 | blunt-nosed cranberry leafhopper |
| 86.                 | bramble leafhopper               |
| 87.                 | Brasilian leafhopper             |
| 88.                 | brown speckled leafhopper        |
| 89.                 | clover leafhopper                |
| 90.                 | corn leafhopper                  |
| 91.                 | eastern grape leafhopper         |
| 92.                 | fivespotted gamagrass leafhopper |
| 93.                 | gray lawn leafhopper             |
| 94.                 | lawn leafhopper                  |
| 95.                 | leafhopper assassin bug          |
| 96.                 | lesser lawn leafhopper           |
| 97.                 | little green leafhopper          |
| 98.                 | mountain leafhopper              |
| 99.                 | painted leafhopper               |
| 100.                | plum leafhopper                  |
| 101.                | potato leafhopper                |
| 102.                | prune leafhopper                 |

|                    |                             |
|--------------------|-----------------------------|
| 103.               | rice leafhopper             |
| 104.               | robust leafhopper           |
| 105.               | rose leafhopper             |
| 106.               | saddled leafhopper          |
| 107.               | southern garden leafhopper  |
| 108.               | Stevens leafhopper          |
| 109.               | tamarix leafhopper          |
| 110.               | threebanded leafhopper      |
| 111.               | Virginia creeper leafhopper |
| 112.               | western grape leafhopper    |
| 113.               | western potato leafhopper   |
| 114.               | white apple leafhopper      |
| 115.               | whitebanded elm leafhopper  |
| 116.               | yellowfaced leafhopper      |
| 117.               | yellowheaded leafhopper     |
| <b>Millipedes:</b> |                             |
| 118.               | garden millipede            |
| 119.               | rusty millipede             |
| <b>Ants:</b>       |                             |
| 120.               | Acrobat ant                 |
| 121.               | Allegheny mound ant         |
| 122.               | Argentine ant               |
| 123.               | Asian needle ant            |
| 124.               | bigheaded ant               |
| 125.               | Black turf ant              |
| 126.               | cornfield ant               |
| 127.               | crazy ant                   |
| 128.               | ghost ant                   |
| 129.               | Guinea ant                  |
| 130.               | gypsy ant                   |
| 131.               | high noon ant               |
| 132.               | larger yellow ant           |
| 133.               | Lawn ant                    |
| 134.               | little black ant            |
| 135.               | little yellow ant           |
| 136.               | longlegged ant              |
| 137.               | odorous house ant           |
| 138.               | pavement ant                |
| 139.               | pyramid ant                 |
| 140.               | silky ant                   |
| 141.               | slender twig ant            |
| 142.               | smaller yellow ant          |
| 143.               | Small honey ant             |
| 144.               | tawny crazy ant             |
| 145.               | Texas leafcutting ant       |

|               |                          |
|---------------|--------------------------|
| 146.          | thief ant                |
| 147.          | western thatching ant    |
| 148.          | White-footed ant         |
| <b>Flies:</b> |                          |
| 149.          | Alfalfa gall midge       |
| 150.          | Allium leafminer         |
| 151.          | Asparagus miner          |
| 152.          | Balsam gall midge        |
| 153.          | Bean fly                 |
| 154.          | bean seed maggot         |
| 155.          | Beet leafminer           |
| 156.          | Black soldier fly        |
| 157.          | Blue soldier fly         |
| 158.          | Blueberry gall midge     |
| 159.          | Boxwood leafminer        |
| 160.          | Cabbage maggot           |
| 161.          | Cheese skipper           |
| 162.          | Chokecherry midge        |
| 163.          | Chrysanthemum gall midge |
| 164.          | Clear Lake gnat          |
| 165.          | Cucurbit midge           |
| 166.          | Drone fly                |
| 167.          | Flase stable fly         |
| 168.          | Frit fly                 |
| 169.          | Flower fly               |
| 170.          | Flower-loving fly        |
| 171.          | Ginger maggot            |
| 172.          | Guar midge               |
| 173.          | Hairy maggot blow fly    |
| 174.          | Hessian fly              |
| 175.          | Holly leafminer          |
| 176.          | Juniper midge            |
| 177.          | Lantana gall fly         |
| 178.          | Lantana seed fly         |
| 179.          | Lesser bulb fly          |
| 180.          | Long-legged fly          |
| 181.          | Melon fly                |
| 182.          | Moth Fly                 |
| 183.          | Native Holly leafminer   |
| 184.          | Onion maggot             |
| 185.          | Pear midge               |
| 186.          | Pepper maggot            |
| 187.          | Pigeon fly               |
| 188.          | Potato scab gnat         |
| 189.          | Poplar twiggall fly      |

|                  |                          |
|------------------|--------------------------|
| 190.             | Range crane fly          |
| 191.             | Redtailed tachina        |
| 192.             | Robber flies             |
| 193.             | Rose midge               |
| 194.             | Sonchus fly              |
| 195.             | Sorghum shoot fly        |
| 196.             | Soybean nodule fly       |
| 197.             | Spinach leafminer        |
| 198.             | Spotted-wing Drosophila  |
| 199.             | Sunflower maggot         |
| 200.             | Turnip maggot            |
| 201.             | Walnut husk fly          |
| 202.             | Wheat midge              |
| 203.             | White-mold gall midge    |
| 204.             | Willow beaked-gall midge |
| 205.             | grasshopper bee fly      |
| 206.             | grasshopper maggots      |
| <b>Cutworms:</b> |                          |
| 207.             | army cutworm             |
| 208.             | black army cutworm       |
| 209.             | black cutworm            |
| 210.             | bristly cutworm          |
| 211.             | bronzed cutworm          |
| 212.             | claybacked cutworm       |
| 213.             | clover cutworm           |
| 214.             | darksided cutworm        |
| 215.             | dingy cutworm            |
| 216.             | glassy cutworm           |
| 217.             | granulate cutworm        |
| 218.             | larger Hawaiian cutworm  |
| 219.             | pale western cutworm     |
| 220.             | palesided cutworm        |
| 221.             | redbacked cutworm        |
| 222.             | roughskinned cutworm     |
| 223.             | smaller Hawaiian cutworm |
| 224.             | spotted cutworm          |
| 225.             | striped cutworm          |
| 226.             | variegated cutworm       |
| 227.             | w-marked cutworm         |
| 228.             | western bean cutworm     |
| 229.             | western w-marked cutworm |
| 230.             | white cutworm            |
| 231.             | winter cutworm           |
| 232.             | yellowheaded cutworm     |
| <b>Weevils:</b>  |                          |

|      |                                                                                 |
|------|---------------------------------------------------------------------------------|
| 233. | alfalfa weevil                                                                  |
| 234. | annual bluegrass weevil                                                         |
| 235. | apple flea weevil                                                               |
| 236. | arborvitae weevil                                                               |
| 237. | Asiatic oak weevil                                                              |
| 238. | Australian fern weevil                                                          |
| 239. | bean stalk weevil                                                               |
| 240. | bean weevil                                                                     |
| 241. | black elm bark weevil                                                           |
| 242. | black sunflower stem weevil                                                     |
| 243. | black vine weevil                                                               |
| 244. | boll weevil                                                                     |
| 245. | broadbean weevil                                                                |
| 246. | broadnosed grain weevil                                                         |
| 247. | bronze appletree weevil                                                         |
| 248. | cabbage seedpod weevil                                                          |
| 249. | carrot weevil                                                                   |
| 250. | citrus root weevil                                                              |
| 251. | clover head weevil                                                              |
| 252. | clover leaf weevil                                                              |
| 253. | clover seed weevil                                                              |
| 254. | cocklebur weevil                                                                |
| 255. | coffee bean weevil                                                              |
| 256. | cowpea weevil                                                                   |
| 257. | cranberry weevil                                                                |
| 258. | cribrate weevil                                                                 |
| 259. | currant fruit weevil                                                            |
| 260. | dodder gall weevil                                                              |
| 261. | Douglas-fir twig weevil                                                         |
| 262. | eastern pine weevil                                                             |
| 263. | Egyptian alfalfa weevil                                                         |
| 264. | Engelmann spruce weevil (Also called Sitka spruce weevil and white pine weevil) |
| 265. | European elm flea weevil                                                        |
| 266. | Fijian ginger weevil                                                            |
| 267. | filbert weevil                                                                  |
| 268. | goldenheaded weevil                                                             |
| 269. | gorse seed weevil                                                               |
| 270. | granary weevil                                                                  |
| 271. | gray sunflower seed weevil                                                      |
| 272. | hazelnut weevil                                                                 |
| 273. | hollyhock weevil                                                                |
| 274. | immigrant acacia weevil                                                         |
| 275. | imported crucifer weevil                                                        |
| 276. | imported longhorned weevil                                                      |

|      |                              |
|------|------------------------------|
| 277. | iris weevil                  |
| 278. | kiawe bean weevil            |
| 279. | koa haole seed weevil        |
| 280. | large chestnut weevil        |
| 281. | lesser clover leaf weevil    |
| 282. | lesser orchid weevil         |
| 283. | lilac root weevil            |
| 284. | lily weevil                  |
| 285. | lodgpole terminal weevil     |
| 286. | mahogany bark weevil         |
| 287. | maize weevil                 |
| 288. | mango weevil                 |
| 289. | Mexican bean weevil          |
| 290. | mile-a-minute weevil         |
| 291. | milfoil weevil               |
| 292. | Monterey pine weevil         |
| 293. | New Guinea sugarcane weevil  |
| 294. | New York weevil              |
| 295. | nutgrass weevil              |
| 296. | obscure root weevil          |
| 297. | pales weevil                 |
| 298. | pea leaf weevil              |
| 299. | pea weevil                   |
| 300. | pecan weevil                 |
| 301. | pepper weevil                |
| 302. | pine gall weevil             |
| 303. | pine root collar weevil      |
| 304. | pine root tip weevil         |
| 305. | pineapple weevil             |
| 306. | pitch-eating weevil          |
| 307. | portulaca leafmining weevil  |
| 308. | pruinose bean weevil         |
| 309. | puncturevine seed weevil     |
| 310. | puncturevine stem weevil     |
| 311. | red clover seed weevil       |
| 312. | red elm bark weevil          |
| 313. | red palm weevil              |
| 314. | red sunflower seed weevil    |
| 315. | rice water weevil            |
| 316. | rice weevil                  |
| 317. | Rocky Mountain billbug       |
| 318. | rough strawberry root weevil |
| 319. | salvinia weevil              |
| 320. | sandcherry weevil            |
| 321. | sesbania clown weevil        |

|                      |                                                                                 |
|----------------------|---------------------------------------------------------------------------------|
| 322.                 | silky cane weevil                                                               |
| 323.                 | Sitka spruce weevil (Also called Englemann spruce weevil and white pine weevil) |
| 324.                 | small chestnut weevil                                                           |
| 325.                 | South African emex weevil                                                       |
| 326.                 | southern corn billbug                                                           |
| 327.                 | southern pine root weevil                                                       |
| 328.                 | strawberry bud weevil                                                           |
| 329.                 | strawberry root weevil                                                          |
| 330.                 | sunflower headclipping weevil                                                   |
| 331.                 | sunflower root weevil                                                           |
| 332.                 | sunflower stem weevil                                                           |
| 333.                 | sweetclover weevil                                                              |
| 334.                 | sweetpotato weevil                                                              |
| 335.                 | Tahitian coconut weevil                                                         |
| 336.                 | tamarind weevil                                                                 |
| 337.                 | thurberia weevil                                                                |
| 338.                 | twobanded Japanese weevil                                                       |
| 339.                 | vegetable weevil                                                                |
| 340.                 | Warren root collar weevil                                                       |
| 341.                 | West Indian cane weevil                                                         |
| 342.                 | West Indian sweetpotato weevil                                                  |
| 343.                 | white pine weevil (Also called Englemann spruce weevil and Sitka spruce weevil) |
| 344.                 | willow flea weevil                                                              |
| 345.                 | woods weevil                                                                    |
| 346.                 | Yosemite bark weevil                                                            |
| <b>Cockroaches:</b>  |                                                                                 |
| 347.                 | Asian cockroach                                                                 |
| 348.                 | cinereous cockroach                                                             |
| 349.                 | Cuban cockroach                                                                 |
| 350.                 | harlequin cockroach                                                             |
| 351.                 | Madeira cockroach                                                               |
| 352.                 | Pacific beetle cockroach                                                        |
| 353.                 | Pacific cockroach                                                               |
| 354.                 | spotted Mediterranean cockroach                                                 |
| 355.                 | Surinam cockroach                                                               |
| 356.                 | Turkestan cockroach                                                             |
| 357.                 | whitemargined cockroach                                                         |
| <b>Grasshoppers:</b> |                                                                                 |
| 358.                 | American grasshopper                                                            |
| 359.                 | bigheaded grasshopper                                                           |
| 360.                 | Carolina grasshopper                                                            |
| 361.                 | clearwinged grasshopper                                                         |
| 362.                 | devastating grasshopper                                                         |

|                   |                            |
|-------------------|----------------------------|
| 363.              | differential grasshopper   |
| 364.              | eastern lubber grasshopper |
| 365.              | greenstriped grasshopper   |
| 366.              | High Plains grasshopper    |
| 367.              | Japanese grasshopper       |
| 368.              | lubber grasshopper         |
| 369.              | migratory grasshopper      |
| 370.              | Nevada sage grasshopper    |
| 371.              | Packard grasshopper        |
| 372.              | pallidwinged grasshopper   |
| 373.              | pictured grasshopper       |
| 374.              | pinkwinged grasshopper     |
| 375.              | plains lubber grasshopper  |
| 376.              | redlegged grasshopper      |
| 377.              | Rocky Mountain grasshopper |
| 378.              | two-striped grasshopper    |
| 379.              | vagrant grasshopper        |
| 380.              | angularwinged katydid      |
| 381.              | broadwinged katydid        |
| 382.              | forktailed bush katydid    |
| <b>Mealybugs:</b> |                            |
| 383.              | apple mealybug             |
| 384.              | araucaria mealybug         |
| 385.              | bamboo mealybug            |
| 386.              | banana mealybug            |
| 387.              | citrophilus mealybug       |
| 388.              | citrus mealybug            |
| 389.              | coconut mealybug           |
| 390.              | Comstock mealybug          |
| 391.              | dendrobium mealybug        |
| 392.              | grape mealybug             |
| 393.              | gray pineapple mealybug    |
| 394.              | gray sugarcane mealybug    |
| 395.              | ground mealybug            |
| 396.              | hawthorn mealybug          |
| 397.              | hibiscus mealybug          |
| 398.              | longtailed mealybug        |
| 399.              | madeira mealybug           |
| 400.              | Mexican mealybug           |
| 401.              | obscure mealybug           |
| 402.              | palm mealybug              |
| 403.              | pandanus mealybug          |
| 404.              | papaya mealybug            |
| 405.              | pineapple mealybug         |
| 406.              | pink hibiscus mealybug     |

|                                    |                                 |
|------------------------------------|---------------------------------|
| 407.                               | pink sugarcane mealybug         |
| 408.                               | Rhodesgrass mealybug            |
| 409.                               | spruce mealybug                 |
| 410.                               | striped mealybug                |
| <b>Silverfish &amp; Bark Lice:</b> |                                 |
| 411.                               | Cosmopolitan Grain Psocid       |
| 412.                               | Silverfish                      |
| 413.                               | Firebrat                        |
| 414.                               | Booklouse                       |
| 415.                               | Larger pale trogiid             |
| 416.                               | Reticulatewinged trogiid        |
| <b>Pillbug:</b>                    |                                 |
| 417.                               | Pillbug                         |
| <b>Sowbug:</b>                     |                                 |
| 418.                               | Sowbug                          |
| 419.                               | Watercress Sowbug               |
| <b>Borers:</b>                     |                                 |
| 420.                               | European corn borer             |
| 421.                               | Southern corn borer             |
| <b>Walking Sticks:</b>             |                                 |
| 422.                               | Giant Walkingstick              |
| 423.                               | Northern Walkingstick           |
| 424.                               | Two-striped Walkingstick        |
| <b>Beetles &amp; Wireworms:</b>    |                                 |
| 425.                               | Abbreviated wireworm            |
| 426.                               | Asian lady beetle               |
| 427.                               | Asiatic garden beetle           |
| 428.                               | black turfgrass ataenius        |
| 429.                               | bluegrass billbug               |
| 430.                               | claycolored billbug             |
| 431.                               | Columbia Basin wireworm         |
| 432.                               | dryland wireworm                |
| 433.                               | eastern field wireworm          |
| 434.                               | Great Basin wireworm            |
| 435.                               | Gulf wireworm                   |
| 436.                               | hunting billbug                 |
| 437.                               | Japanese beetle                 |
| 438.                               | little brown mealybug destroyer |
| 439.                               | maize billbug                   |
| 440.                               | May or June beetles             |
| 441.                               | mealybug Destroyer              |
| 442.                               | nutgrass billbug                |
| 443.                               | Oregon wireworm                 |
| 444.                               | Oriental beetle                 |
| 445.                               | Pacific Coast wireworm          |

|               |                          |
|---------------|--------------------------|
| 446.          | plains false wireworm    |
| 447.          | prairie grain wireworm   |
| 448.          | Puget Sound wireworm     |
| 449.          | Rocky Mountain billbug   |
| 450.          | sand wireworm            |
| 451.          | southern corn billbug    |
| 452.          | southern potato wireworm |
| 453.          | sugarbeet wireworm       |
| 454.          | tobacco wireworm         |
| 455.          | western field wireworm   |
| 456.          | wheat wireworm           |
| <b>Mites:</b> |                          |
| 457.          | aloe mite                |
| 458.          | asparagus spider mite    |
| 459.          | avocado brown mite       |
| 460.          | avocado red mite         |
| 461.          | azalea white mite        |
| 462.          | bamboo spider mite       |
| 463.          | Banks grass mite         |
| 464.          | Bermudagrass mite        |
| 465.          | blueberry bud mite       |
| 466.          | broad mite               |
| 467.          | brown flour mite         |
| 468.          | brown mite               |
| 469.          | brown wheat mite         |
| 470.          | brownlegged grain mite   |
| 471.          | bulb mite                |
| 472.          | bulb scale mite          |
| 473.          | carmine spider mite      |
| 474.          | cat follicle mite        |
| 475.          | cattle follicle mite     |
| 476.          | cattle itch mite         |
| 477.          | cheese mite              |
| 478.          | chicken mite             |
| 479.          | citrus bud mite          |
| 480.          | citrus flat mite         |
| 481.          | citrus red mite          |
| 482.          | citrus rust mite         |
| 483.          | clover mite              |
| 484.          | conifer spider mite      |
| 485.          | cotton blister mite      |
| 486.          | creosotebush spider mite |
| 487.          | currant bud mite         |
| 488.          | cyclamen mite            |
| 489.          | depluming mite           |

|      |                                                |
|------|------------------------------------------------|
| 490. | desert spider mite                             |
| 491. | driedfruit mite                                |
| 492. | dryberry mite                                  |
| 493. | European red mite                              |
| 494. | feather mite                                   |
| 495. | fig mite                                       |
| 496. | filbert bud mite                               |
| 497. | follicle mite                                  |
| 498. | fourspotted spider mite                        |
| 499. | gardenia bud mite                              |
| 500. | goat follicle mite                             |
| 501. | grain mite                                     |
| 502. | grain rust mite                                |
| 503. | grape erineum mite                             |
| 504. | grass mite                                     |
| 505. | hemp russet mite                               |
| 506. | hibiscus erineum mite                          |
| 507. | hog follicle mite                              |
| 508. | honey bee mite                                 |
| 509. | honeylocust spider mite                        |
| 510. | house mite                                     |
| 511. | house mouse mite                               |
| 512. | lesser follicle mite                           |
| 513. | litchi mite                                    |
| 514. | mango bud mite                                 |
| 515. | mango spider mite                              |
| 516. | maple bladder gall mite                        |
| 517. | McDaniel spider mite                           |
| 518. | mold mite                                      |
| 519. | northern fowl mite                             |
| 520. | oxalis spider mite                             |
| 521. | Pacific spider mite                            |
| 522. | peach silver mite (Also called plum rust mite) |
| 523. | pear rust mite                                 |
| 524. | pearleaf blister mite                          |
| 525. | pecan leaf scorch mite                         |
| 526. | pecan leafroll mite                            |
| 527. | pine bud mite                                  |
| 528. | pine rosette mite                              |
| 529. | pineapple false spider mite                    |
| 530. | plum rust mite (Also called peach silver mite) |
| 531. | pomegranate leafcurl mite                      |
| 532. | privet mite                                    |
| 533. | red and black flat mite                        |
| 534. | red grasshopper mite                           |

|                   |                                |
|-------------------|--------------------------------|
| 535.              | redberry mite                  |
| 536.              | reticulate mite                |
| 537.              | Rocky Mountain maple felt mite |
| 538.              | scaly grain mite               |
| 539.              | scalyleg mite                  |
| 540.              | Schoene spider mite            |
| 541.              | sheep follicle mite            |
| 542.              | sheep scab mite                |
| 543.              | sixspotted mite                |
| 544.              | southern red mite              |
| 545.              | spruce spider mite             |
| 546.              | straw itch mite                |
| 547.              | strawberry spider mite         |
| 548.              | sugarcane leaf mite            |
| 549.              | sugarcane stalk mite           |
| 550.              | Texas citrus mite              |
| 551.              | tipdwarf mite                  |
| 552.              | tomato russet mite             |
| 553.              | tropical fowl mite             |
| 554.              | tropical rat mite              |
| 555.              | tumid spider mite              |
| 556.              | twospotted spider mite         |
| 557.              | walnut blister mite            |
| 558.              | warty grain mite               |
| 559.              | western predatory mite         |
| 560.              | wheat curl mite                |
| 561.              | Willamette spider mite         |
| 562.              | winter grain mite              |
| 563.              | yellow spider mite             |
| 564.              | Yuma spider mite               |
| <b>True Bugs:</b> |                                |
| 565.              | Acacia psyllid                 |
| 566.              | Alder spittlebug               |
| 567.              | Alfalfa plant bug              |
| 568.              | American palm cixiid           |
| 569.              | Apple aphid                    |
| 570.              | Azalea lace bug                |
| 571.              | Azalea plant bug               |
| 572.              | Black stink bug                |
| 573.              | Blue-green sharpshooter        |
| 574.              | Boxelder aphid                 |
| 575.              | Boxelder bug                   |
| 576.              | Boxwood psyllid                |
| 577.              | Brown stink bug                |
| 578.              | Cabbage aphid                  |

|      |                            |
|------|----------------------------|
| 579. | Carolina conifer aphid     |
| 580. | Celery aphid               |
| 581. | Chrysanthemum aphid        |
| 582. | Clouded plant bug          |
| 583. | Clover aphid               |
| 584. | Common damsel bug          |
| 585. | Cotton lace bug            |
| 586. | Cowpea aphid               |
| 587. | Diamondbacked spittlebug   |
| 588. | Dogwood spittlebug         |
| 589. | Dusky stink bug            |
| 590. | Eggplant lace bug          |
| 591. | Elm lace bug               |
| 592. | Elm leaf aphid             |
| 593. | Fern aphid                 |
| 594. | Fourlined plant bug        |
| 595. | Glassy-winged sharpshooter |
| 596. | Goldenglow aphid           |
| 597. | Grass sharpshooter         |
| 598. | Green spruce aphid         |
| 599. | Green stink bug            |
| 600. | Hackberry lace bug         |
| 601. | Harlequin bug              |
| 602. | Hawthorn lace bug          |
| 603. | Heath spittlebug           |
| 604. | Hickory plant bug          |
| 605. | Hollyhock plant bug        |
| 606. | Hyaline Grass bug          |
| 607. | Insidious flower bug       |
| 608. | Ivy aphid                  |
| 609. | Kudzu bug                  |
| 610. | Large milkweed bug         |
| 611. | Leaffooted bug             |
| 612. | Leafhopper assassin bug    |
| 613. | Lined spittlebug           |
| 614. | Meadow plant bug           |
| 615. | Meadow spittlebug          |
| 616. | Minute pirate bug          |
| 617. | Morill Lace Bug            |
| 618. | Oleander aphid             |
| 619. | Onion plant bug            |
| 620. | Pea aphid                  |
| 621. | Pecan spittlebug           |
| 622. | Pine spittlebug            |
| 623. | Periodical cicada          |

|                     |                         |
|---------------------|-------------------------|
| 624.                | Ragweed plant bug       |
| 625.                | Rapid plant bug         |
| 626.                | Red assassin bug        |
| 627.                | Red-banded stink bug    |
| 628.                | Rose aphid              |
| 629.                | Rough stink bug         |
| 630.                | Saratoga spittlebug     |
| 631.                | Sow thistle aphid       |
| 632.                | Spined soldier bug      |
| 633.                | Spiny assassin bug      |
| 634.                | Spirea aphid            |
| 635.                | Spruce aphid            |
| 636.                | Squash bug              |
| 637.                | Sunflower spittlebug    |
| 638.                | Sweetclover aphid       |
| 639.                | Sycamore lace bug       |
| 640.                | Tarnished plant bug     |
| 641.                | Thistle aphid           |
| 642.                | Thread bug              |
| 643.                | Toad bug                |
| 644.                | Torpedo bug             |
| 645.                | Twolined spittlebug     |
| 646.                | Viburnum aphid          |
| 647.                | Walnut aphid            |
| 648.                | Western bigeyed bug     |
| 649.                | Western plant bug       |
| 650.                | Yucca plant bug         |
| <b>Hymenoptera:</b> |                         |
| 651.                | Balsam fir sawfly       |
| 652.                | Birch sawfly            |
| 653.                | Black grain stem sawfly |
| 654.                | Blackheaded ash sawfly  |
| 655.                | Brownheaded ash sawfly  |
| 656.                | Elm sawfly              |
| 657.                | Grape sawfly            |
| 658.                | Grass sawfly            |
| 659.                | Hemlock sawfly          |
| 660.                | Honeysuckle sawfly      |
| 661.                | Jack pine sawfly        |
| 662.                | Larch sawfly            |
| 663.                | Pear sawfly             |
| 664.                | Raspberry sawfly        |
| 665.                | Red pine sawfly         |
| 666.                | Scarlet oak sawfly      |
| 667.                | Slash pine sawfly       |

|                               |                             |
|-------------------------------|-----------------------------|
| 668.                          | Violet sawfly               |
| 669.                          | White pine sawfly           |
| 670.                          | Willow sawfly               |
| 671.                          | Willow shoot sawfly         |
| 672.                          | Yellowheaded spruce sawfly  |
| <b>Ephemeroptera:</b>         |                             |
| 673.                          | Mayfly                      |
| 674.                          | March Brown mayfly          |
| 675.                          | Blue dun mayfly             |
| 676.                          | Small minnow mayfly         |
| 677.                          | Pronggilled mayfly          |
| 678.                          | Sand-burrowing mayfly       |
| 679.                          | Small squaregilled mayfly   |
| 680.                          | Large squaregilled mayfly   |
| 681.                          | Spiny crawler mayfly        |
| 682.                          | Little stout crawler mayfly |
| 683.                          | Common burrower mayfly      |
| 684.                          | Flathead mayfly             |
| <b>Neuroptera:</b>            |                             |
| 685.                          | Barber brown lacewing       |
| 686.                          | Comanche lacewing           |
| 687.                          | Common green lacewing       |
| 688.                          | Goldeneyed lacewing         |
| 689.                          | Johnson's green lacewing    |
| 690.                          | Spottedwinged antlion       |
| 691.                          | Eastern Dobsonfly           |
| 692.                          | Western Dobsonfly           |
| <b>Embioptera:</b>            |                             |
| 693.                          | Oceanic embiid              |
| 694.                          | Saunders embiid             |
| <b>Thysanoptera (Thrips):</b> |                             |
| 695.                          | Avocado Thrips              |
| 696.                          | Banana Rind thrips          |
| 697.                          | Banded Greenhouse thrips    |
| 698.                          | Basswood thrips             |
| 699.                          | Bean thrips                 |
| 700.                          | Black flower thrips         |
| 701.                          | Black hunter thrips         |
| 702.                          | Blueberry thrips            |
| 703.                          | Camphor thrips              |
| 704.                          | Chrysanthemum thrips        |
| 705.                          | Clidemia thrips             |
| 706.                          | Cuban laurel thrips         |
| 707.                          | Flower thrips               |
| 708.                          | Gladiolus thrips            |

|                       |                            |
|-----------------------|----------------------------|
| 709.                  | Grain thrips               |
| 710.                  | Grape thrips               |
| 711.                  | Grass Thrips               |
| 712.                  | Greenhouse thrips          |
| 713.                  | Hawaiian Flower Thrips     |
| 714.                  | Hawaiian Grass Thrips      |
| 715.                  | Introduced Basswood Thrips |
| 716.                  | Iris Thrips                |
| 717.                  | Lily bulb thrips           |
| 718.                  | Melon thrips               |
| 719.                  | Mullein Thrips             |
| 720.                  | Pear thrips                |
| 721.                  | Privet thrips              |
| 722.                  | Redbanded thrips           |
| 723.                  | Sixspotted thrips          |
| 724.                  | Slash Pine Flower Thrips   |
| 725.                  | Star Jasmine thrips        |
| 726.                  | Tobacco thrips             |
| 727.                  | Vanda thrips               |
| 728.                  | Vespiform thrips           |
| 729.                  | Western Flower Thrips      |
| <b>Other Insects:</b> |                            |
| 730.                  | Deer Ticks                 |
| 731.                  | Mosquitoes                 |
| 732.                  | Spotted Lantern Fly        |
| 733.                  | Fleas                      |