~ .

53883-199			10-16-	•			4
	ر Environmenta	Inited States	• •		Registr Amend Other	ation	0, Approval expires 2-28-5 OPP Identifier Number
	····	Applicatio	on for Pesti	cide - Sectio	on I		
1. Company/Product Number 53883 -199	·		1	A Product Manag rge LaRocca	er	3. Pr	oposed Classification
4. Company/Product (Name) IMI 0.5 G Insecticide			PM#	13			
5. Name and Address of App Control Solutions, Inc 5903 Genoa-Red Blu Pasadena, TX 77507	ff	ode)	(b)(i), to: EPA	my product is Reg. No	similar or iden	itical in co	FIFRA Section 3(c)(3) imposition and labeling
	is a new address			luct Name			
······································			Section -	· II			
Amendment - Explain below.           Resubmission in response to Agency letter dated           Notification - Explain below.		dated		Final printed labels in repsonse to Agency latter dated		se to 	NOTIFICATION OCT 1 6 2006
with the terms of PR Notice 9 under sections 12 and 14 of I			Section -				·
1. Material This Product Will	Be Packaged In:	_					· • • • • • • • • • • • • • • • • • • •
Child-Resistant Packaging Yes No * Certification must	Unit Packaging Yes No If "Yes" No. per		Water Soluble Yes No If "Yes" Package wgt	Packaging No. per container			specify)
be submitted 3. Location of Net Contents I	Unit Packaging wgt. nformation ontainer	container 4. Size(s) Ret			Location of La	bel Directio	· · · · · · · · · · · · · · · · · · ·
5. Manner in Which Label is .	Affixed to Product	Lithog Paper Stenci	raph plued iled	Other_			
· · · · · · · · · · · · · · · · · · ·			Section -	IV			
. Contact Point <i>(Complete )</i>	tems directly below f	or identificatio	n of individual to	be contacted, if i	ecessary, to p	rocess this	application.)
Name Carroli Draper			Title Registration Specialist		Telephone No. (Include Area Code) 800-242-5562		
l certify that the staten I acknowledge that any both under applicable i	knowlingliy false or		all attachments t				6. Date Application Received (Stamped)
. Signature Audel D	liopr		3. Title Registration Spec	ialist			
. Typed Name Carroll Draper	/		5. Date 10	-03-06			
A Form 8570-1 (Rev. 3-94)	Previous editions are	obsolete.		White	EPA File Copy	locicipali	Yellow - Applicant Cop



# IMI 0.5 G Insecticide

For systemic insect control in turfgrass and landscape ornamentals.

Optional marketing language in brackets: [large picture of a grub on the label] [Include a picture of the grub life cycle] [10 Pounds Treats 7000 Sq Ft] [10 Pounds treats up to 8,300 Sq Ft] [Controls Billbugs, Green June Beetles and Mole Crickets] [Apply Once A Year] [1 Application Provides Season Long Control] [Apply anytime between Spring throughout Summer ] [Kills Grubs all Season long] [For Control of Grubs and Listed Insects] [Include a picture of any listed insects] [<PRODUCT NAME> contains imidacloprid, the active ingredient used in <BRAND NAME><sup>™</sup> or ®.] [<PRODUCT NAME> is not manufactured or distributed by <BASIC REGISTRANT / BRAND HOLDER>, seller of <BRAND>™ or ®.]

[<BRAND>™ or <sup>®</sup> is a trademark of <TRADEMARK HOLDER>>.

#### **ACTIVE INGREDIENT:**

*Imidacloprid, 1-[(6-Chloro-3-pyridinyl)methyl]-N-	
nitro-2-imidazolidinimine	0.5%
OTHER INGREDIENTS:	<u>99.5%</u>
Total:	100.0%

EPA Reg. No. 53883-199 EPA Est No. XXXXX-XX-XXX Net contents\_\_\_\_\_

STOP - Read the label before use. Keep out of reach of children.

## CAUTION

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed or absorbed through skin. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

FIRST AID				
If swallowed	<ul> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>			
lf on skin or	Take off contaminated clothing.			

clothing	<ul> <li>Rinse skin immediately with plenty of water for 15 to 20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>			
lf in eyes	<ul> <li>Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>			
In case of emergency call Poison Control Center at 800-222-1222. Have a product container or label with you when calling a poison control center or doctor, or going for treatment. <b>Note To Physician:</b> No specific antidote is available. Treat the patient symptomatically.				

#### ENVIRONMENTAL HAZARDS

This product is highly toxic to aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

This chemical demonstrates the properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not formulate this product into other end-use products.

**NOTE:** Not for use in commercial greenhouses, nurseries, on sod farms or on grass grown for seed. For use on plants intended for aesthetic purposes or climatic modification and being grown in interior plantscapes, ornamental gardens or parks, or on golf courses or lawns and grounds.

## TURFGRASS

**IMI 0.5 G Insecticide** is for use on turfgrass in home lawns, business and office complexes, shopping complexes, multi-family residential complexes, golf courses, airports, cemeteries, parks, playgrounds, athletic fields and sod farms to control soil inhabiting pests as listed in the table below. **IMI 0.5 G Insecticide** can also be used for the suppression of cutworms and chinchbugs in turfgrass areas.

#### **APPLICATION INSTRUCTIONS**

Effective control can be achieved when applications are made before or during the egg laying period. The timing of applications can be based on historical monitoring of the site, previous records or experiences, current season adult trapping or other methods. For best control apply prior to egg hatch of the target pests, followed by sufficient irrigation or rainfall to move the active ingredient through the thatch.

**NOTE:** For optimum control, irrigation or rainfall should occur within 24 hours after application to move the active ingredient through the thatch. Do not make applications when turfgrass areas are waterlogged or the soil is saturated with water. Adequate distribution of the active ingredient cannot be achieved when these conditions exist. The area to be treated must be able to accept vertical penetration of rainfall or irrigation water. Avoid mowing turf or lawn area until after sufficient irrigation or rainfall has occurred so that uniformity of application will not be affected

Do not apply more 80 lb (0.4 lb of active ingredient) per acre per year.

#### **APPLICATION EQUIPMENT**

Apply IMI 0.5 0 Insecticide uniformly over the area being treated with granular application equipment. Both drop-type and rotary-type spreaders may be used. Do not use spreaders which

4/8

apply the material in narrow, concentrated bands. Calibrate application equipment prior to use according to the manufacturer's directions. Check frequently to be sure equipment is working properly and distributing granules uniformly and accurately.

Consult your local State Agricultural Experiment Station, or State Extension Turf Specialists for more specific information regarding timing of application.

RECOMMENDED APPLICATIONS	OF IMI 0.5 G INSECTICIDE ON TURF	GRASS
PEST	USE DIRECTIONS	RATE
Larvae of: European Crane Fly, ( <i>Tipula paludosa</i> ) Annual bluegrass weevil, ( <i>Hyperodes</i> spp.) Green June Beetle, ( <i>Cotinis nitida</i> ); May or June beetle, ( <i>Phyllophaga</i> spp.); Asiatic garden beetle, ( <i>Maladera castanea</i> ) Japanese Beetle, ( <i>Popllia japonica</i> ) Billbug, ( <i>Spherophorus</i> spp.) Northern masked chafer and Southern masked chafer, (Cyclocephala borealis, C. <i>immaculata</i> , and/or C. <i>lurida</i> ) Black turfgrass ataenius, ( <i>Ataenius spretulus</i> and <i>Aphodius</i> spp.) Oriental Beetle, ( <i>Anomala orientalis</i> ) Cutworms (suppression), ( <i>Phyllophaga</i> spp.) European chafer, ( <i>Rhizotroqus majalis</i> )	For optimum control of grubs, billbugs, european crane fly and annual bluegrass weevil, make application prior to egg hatch of the target pest.	60 to 80 lb per acre or 1.2 to 1.8 lb per 1000 sq ft
Chinchbug (suppression) Mole Crickets, ( <i>Scapteriscus</i> spp.)	For suppression of chinchbugs, make application prior to hatching of the instar nymphs. For control of mole crickets make application prior to or during the peak egg hatch period. When adults or large nymphs are present and actively tunneling, application should be accompanied by a curative insecticide.	80 lb per acre or 1.8 lb per 1000 sq ft

## ORNAMENTALS

**IMI 0.5 G Insecticide** can be used as a broadcast application on ornamentals in commercial and residential landscapes.

### **APPLICATION INSTRUCTIONS**

**IMI 0.5 G Insecticide** is a systemic product which is translocated upward within the plant system. For best control, follow applications with sufficient mechanical incorporation, irrigation or rainfall to move the active ingredient into the soil. Irrigation or rainfall should occur within 24 hours after application. Apply prior to pest infestation to achieve optimum control.

Apply as a broadcast treatment. Prior to application, remove black plastic or other weed barrier material that will not permit water permeability.

NOTE: Avoid runoff or puddling of irrigation water following application. Avoid application of **IMI 0.5 G Insecticide** to areas which are water logged or saturated, which will not allow penetration into the root zone of the plant.

Do not apply more than 80 lb (0.4 lb of active ingredient) per acre per year.

## **APPLICATION EQUIPMENT**

Apply **IMI 0.5 G Insecticide** uniformly over the area being treated with granular application equipment. Both drop-type and rotary-type spreaders may be used to apply **IMI 0.5 0 Insecticide.** Do not use the type of spreaders which would apply the material in narrow, concentrated bands. Calibrate application equipment prior to use according to the manufacturer's directions. Check frequently to be sure equipment is working properly and distributing granules uniformly and accurately.

APPLICATION OF IMI 0.5 G INSECTICIDE ON ORNAMENTALS For use only in and around industrial and commercial buildings and residential areas.				
CROP	PEST	RATE		
Landscape Plantings (including trees, shrubs evergreens, flowers, foliage plants, and ground covers)	White grub larvae (such as Japanese beetle larvae, Chafers, <i>Phyllophaga</i> spp. Asiatic garden beetle, Oriental beetle)	1.4 to 1.8 lb per 1000 sq ft		

	Spreader Setti	ngs	
The following chart can be used as a g	juide in establishi	ing an accurate rate of	IMI 0.5 G
Insecticide. Application rates will vary of	depending upon :	speed, equipment wear	and condition of
spreader. Carefully calibrate applicatio	n equipment prio	r to commercial use of	this product.
SPREADER	SPEED	SETTINGS	
	(mph)	60 lb/acre	80 lb/acre
Cyclone Model CB4000	3	3 1/4	3 1/2
Earthway Drop	3	9	10
Earthway 10' Rotary	3	11	12
GandyTurf Tender24"	3	16	19
GandyTurf Tender 42"	3	21	23
Lely	4.5	3.5	-
Lesco Model 6000	3	B ½	С
PS8 Prizelawn CBR-II	3	3 1/4	3 1/2
Scotts Proturf R-8A	3	Н	
Scott's Proturf SR-1	3	Н	
Scott's PF-1, PF-2, PF-3, PF-4 Drop	3	4	4 1/2
Scott's SS-1 Drop	3	4	4 1/2
Spyker Model 34	3	3.1	3.2
Vicon Model PS-203	4.5	13	16

## RESTRICTIONS

Treated areas may be replanted with any crop specified on an imidacloprid label, or with any crcp for which a tolerance exists for the active ingredient.

For crops not listed on an imidacloprid label, or for crops for which no tolerances for the active ingredient have been established, a 12- month plant-back interval should be observed.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**Pesticide Storage:** Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Carefully handle the container to prevent spills. If material is spilled, carefully contain any material to prevent non-target contamination. Do not walk through spilled material and dispose of as directed for pesticides below.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** Completely empty container into application equipment. Then dispose of empty container in a sanitary landfill, by incineration or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Refer to Precautionary Statements on label for hazards associated with the handling of this material. Contact CHEMTREC at 800-424-9300 for decontamination procedures or any other assistance that may be necessary.

#### IMPORTANT READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of liability before using this product.

If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following conditions disclaimer of warranties and limitations of liability.

**CONDITIONS:** The directions for use of this product are believed to be adequate and should be followed carefully. However, because of manner of use and other factors beyond Control Solutions Inc.'s (CSI) control it is impossible for Control Solutions Inc. to eliminate all risks associated with the use of this product As a result, crop injury or ineffectiveness is always possible. All such risks shall be assumed by the user or buyer.

#### WARRANTY STATEMENT

Control Solutions, Inc. warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with directions under normal use conditions. It is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Control Solutions, Inc. To the extent allowed by law, Control Solutions, Inc. shall in no event be liable for consequential, special, or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the Buyer. In addition to the foregoing, no purchaser of this product (other than an end user) shall be entitled to any reimbursement for any loss suffered as a result of any suspension or cancellation of the registration for this product by the U S. Environmental Protection Agency. Except, as expressly provided herein, Control Solutions, Inc. makes no warranties, guarantees, or representations of any kind, either expressed or implied, or by usage of trade, statutory or otherwise, with regard to the product sold, including, but not limited

to merchantability, fitness for a particular purpose, use or eligibility of the product for any particular trade usage. The exclusive remedy of any buyer or user of this product for any and all losses, injuries, or damage resulting from or in any way arising from the use, handling, or application of this product, whether in contract, warranty, tort, negligence, strict liability, or otherwise, shall be damages not exceeding the purchase price paid for this product or, at Control Solutions, Inc. election, the replacement of this product.

Control Solutions, Inc. 5903 Genoa-Red Biuff Pasadena, TX 77507



October 3, 2006

Document Processing Desk (NOTIF) Office of Pesticide Programs U.S. Environmental Protection Agency One Potomac Yard 2777 S. Crystal Drive Arlington, VA 22202

Re: Notification per (PR) Notice 98-10, Optional Marketing Language EPA Reg. No. 53883-199 IMI 0.5 G Insecticide

Dear Sir or Madam:

Enclosed is a Notification for Optional Marketing Language per (PR) Notice 98-10. See highlighted text on attached labeling.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 USC Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If you have any questions or need additional information, please feel free to contact me.

Sincerely,

Canald Lapa

Carroll Draper Registration Specialist