



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Shannon Cooley Control Solutions Inc. 5903 Genoa-Red Bluff Pasadena, TX 77507-1041

FEB 0 6 2014

Subject:

Notification to Add Oregon Restrictions for Tilia Trees

EPA Registration # 53883-199

Submission Date: December 2, 2013

Dear Shannon Cooley:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 received <u>December 2, 2013</u>. The Registration Division (RD) has reviewed these requests and finds that this action falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records. If you have any questions, please contact Jessica Rogala at (703) 347-0263 or via email at <u>rogala.jessica@epa.gov</u>.

Sincerely,

Jessica Rogala

Environmental Protection Specialist Insecticide-Rodenticide Branch

Registration Division (7505P)

≎EPA	Environmenta	United States I Protecti ington, DC 20				Registrati Amendm Other	on		l expires 2-28- tifier Number
		Applicati	on for Pesti	cide - Sec	tion I				
. Company/Product Numbe	r			A Product Mai	nager		3. Pro	posed Clas	sification
53883 - 199			Ven	us Eagle		··	4	None	Restricted
I. Company/Product (Name) IMI 0.5G Insecticide		†	PM#	1				,	
5. Name and Address of App Control Solutions, Inc 5903 Genoa-Red Blu Pasadena, TX 77507 Check if this	c. ff	ode) 1	(b)(i), to: EPA	rpedited Remain my product Reg. No	is simila	ar or identic	al in cor	mposition :	
			Section	- 11					
Amendment - Explain Resubmission in resp Notification - Explain Explanation: Use addition Notification to add state restr Shannon Cooley - Tel: 281-8	below. nal page(s) if necessar	ry. (For section		Agency let "Me Too" Other - Exp	ter dated Applicati	on.			
			Section -	111		 			
1. Material This Product Wil	l Be Packaged In:								<u></u>
Child-Resistant Packaging Yes No Certification must be submitted	Unit Packaging Yes No If "Yes" Unit Packaging wgt	No. per , container	Water Soluble Yes ✓ No If "Yes" Package wgt	Packaging No. per		V	ontainer Metal Plastic Glass Paper Other (S	pecify)	
•	<u> </u>								
(2)	. Location of Net Contents Information 4. Size(s) Re		tail Container 1 lb to 50 lb bag	9	5. Loca	tion of Label on label	Directio	ns	
6. Manner in Which Label is	Affixed to Product	Lithog Paper Stend	graph r glued ciled	Othe	or			¢ 60-6-6	C
			Section -		· · · · · · · · · · · · · · · · · · ·	.		6 	-0
I. Contact Point <i>(Complete</i> lame Shannon Cooley	items directly below	for identificati	Title Regulatory Affa			Ţ	C C C C C	No. (Includ	le Area Code)
I certify that the state I acknowledge that an both under applicable	y knowlinglly false or	Certification this form and misleading st	d all attachments atement may be p	thereto ere tru junishable by f	ine or im	ete and comp prisonment o	, (c (6. Dét9 Ap Ruceives	plication d mped)
			Regulatory Affair	· ·)		INC.	on	ς΄ ζ	(

5. Date

11-22-13

4. Typed Name

Shannon Cooley

IMI 0.5 G Insecticide

For systemic insect control in turfgrass and landscape ornamentals.

Optional marketing language in brackets:	8
[large picture of a grub on the label]	NOTIFICATION
[Include a picture of the grub life cycle]	
[10 Pounds Treats 7000 Sq Ft]	FEB 0 6 2014
[10 Pounds treats up to 8,300 Sq Ft]	9
[Controls Billbugs, Green June Beetles and Mole Crickets	s] '
[Apply Once A Year]	• •
[Apply anytime between Spring throughout Summer]	•
[For Control of Grubs and Listed Insects]	·
[Include a picture of any listed insects]	
[<product name=""> contains imidacloprid, the active i</product>	ngredient used in <brand< td=""></brand<>
$NAME>^{TM} or @.$	
[<product name=""> is not manufactured or distributed</product>	by <basic <="" registrant="" th=""></basic>
BRAND HOLDER>, seller of <brand>TM or ®.]</brand>	
[<brand>TM or ® is a trademark of <trademark h<="" td=""><td>OLDER>>.</td></trademark></brand>	OLDER>>.
•	
A OTIVE INCORPORATE	
ACTIVE INGREDIENT: *Imidaslappid 1 (/6 Chloro 3 pyridipyl)mothyll N	
*Imidacloprid, 1-[(6-Chloro-3-pyridinyl)methyl]-N- nitro-2-imidazolidinimine	0.5%
OTHER INGREDIENTS:	
Total:	100.0%
	•
EPA Reg. No. 53883-199	Net contents
EPA Est No. XXXXX-XXX	1101 0011101110

STOP - Read the label before use. Keep out of reach of children.

CAUTION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

FIRST AID				
If swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. 			
If on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. 			



If in eyes	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Out of the first to the first of the first
	• Call a poison control center or doctor for treatment advice. ency call Poison Control Center at 800-222-1222. Have a product container or label liling a poison control center or doctor, or going for treatment.
	an: No specific antidote is available. Treat the patient symptomatically.

ENVIRONMENTAL HAZARDS

This product is highly toxic to aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. Runoff may be hazardous to aquatic organisms in water adjacent treated areas.

This product contains a chemical with properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not formulate this product into other end-use products.

NOTE: Not for use in commercial greenhouses, nurseries, on sod farms or on grass grown for seed. For use on plants intended for aesthetic purposes or climatic modification and being grown in interior plantscapes, ornamental gardens or parks, or on golf courses or lawns and grounds.

TURFGRASS

IMI 0.5 G Insecticide is for use on turfgrass in home lawns, business and office complexes, shopping complexes, multi-family residential complexes, golf courses, airports, cemeteries, parks, playgrounds, and athletic fields to control soil inhabiting pests as listed in the table below. IMI 0.5 G Insecticide can also be used for the suppression of cutworms and chinch bugs in turfgrass areas.

APPLICATION INSTRUCTIONS

Effective control can be achieved when applications are made before or during the egg laying period. The timing of applications can be based on historical monitoring of the site, previous records or experiences, current season adult trapping or other methods. For best control apply prior to egg hatch of the target pests, followed by sufficient irrigation or rainfall to move the active ingredient through the thatch.

NOTE: For optimum control, irrigation or rainfall should occur within 24 hours after application to move the active ingredient through the thatch. Do not make applications when turfgrass areas are waterlogged or the soil is saturated with water. Adequate distribution of the active ingredient cannot be achieved when these conditions exist. The area to be treated must be able to accept vertical penetration of rainfall or irrigation water. Avoid mowing turf or lawn area until after sufficient irrigation or rainfall has occurred so that uniformity of application will not be affected.

Do not apply more than 80 lb. (0.4 lb of active ingredient) per acre per year.

Do not apply this product, by any application method, to linden, basswood or other Tilia species.

APPLICATION EQUIPMENT

Apply IMI 0.5 0 Insecticide uniformly over the area being treated with granular application equipment. Both drop-type and rotary-type spreaders may be used. Do not use spreaders which apply the material in narrow, concentrated bands. Calibrate application equipment prior to use according to the manufacturer's directions. Check frequently to be sure equipment is working properly and distributing granules uniformly and accurately.

Consult your local State Agricultural Experiment Station, or State Extension Turf Specialists for more specific information regarding timing of application.

RECOMMENDED APPLICATIONS OF IMI 0.5 G INSECTICIDE ON TURFGRASS				
PEST	USE DIRECTIONS	RATE		
Larvae of: European Crane Fly, (<i>Tipula paludosa</i>) Annual bluegrass weevil, (<i>Hyperodes</i> spp.) Green June Beetle, (<i>Cotinis nitida</i>); May or June beetle, (<i>Phyllophaga</i> spp.); Asiatic garden beetle, (<i>Maladera castanea</i>) Japanese Beetle, (<i>Popllia japonica</i>) Billbug, (<i>Spherophorus</i> spp.) Northern masked chafer and Southern masked chafer, (Cyclocephala borealis, C. <i>immaculata</i> , and/or C. <i>lurida</i>) Black turfgrass ataenius, (<i>Ataenius spretulus</i> and <i>Aphodius</i> spp.) Oriental Beetle, (<i>Anomala orientalis</i>) Cutworms (suppression), (<i>Phyllophaga</i> spp.) European chafer, (<i>Rhizotroqus majalis</i>)	For optimum control of grubs, billbugs, european crane fly and annual bluegrass weevil, make application prior to egg hatch of the target pest.	60 to 80 lb per acre or 1.2 to 1.8 lb per 1000 sq ft		
Chinchbug (suppression) Mole Crickets, (Scapteriscus spp.)	For suppression of chinchbugs, make application prior to hatching of the instar nymphs. For control of mole crickets make application prior to or during the peak egg hatch period. When adults or large nymphs are present and actively tunneling, application should be accompanied by a curative insecticide.	80 lb per acre or 1.8 lb per 1000 sq ft		

ORNAMENTALS

IMI 0.5 G Insecticide can be used as a broadcast application on ornamentals in commercial and residential landscapes.

APPLICATION INSTRUCTIONS

IMI 0.5 G Insecticide is a systemic product which is translocated upward within the plant system. For best control, follow applications with sufficient mechanical incorporation, irrigation or rainfall to

move the active ingredient into the soil. Irrigation or rainfall should occur within 24 hours after application. Apply prior to pest infestation to achieve optimum control.

Apply as a broadcast treatment. Prior to application, remove black plastic or other weed barrier material that will not permit water permeability.

NOTE: Avoid runoff or puddling of irrigation water following application. Avoid application of **IMI 0.5 G Insecticide** to areas which are water logged or saturated, which will not allow penetration into the root zone of the plant.

Do not apply more than 80 lb (0.4 lb of active ingredient) per acre per year.

Do not apply this product, by any application method, to linden, basswood or other Tilia species.

APPLICATION EQUIPMENT

Apply **IMI 0.5 G Insecticide** uniformly over the area being treated with granular application equipment. Both drop-type and rotary-type spreaders may be used to apply **IMI 0.5 0 Insecticide**. Do not use the type of spreaders which would apply the material in narrow, concentrated bands. Calibrate application equipment prior to use according to the manufacturer's directions. Check frequently to be sure equipment is working properly and distributing granules uniformly and accurately.

APPLICATION OF IMI 0.5 G INSECTICIDE ON ORNAMENTALS For use only in and around industrial and commercial buildings and residential areas.				
CROP	PEST	RATE		
Landscape Plantings (including trees, shrubs evergreens, flowers, foliage plants, and ground covers)	White grub larvae (such as Japanese beetle larvae, Chafers, Phyllophaga spp. Asiatic garden beetle, Oriental beetle)	1.2 to 1.8 lb per 1000 sq ft		

Spreader Settings

The following chart can be used as a guide in establishing an accurate rate of IMI 0.5 G Insecticide. Application rates will vary depending upon speed, equipment wear and condition of spreader. Carefully calibrate application equipment prior to commercial use of this product.

SPREADER	SPEED	INGS	
	(mph)	60 lb/acre	80 lb/acre
Cyclone Model CB4000	3	3 1/4	3 ½
Earthway Drop	3	, 9	10
Earthway 10' Rotary	3	, 11	12
GandyTurf Tender24"	3	, 16	19
GandyTurf Tender 42"	3 ·	21	23
Lely	4.5	3.5	-
Lesco Model 6000	3	B ½	С
PS8 Prizelawn CBR-II	3	3 1/4	3 ½
Scotts Proturf R-8A	3	Н	
Scott's Proturf SR-1	3	Н	l
Scott's PF-1, PF-2, PF-3, PF-4 Drop	3	4	4 1/2
Scott's SS-1 Drop	3	4	4 1/2
Spyker Model 34	3	3.1	3.2
Vicon Model PS-203	4.5	13	16

RESTRICTIONS

Treated areas may be replanted with any crop specified on an imidacloprid label, or with any crop for which a tolerance exists for the active ingredient.

For crops not listed on an imidacloprid label, or for crops for which no tolerances for the active ingredient have been established, a 12- month plant-back interval should be observed.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Carefully handle the container to prevent spills. If material is spilled, carefully contain any material to prevent non-target contamination. Do not walk through spilled material and dispose of as directed for pesticides below.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL:

If empty: Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Do not rinse unless required for recycling. If recycling is not available: then dispose of container in a sanitary landfill or, if allowed by State and local authorities, by burning. If burned, stay out of smoke. If partly filled: Call your local solid waste agency for disposal instructions. Never pour unused product down any indoor or outdoor drain.

8/8

IMPORTANT READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of liability before using this product.

If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following conditions disclaimer of warranties and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, because of manner of use and other factors beyond Control Solutions Inc.'s (CSI) control it is impossible for Control Solutions Inc. to eliminate all risks associated with the use of this product As a result, crop injury or ineffectiveness is always possible. All such risks shall be assumed by the user or buyer.

WARRANTY STATEMENT

Control Solutions, Inc. warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with directions under normal use conditions. It is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Control Solutions, Inc. To the extent consistent by law, Control Solutions, Inc. shall in no event be liable for consequential, special, or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the Buyer. In addition to the foregoing, no purchaser of this product (other than an end user) shall be entitled to any reimbursement for any loss suffered as a result of any suspension or cancellation of the registration for this product by the U.S. Environmental Protection Agency. Except, as expressly provided herein, Control Solutions, Inc. makes no warranties, guarantees, or representations of any kind, either expressed or implied, or by usage of trade, statutory or otherwise, with regard to the product sold, including, but not limited to merchantability, fitness for a particular purpose, use or eligibility of the product for any particular trade usage. The exclusive remedy of any buyer or user of this product for any and all losses, injuries, or damage resulting from or in any way arising from the use, handling, or application of this product, whether in contract, warranty, tort, negligence, strict liability, or otherwise, shall be damages not exceeding the purchase price paid for this product or, at Control Solutions, Inc. election, the replacement of this product.

> Control Solutions, Inc. 5903 Genoa-Red Bluff Pasadena, TX 77507