

### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Carroll Draper Registration Specialist Control Solutions, Inc. 5903 Genoa-Red Bluff Pasadena, TX 77507-1041

OCT 5 2007

SUBJECT:

Application for Pesticide Notification – Request Alternate Cap Sizes

IMI 0.22G Rose, Flower & Shrub Insecticide

EPA Reg. No. 53883-206

Application Dated September 11, 2007

Dear Ms. Draper:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Terri Stowe of my staff at 703-305-6117.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs



September 11, 2007

Document Processing Desk (NOTIF)
Office of Pesticide Programs
U.S. Environmental Protection Agency
One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202

NOTIFICATION
OCT 0 5 2007

Re: Notification per (PR) Notice 98-10, Alternate Cap Sizes EPA Reg. No. 53883-206 IMI 0.22G Rose, Flower & Shrub Insecticide

Dear Sir or Madam:

Enclosed is a Notification to include Alternate Cap Sizes per (PR) Notice 98-10. See highlighted text on attached labeling.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 USC Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If you have any questions or need additional information, please feel free to contact me.

Sincerely,

(Auall Diagram)

Carroll Draper
Registration Specialist
Control Solutions Inc.

Places road instructions on	reverse before completing form.		- Approved CMR No.	2070 008	O. Approval expires 2-28-9
<b>\$EPA</b>	United State Environmental Protect Washington, DC	etion Agency	Registr Amend	ation	OPP Identifier Number
	Applica	tion for Pesticide - S	Section I		
1. Company/Product Numbe 53883 -206	ır .	2. EPA Product Venus Eagle	<del>-</del> .	3. Pro	oposed Classification
4. Company/Product (Name IMI 0.22G Rose, Flowe	er & Shrub Insecticide	<b>PM#</b> 01			None Restricted
5. Name and Address of Ap Control Solutions, Inc 5903 Genoa-Red Blu Pasadena, TX 7750 Check if this	c. ff	(b)(i), my prod to: EPA Reg. N Product Nar	luct is similar or iden		FIFRA Section 3(c)(3) mposition and labeling
<u> </u>		Section - II			
Notification - Explain	oonse to Agency letter dated	Agenc "Me T	rinted labels in repson y letter dated oo" Application. - Explain below.	TON	TFICATION T 0 5 2007
98-10 and EPA regulations a understand that it is a violation	ate cap sizes. Please see highlight at 40 CFR 152.46, and no other cha on of 18 USC Sec. 1001 to willfully 98-10 and 40 CFR 152.46, this pro FIFRA.	anges have been made to the lat make any false statement to EP duct may be in violation of FIFRA	peling or the confidential A. I further understand	statement of this no	of formula of this product. I offication is not consistent
		Section - III			
1. Material This Product Will Child-Resistant Packaging Yes No * Certification must be submitted 3. Location of Net Contents	Unit Packaging  Yes  No  If "Yes"  Unit Packaging wgt.  No. per contains		g 2. Type o	Metal Plastic Glass Paper Other (S	
t : t 1	Container		on labe		
6. Manner in Whiel Label is	Affixed to Product Lit	hograph per glued enciled	Other	<del></del>	
		Section - IV			
1. Contact Point (Complete	items directly below for identific	ation of individual to be contac	cted, if necessary, to p	rocess this	application.)
Name Carroll Draper		Title Registration Specialist		Telephone 800-242-	e No. (Include Area Code) 5562
	ments I have made on this form by knowlinglly false or misleading				6. Cate Application Received (Stamped)
2. Signature  Ausll	logs	3. Title  Registration Specialist			
4. Typed Name		5. Date			

9-11-07

4. Typed Name

Carroll Draper

# IMI 0.22G

### Rose, Flower & Shrub Insecticide

[Optional marketing statement]

- Feeds and Protects Plants Against Insects for up to 8 Weeks
- Protects against insects for 8 weeks
- · Systemic insect protection for your plants
- Protects plants from damage by: Aphids, Whiteflies, Mealybugs, Scale, and other listed insects
- Promotes strong roots and beautiful blooms
- Rainproof Protection
- Ready-To-Use Granules
- No spraying ... No mess
- Protects against insect infestations

NOTIFICATION

OCT 0 5 2007

X • X • X Fertilizer Analysis

#### FOR OUTDOOR RESIDENTIAL USE ONLY

ACTIVE INGREDIENT:	
Imidacloprid	 0.22 %
OTHER INGREDIENTS:	<u>99.78 %</u>
	100.00%

Net Wt: 8 oz (227g) or 2 lbs. (907 g) or 5 lbs. (2.26 kg) or 10 lbs. (4.54 kg)

## KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel [Booklet] for Additional Ingredients and Precautionary Statements

EPA Reg. No. 53883-206

EPA Est. No. 53883-TX-002

Net Contents

#### FERTILIZER ANALYSIS

Total Nitrogen	X%
Available Phosphate (P <sub>2</sub> O <sub>5</sub> )	X%
Soluble Potash (K <sub>2</sub> O)	X%
Derived from commercially available fe	rtilizer

#### **GENERAL INFORMATION**

IMI 0.22 G Rose, Flower & Shrub Insecticide feeds the plant to promote strong roots and beautiful blooms, while protecting the plant against insect damage for up to eight weeks. IMI 0.22 G Rose, Flower & Shrub Insecticide is taken up by the roots and travels throughout the entire plant. New growth is protected against insects for up to 8 weeks. IMI 0.22 G Rose, Flower & Shrub Insecticide works inside the plant, so rain and water will not wash off the insect protection.

IMI 0.22 G Rose, Flower & Shrub Insecticide kills Adelgids, Aphids, Fungus gnats, Leafminers, Lace bugs, Leafhoppers, Mealybugs, Plant bugs, Psyllids, Soft Scales, Thrips (suppression), Whiteflies, and other listed pests. Apply every 8 weeks during the growing season to roses, flowers and shrubs. 2 lbs. treats up to 16 medium-size roses or shrubs.

#### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. For best results, read and follow all label directions.

#### RESTRICTIONS

- · Do not apply near fish pools, ponds, lakes or streams
- · Do not use in vegetable gardens.
- · Food utensils such as teaspoons or measuring cups should not be used for food purposes after use with insecticides.

#### NOT FOR SALE, USE OR DISTRIBUTION IN OR INTO NASSAU, SUFFOLK, KINGS OR QUEENS COUNTIES, NEW YORK

#### **KILLS**

Adelgids
Aphids
Armored Scales (suppression)
Japanese Beetle Adults
Lacebugs
Leaf Beetles (including Elm Leaf, Viburnum Leaf, and Lily Leaf Beetles)
Leafhoppers (including Glassy-winged Sharpshooter)
Leafminers (including Birch and Boxwood Leafminers)

Mealybugs
Pine Tip Moth Larvae
Psyllids
Root Weevil Larvae (including black vine weevils)
Sawfly Larvae
Soft Scales (Including lobate lac scales)
Thrips
Whiteflies

#### APPLICATION INSTRUCTIONS

For new plants, apply when planting. For established plants, use before pest damage occurs or immediately when seen. Repeat applications every 8 weeks during the growing season.

#### **HOW MUCH TO APPLY**

Fill measuring cap to top of inner circle (2 oz.) Four rounded tablespoons equals 2 oz.

For Roses: 1 capful (2 oz.) per plant

For Shrubs: 2 capfuls (4 oz.) per foot of plant height

For Flower Beds: 1 capful (2 oz.) per 50 sq ft (5'x10' bed area)

#### [ALTERNATE MEASURMENTS IF USING SMALLER CAP SIZES]

#### HOW MUCH TO APPLY

Fill measuring cap to top of inner circle (2 oz.) Four rounded tablespoons equals 2 oz

For Roses: 2 capfuls (202.) per plant

For Shrubs: 4 capfuls (4oz.) per foot of plant height

For Flower Beds: 2 capfuls (2oz.) per 50 sq. ft. (5'x10' bed area)

#### **HOW TO APPLY**

Apply the required amount of granules evenly on top of soil, mix thoroughly into the top soil layer, being careful not to damage the upper roots, then water in thoroughly. For flower beds, sprinkle granules evenly over bed.

#### Storage and Disposal Directions

Storage: Store in original container in a cool, dry place, out of the reach of children, preferably in a locked storage cabinet.

Disposal: Do not reuse empty container. Place empty container in trash.

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### **CAUTION**

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Wear protective eyewear. Avoid contact with skin, eyes, or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

IF SWALLOWED:	<ul> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li> </ul>
	Do not give anything to an unconscious person.
IF ON SKIN OR CLOTHING:	Take off contaminated clothing.
	Rinse skin immediately with plenty of water for 15-20 minutes.
	Call a poison control center or doctor for treatment advice.
IF IN EYES	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.
·	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	Call a poison control center or doctor for treatment advice.

#### **ENVIRONMENTAL HAZARDS**

This product is highly toxic to aquatic invertebrates. Do not apply directly to water. Do not contaminate water when cleaning equipment or disposing of equipment washwater.

contact SafetyCall® International (866) 897-8050 for emergency medical treatment information.

#### IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of liability before using this product.

If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, because of manner of use and other factors beyond Control Solutions, Inc.'s control it is impossible for Control Solution's, Inc. to eliminate all risks associated with the use of this product. As a result, crop injury or ineffectiveness is always possible. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: CONTROL SOLUTIONS, INC. MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Control Solutions, Inc. is authorized to make any warranties beyond those contained

herein or to modify the warranties contained herein. Control Solutions, Inc. disclaims any liability whatsoever for special, incidental or consequential damages, resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT CONTROL SOLUTIONS, INC.'S ELECTION, THE REPLACEMENT OF PRODUCT.

Control Solutions, Inc. 5903 Genoa-Red Bluff Pasadena, TX 77507