

53883-219

04/24/2007

115



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs  
Registration Division (H7505C)  
401 "M" St., S.W.  
Washington, D.C. 20460

NOTICE OF PESTICIDE:

Registration  
 Reregistration

(under FIFRA, as amended)

EPA Reg.  
Number:

53883-219

Date of Issuance:

APR 24 2007

Term of Issuance: Conditional

Name of Pesticide Product:

IMI 0.3 G Lawn and  
Ornamental Insecticide

Name and Address of Registrant (include ZIP Code):

Ms. Jane M. Miller  
Control Solutions, Inc.  
5903 Genoa-Red Bluff  
Pasadena, TX 77507-1041

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.  
Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A). Once a pesticide is registered, however, it is not regarded as permanently acceptable. Registration does not eliminate the need for continual reassessment of pesticides. If the Agency determines that, at any time, additional data are required to maintain in effect an existing registration, the Agency will require submission of such data under FIFRA section (3)(c)(2)(B).

- 1. Revise the EPA Registration Number to read, EPA Reg. No. "53883-219".

Signature of Approving Official.

Dani Daniel  
Insecticide-Rodenticide Branch  
Registration Division (7505P)

Date:

APR 24 2007

Page Two  
53883-215

2. The "Precautionary Statement" must be same as the cited product. Reorder the "Aid Statement" to read as follows: IF Swallowed, If on Skin or Clothing, If in eyes, and If inhaled.

3. Make the following changes to the "Warranty Statement".

-**Condition:** in the first sentence change the word "**should**" to "**must**".

-**Disclaimer of Warranties:** At the beginning of first sentence add "**To the extent consistent with applicable law**"...

- **Limitations of Liability:** At the beginning of the first sentence add "**To the extent consistent with applicable law**"...

4. Submit to the Agency the required one year storage stability (830.6317) and Corrosion characteristics study (830.6320) for the proposed product. It is recommended that the observations are made at 0, 3, 6, 9 and 12 months intervals.

6. Submit two copies of your final printed labeling before you release the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sect. 6(e). Your release for shipment of the product constitute acceptance of these conditions. A stamped copy of the label is enclosed for your records.

A stamped copy of the label is enclosed for your records. If you have any questions regarding this notice, please contact me at (703) 305-5409.

Enclosure:

# IMI 0.3 G

## Lawn and Ornamental Insecticide

For residential use on lawns and landscaped areas.  
 Kills white grubs and mole crickets early, before they damage your lawn. Apply before insects hatch to prevent turf damage.  
 One application controls grubs all season long.  
 Apply only once a season for season-long control.

|                                 |         |
|---------------------------------|---------|
| <b>ACTIVE INGREDIENT</b>        |         |
| Imidacloprid ' .....            | 0.3%    |
| <b>OTHER INGREDIENTS:</b> ..... | 99.7%   |
|                                 | 100.00% |

EPA Reg. No. 53883-XXX EPA Est. No. XXXXX-XX-XXX

**Net Contents:**

**STOP - Read the label before use.**  
**Keep out of reach of children.**

### CAUTION

PRECAUTIONARY STATEMENTS  
 HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed or absorbed through skin. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

| <b>FIRST AID</b>   |  |
|--|--|
| Have the product container or label with you when calling a poison control center or doctor, or going for treatment. |  |
| <b>If swallowed:</b>   | <ul style="list-style-type: none"> <li>• Call a Poison Control Center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul> |
| <b>If inhaled:</b>   | <ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>  |
| <b>If on skin or clothing:</b>   | <ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>  |
| <b>If in eyes:</b>   | <ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> </ul>  |
| Note to Physician: No specific antidote is available. Treat the patient symptomatically.                             |  |

**ACCEPTED**  
**with COMMENTS**  
**In EPA Letter Dated:**

**APR 24 2007**

Under the Federal Insecticide,  
 Fungicide, and Rodenticide Act,  
 as amended, for the pesticide  
 registered under EPA Reg. No.  
53883-2A

**ENVIRONMENTAL HAZARDS**

This product is highly toxic to aquatic invertebrates. Do not apply directly to water. Do not contaminate water when cleaning equipment or disposing of equipment washwater.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ALL DIRECTIONS FOR USE AND CONDITIONS OF SALE BEFORE USING

**GENERAL INFORMATION ABOUT IMI 0.3 G**

IMI 0.3 G prevents damage to turf by killing grubs and mole crickets before they can cause damage. White grubs feed on grass roots, turning the affected turf yellow, then brown. Diseased turf is easily pulled up in pieces with your hands. Mole crickets damage lawns by their tunneling activity. Some species also feed on the grass roots, as well.

For best results, apply IMI 0.3G before grubs and mole crickets hatch. The active ingredient will remain in the root zone of the turf until the eggs of grubs or mole crickets hatch. These newly hatched insects are killed by IMI 0.3 G before they become large enough to cause turf damage. IMI 0.3 G also kills grubs in landscaped ornamental areas containing flowers, ground covers, shrubs and trees.

Consult your local County University Extension Office for the best time to make applications of IMI 0.3 G.

**FOR USE ON LAWNS:**

Controls White grubs (including the larvae of Japanese beetle, Oriental beetle, Chafers, Asiatic garden beetle, May or June beetles, and black turfgrass ataenius) and mole crickets.

**Application Instructions:** Use either a drop-type or rotary-type spreader. Apply IMI 0.3 G uniformly over the area being treated. Avoid the use of spreaders which may apply the product in narrow, concentrated or uneven bands. Calibrate your spreader according to the spreader manufacturer's directions to ensure the proper amount of IMI 0.3 G is applied. Check frequently to be sure spreader is working properly and spreading granules evenly.

For best results, IMI 0.3 G will work best if the lawn is watered thoroughly or if rainfall occurs within 24 hours after application to move the active ingredient through the thatch and down into the soil. DO NOT apply IMI 0.3 G when turf areas are waterlogged. The product may not work effectively under these conditions. Avoid mowing lawn until watering or rainfall has occurred so that the uniformity of the granules is not disturbed.

**Application Timing:** IMI 0.3 G works best when applied before grubs and mole crickets hatch. For best results, apply as follows:

- White grubs: Apply once, anytime from April through mid-August.
- Mole crickets: In Florida, apply once from early April through early May. Elsewhere, apply once from mid-May through mid-June.

**Application Rates:** For control of white grubs, IMI 0.3 G should be applied at the rate of 2.0 pounds per 1,000 square feet. For mole cricket control, apply 2.5 pounds per 1000 square feet. The table below can be used as a guide for applying the proper rate of IMI 0.3 G. However, the application rate can vary depending on the speed of application and the condition of the spreader. For best results, use a normal, steady pace when applying to obtain an accurate, even application.

SPREADER SETTING TABLE TO BE INSERTED HERE.

**FOR USE ON LANDSCAPE PLANTINGS  
(Trees, Shrubs, Evergreens, Flowers, Ground covers)**

Controls White grubs (including larvae of Japanese beetle, Oriental beetle, chafers, Asiatic garden beetle, May and June beetle, and black turf grass ataenius). NOTE: DO NOT apply IMI 0.3 G to vegetable gardens.

**Application Instructions:** Apply as a broadcast treatment to soil, mulch or other substrate. Prior to application, remove black plastic from area to be treated to allow water to penetrate into the soil. Permeable weed barriers need not be removed prior to application.

IMI 0.3 G will work best if material is worked into the soil around plants or if a thorough watering or rainfall occurs within 24 hours after application to move the product down through mulch and into the soil. DO NOT apply to

waterlogged areas. IMI may not work effectively under these conditions.

**Application Timing:** The best control of grubs will be obtained if IMI 0.3 G is applied before grubs begin to hatch. For best results, application should occur from April through mid-August.

**Application Rates:** IMI 0.3 G should be applied at the rate of 2 pounds per 1,000 square feet. The table above can be used as a guide for applying the proper rate of IMI 0.3 G. However, the application rate can vary depending on the speed of application and the condition of the spreader.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal

**Storage:** Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet

**Disposal:** If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**IMPORTANT: READ BEFORE USE**

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of liability before using this product.

If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

**CONDITIONS:** The directions for use of this product are believed to be adequate and should be followed carefully. However, because of manner of use and other factors beyond Control Solutions, Inc.'s control it is impossible for Control Solutions, Inc. to eliminate all risks associated with the use of this product. As a result, crop injury or ineffectiveness is always possible. All such risks shall be assumed by the user or buyer.

**DISCLAIMER OF WARRANTIES:** CONTROL SOLUTIONS, INC. MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Control Solutions, Inc. is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. Control Solutions, Inc. disclaims any liability whatsoever for special, incidental or consequential damages, resulting from the use or handling of this product.

**LIMITATIONS OF LIABILITY:** THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT CONTROL SOLUTIONS, INC.'S ELECTION, THE REPLACEMENT OF PRODUCT.

Control Solutions, Inc.  
5903 Genoa-Red Bluff  
Pasadena, TX 77507